

## **APPENDIX G: Trauma Diagnosis Codes**

## Trauma Diagnosis Codes: (TRAUMID)

M9910	Subluxation complex (vertebral) of head region	S62164A	Nondisplaced fracture of pisiform, right wrist, initial encounter for closed fracture
M9911	Subluxation complex (vertebral) of cervical region	S62164B	Nondisplaced fracture of pisiform, right wrist, initial encounter for open fracture
M9912	Subluxation complex (vertebral) of thoracic region	S62165A	Nondisplaced fracture of pisiform, left wrist, initial encounter for closed fracture
M9913	Subluxation complex (vertebral) of lumbar region	S62165B	Nondisplaced fracture of pisiform, left wrist, initial encounter for open fracture
M9914	Subluxation complex (vertebral) of sacral region	S62166A	Nondisplaced fracture of pisiform, unspecified wrist, initial encounter for closed fracture
M9915	Subluxation complex (vertebral) of pelvic region	S62166B	Nondisplaced fracture of pisiform, unspecified wrist, initial encounter for open fracture
M9916	Subluxation complex (vertebral) of lower extremity	S62171A	Displaced fracture of trapezium [larger multangular], right wrist, initial encounter for closed fracture

July 2016 1 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
M9917	Subluxation complex (vertebral) of upper extremity	S62171B	Displaced fracture of trapezium [larger multangular], right wrist, initial encounter for open fracture	
M9918	Subluxation complex (vertebral) of rib cage	S62172A	Displaced fracture of trapezium [larger multangular], left wrist, initial encounter for closed fracture	
M9919	Subluxation complex (vertebral) of abdomen and other regions	S62172B	Displaced fracture of trapezium [larger multangular], left wrist, initial encounter for open fracture	
S0100XA	Unspecified open wound of scalp, initial encounter	S62173A	Displaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for closed fracture	
S0101XA	Laceration without foreign body of scalp, initial encounter	S62173B	Displaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for open fracture	
S0102XA	Laceration with foreign body of scalp, initial encounter	S62174A	Nondisplaced fracture of trapezium [larger multangular], right wrist, initial encounter for closed fracture	
S0103XA	Puncture wound without foreign body of scalp, initial encounter	S62174B	Nondisplaced fracture of trapezium [larger multangular], right wrist, initial encounter for open fracture	
S0104XA	Puncture wound with foreign body of scalp, initial encounter	S62175A	Nondisplaced fracture of trapezium [larger multangular], left wrist, initial encounter for closed fracture	

July 2016 2 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI App ty Indicators Appendices vindicators.ahrq.gov	oendix G	
S0105XA	Open bite of scalp, initial encounter	S62175B	Nondisplaced fracture of trapezium [larger multangular], left wrist, initial encounter for open fracture
S01101A	Unspecified open wound of right eyelid and periocular area, initial encounter	S62176A	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for closed fracture
S01102A	Unspecified open wound of left eyelid and periocular area, initial encounter	S62176B	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for open fracture
S01109A	Unspecified open wound of unspecified eyelid and periocular area, initial encounter	S62181A	Displaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for closed fracture
S01111A	Laceration without foreign body of right eyelid and periocular area, initial encounter	S62181B	Displaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for open fracture
S01112A	Laceration without foreign body of left eyelid and periocular area, initial encounter	S62182A	Displaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for closed fracture
S01119A	Laceration without foreign body of unspecified eyelid and periocular area, initial encounter	S62182B	Displaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for open fracture
S01121A	Laceration with foreign body of right eyelid and periocular area, initial encounter	S62183A	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for closed fracture

July 2016 3 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S01122A	Laceration with foreign body of left eyelid and periocular area, initial encounter	S62183B	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for open fracture	
S01129A	Laceration with foreign body of unspecified eyelid and periocular area, initial encounter	S62184A	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for closed fracture	
S01131A	Puncture wound without foreign body of right eyelid and periocular area, initial encounter	S62184B	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for open fracture	
S01132A	Puncture wound without foreign body of left eyelid and periocular area, initial encounter	S62185A	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for closed fracture	
S01139A	Puncture wound without foreign body of unspecified eyelid and periocular area, initial encounter	S62185B	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for open fracture	
S01141A	Puncture wound with foreign body of right eyelid and periocular area, initial encounter	S62186A	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for closed fracture	
S01142A	Puncture wound with foreign body of left eyelid and periocular area, initial encounter	S62186B	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for open fracture	
S01149A	Puncture wound with foreign body of unspecified eyelid and periocular area, initial encounter	S62201A	Unspecified fracture of first metacarpal bone, right hand, initial encounter for closed fracture	

July 2016 4 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S01151A	Open bite of right eyelid and periocular area, initial encounter	S62201B	Unspecified fracture of first metacarpal bone, right hand, initial encounter for open fracture
S01152A	Open bite of left eyelid and periocular area, initial encounter	S62202A	Unspecified fracture of first metacarpal bone, left hand, initial encounter for closed fracture
S01159A	Open bite of unspecified eyelid and periocular area, initial encounter	S62202B	Unspecified fracture of first metacarpal bone, left hand, initial encounter for open fracture
S0120XA	Unspecified open wound of nose, initial encounter	S62209A	Unspecified fracture of first metacarpal bone, unspecified hand, initial encounter for closed fracture
S0121XA	Laceration without foreign body of nose, initial encounter	S62209B	Unspecified fracture of first metacarpal bone, unspecified hand, initial encounter for open fracture
S0122XA	Laceration with foreign body of nose, initial encounter	S62211A	Bennetts fracture, right hand, initial encounter for closed fracture
S0123XA	Puncture wound without foreign body of nose, initial encounter	S62211B	Bennetts fracture, right hand, initial encounter for open fracture
S0124XA	Puncture wound with foreign body of nose, initial encounter	S62212A	Bennetts fracture, left hand, initial encounter for closed fracture

July 2016 5 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S0125XA	Open bite of nose, initial encounter	S62212B	Bennetts fracture, left hand, initial encounter for open fracture	
S01301A	Unspecified open wound of right ear, initial encounter	S62213A	Bennetts fracture, unspecified hand, initial encounter for closed fracture	
S01302A	Unspecified open wound of left ear, initial encounter	S62213B	Bennetts fracture, unspecified hand, initial encounter for open fracture	
S01309A	Unspecified open wound of unspecified ear, initial encounter	S62221A	Displaced Rolandos fracture, right hand, initial encounter for closed fracture	
S01311A	Laceration without foreign body of right ear, initial encounter	S62221B	Displaced Rolandos fracture, right hand, initial encounter for open fracture	
S01312A	Laceration without foreign body of left ear, initial encounter	S62222A	Displaced Rolandos fracture, left hand, initial encounter for closed fracture	
S01319A	Laceration without foreign body of unspecified ear, initial encounter	S62222B	Displaced Rolandos fracture, left hand, initial encounter for open fracture	
S01321A	Laceration with foreign body of right ear, initial encounter	S62223A	Displaced Rolandos fracture, unspecified hand, initial encounter for closed fracture	

July 2016 6 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S01322A	Laceration with foreign body of left initial encounter	ear, S62223B	Displaced Rolandos fracture, unspecified hand, initial encounter for open fracture
S01329A	Laceration with foreign body of unspecified ear, initial encounter	S62224A	Nondisplaced Rolandos fracture, right hand, initial encounter for closed fracture
S01331A	Puncture wound without foreign borright ear, initial encounter	dy of S62224B	Nondisplaced Rolandos fracture, right hand, initial encounter for open fracture
S01332A	Puncture wound without foreign booleft ear, initial encounter	dy of S62225A	Nondisplaced Rolandos fracture, left hand, initial encounter for closed fracture
S01339A	Puncture wound without foreign boo unspecified ear, initial encounter	dy of S62225B	Nondisplaced Rolandos fracture, left hand, initial encounter for open fracture
S01341A	Puncture wound with foreign body oright ear, initial encounter	of S62226A	Nondisplaced Rolandos fracture, unspecified hand, initial encounter for closed fracture
S01342A	Puncture wound with foreign body of left ear, initial encounter	of S62226B	Nondisplaced Rolandos fracture, unspecified hand, initial encounter for open fracture
S01349A	Puncture wound with foreign body ounspecified ear, initial encounter	of S62231A	Other displaced fracture of base of first metacarpal bone, right hand, initial encounter for closed fracture

July 2016 7 of 434

AHRQ QI™ IC Version 6.0	D-10-CM/PCS Specification PS	SI Appendix G	
	y Indicators Appendices indicators.ahrq.gov		
S01351A	Open bite of right ear, initial encounted	er S62231B	Other displaced fracture of base of first metacarpal bone, right hand, initial encounter for open fracture
S01352A	Open bite of left ear, initial encounter	S62232A	Other displaced fracture of base of first metacarpal bone, left hand, initial encounter for closed fracture
S01359A	Open bite of unspecified ear, initial encounter	S62232B	Other displaced fracture of base of first metacarpal bone, left hand, initial encounter for open fracture
S01401A	Unspecified open wound of right chee and temporomandibular area, initial encounter	ek S62233A	Other displaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for closed fracture
S01402A	Unspecified open wound of left cheek and temporomandibular area, initial encounter	s S62233B	Other displaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for open fracture
S01409A	Unspecified open wound of unspecified cheek and temporomandibular area, initial encounter	ed S62234A	Other nondisplaced fracture of base of first metacarpal bone, right hand, initial encounter for closed fracture
S01411A	Laceration without foreign body of rig cheek and temporomandibular area, initial encounter	ght S62234B	Other nondisplaced fracture of base of first metacarpal bone, right hand, initial encounter for open fracture
S01412A	Laceration without foreign body of lecek and temporomandibular area, initial encounter	ft S62235A	Other nondisplaced fracture of base of first metacarpal bone, left hand, initial encounter for closed fracture

July 2016 8 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S01419A	Laceration without foreign body of unspecified cheek and temporomandibular area, initial encounter	S62235B	Other nondisplaced fracture of base of first metacarpal bone, left hand, initial encounter for open fracture	
S01421A	Laceration with foreign body of right cheek and temporomandibular area, initial encounter	S62236A	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for closed fracture	
S01422A	Laceration with foreign body of left cheek and temporomandibular area, initial encounter	S62236B	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for open fracture	
S01429A	Laceration with foreign body of unspecified cheek and temporomandibular area, initial encounter	S62241A	Displaced fracture of shaft of first metacarpal bone, right hand, initial encounter for closed fracture	
S01431A	Puncture wound without foreign body of right cheek and temporomandibular area, initial encounter	S62241B	Displaced fracture of shaft of first metacarpal bone, right hand, initial encounter for open fracture	
S01432A	Puncture wound without foreign body of left cheek and temporomandibular area, initial encounter	S62242A	Displaced fracture of shaft of first metacarpal bone, left hand, initial encounter for closed fracture	
S01439A	Puncture wound without foreign body of unspecified cheek and temporomandibular area, initial encounter	S62242B	Displaced fracture of shaft of first metacarpal bone, left hand, initial encounter for open fracture	
S01441A	Puncture wound with foreign body of right cheek and temporomandibular area, initial encounter	S62243A	Displaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for closed fracture	

July 2016 9 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S01442A	Puncture wound with foreign body of left cheek and temporomandibular area, initial encounter	S62243B	Displaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for open fracture	
S01449A	Puncture wound with foreign body of unspecified cheek and temporomandibular area, initial encounter	S62244A	Nondisplaced fracture of shaft of first metacarpal bone, right hand, initial encounter for closed fracture	
S01451A	Open bite of right cheek and temporomandibular area, initial encounter	S62244B	Nondisplaced fracture of shaft of first metacarpal bone, right hand, initial encounter for open fracture	
S01452A	Open bite of left cheek and temporomandibular area, initial encounter	S62245A	Nondisplaced fracture of shaft of first metacarpal bone, left hand, initial encounter for closed fracture	
S01459A	Open bite of unspecified cheek and temporomandibular area, initial encounter	S62245B	Nondisplaced fracture of shaft of first metacarpal bone, left hand, initial encounter for open fracture	
S01501A	Unspecified open wound of lip, initial encounter	S62246A	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for closed fracture	
S01502A	Unspecified open wound of oral cavity, initial encounter	S62246B	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for open fracture	
S01511A	Laceration without foreign body of lip, initial encounter	S62251A	Displaced fracture of neck of first metacarpal bone, right hand, initial encounter for closed fracture	

July 2016 10 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification P  ry Indicators Appendices indicators.ahrq.gov	SI Appendix G	
S01512A	Laceration without foreign body of or cavity, initial encounter	ral S62251B	Displaced fracture of neck of first metacarpal bone, right hand, initial encounter for open fracture
S01521A	Laceration with foreign body of lip, initial encounter	S62252A	Displaced fracture of neck of first metacarpal bone, left hand, initial encounter for closed fracture
S01522A	Laceration with foreign body of oral cavity, initial encounter	S62252B	Displaced fracture of neck of first metacarpal bone, left hand, initial encounter for open fracture
S01531A	Puncture wound without foreign body lip, initial encounter	y of S62253A	Displaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for closed fracture
S01532A	Puncture wound without foreign body oral cavity, initial encounter	y of S62253B	Displaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for open fracture
S01541A	Puncture wound with foreign body of lip, initial encounter	S62254A	Nondisplaced fracture of neck of first metacarpal bone, right hand, initial encounter for closed fracture
S01542A	Puncture wound with foreign body of oral cavity, initial encounter	S S62254B	Nondisplaced fracture of neck of first metacarpal bone, right hand, initial encounter for open fracture
S01551A	Open bite of lip, initial encounter	S62255A	Nondisplaced fracture of neck of first metacarpal bone, left hand, initial encounter for closed fracture

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0				
	y Indicators Appendices indicators.ahrq.gov			
S01552A	Open bite of oral cavity, initial encounter	S62255B	Nondisplaced fracture of neck of first metacarpal bone, left hand, initial encounter for open fracture	
S0180XA	Unspecified open wound of other part of head, initial encounter	S62256A	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for closed fracture	
S0181XA	Laceration without foreign body of other part of head, initial encounter	S62256B	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for open fracture	
S0182XA	Laceration with foreign body of other part of head, initial encounter	S62291A	Other fracture of first metacarpal bone, right hand, initial encounter for closed fracture	
S0183XA	Puncture wound without foreign body of other part of head, initial encounter	S62291B	Other fracture of first metacarpal bone, right hand, initial encounter for open fracture	
S0184XA	Puncture wound with foreign body of other part of head, initial encounter	S62292A	Other fracture of first metacarpal bone, left hand, initial encounter for closed fracture	
S0185XA	Open bite of other part of head, initial encounter	S62292B	Other fracture of first metacarpal bone, left hand, initial encounter for open fracture	
S0190XA	Unspecified open wound of unspecified part of head, initial encounter	S62299A	Other fracture of first metacarpal bone, unspecified hand, initial encounter for closed fracture	

July 2016 12 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S0191XA	Laceration without foreign body of unspecified part of head, initial encounter	S62299B	Other fracture of first metacarpal bone, unspecified hand, initial encounter for open fracture
S0192XA	Laceration with foreign body of unspecified part of head, initial encounter	S62300A	Unspecified fracture of second metacarpal bone, right hand, initial encounter for closed fracture
S0193XA	Puncture wound without foreign bounspecified part of head, initial encounter	dy of S62300B	Unspecified fracture of second metacarpal bone, right hand, initial encounter for open fracture
S0194XA	Puncture wound with foreign body ounspecified part of head, initial encounter	of S62301A	Unspecified fracture of second metacarpal bone, left hand, initial encounter for closed fracture
S0195XA	Open bite of unspecified part of hea initial encounter	nd, S62301B	Unspecified fracture of second metacarpal bone, left hand, initial encounter for open fracture
S020XXA	Fracture of vault of skull, initial encounter for closed fracture	S62302A	Unspecified fracture of third metacarpal bone, right hand, initial encounter for closed fracture
S020XXB	Fracture of vault of skull, initial encounter for open fracture	S62302B	Unspecified fracture of third metacarpal bone, right hand, initial encounter for open fracture
S0210XA	Unspecified fracture of base of skul initial encounter for closed fracture		Unspecified fracture of third metacarpal bone, left hand, initial encounter for closed fracture

July 2016 13 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S0210XB	Unspecified fracture of base of skulinitial encounter for open fracture	II, S62303B	Unspecified fracture of third metacarpal bone, left hand, initial encounter for open fracture
S02110A	Type I occipital condyle fracture, in encounter for closed fracture	nitial S62304A	Unspecified fracture of fourth metacarpal bone, right hand, initial encounter for closed fracture
S02110B	Type I occipital condyle fracture, ir encounter for open fracture	nitial S62304B	Unspecified fracture of fourth metacarpal bone, right hand, initial encounter for open fracture
S02111A	Type II occipital condyle fracture, i encounter for closed fracture	nitial S62305A	Unspecified fracture of fourth metacarpal bone, left hand, initial encounter for closed fracture
S02111B	Type II occipital condyle fracture, i encounter for open fracture	nitial S62305B	Unspecified fracture of fourth metacarpal bone, left hand, initial encounter for open fracture
S02112A	Type III occipital condyle fracture, initial encounter for closed fracture	S62306A	Unspecified fracture of fifth metacarpal bone, right hand, initial encounter for closed fracture
S02112B	Type III occipital condyle fracture, initial encounter for open fracture	S62306B	Unspecified fracture of fifth metacarpal bone, right hand, initial encounter for open fracture
S02113A	Unspecified occipital condyle fracti initial encounter for closed fracture		Unspecified fracture of fifth metacarpal bone, left hand, initial encounter for closed fracture

July 2016 14 of 434

Version 6.0 Patient Safet	D-10-CM/PCS Specification y Indicators Appendices	PSI Appendix G	
www.quality	indicators.ahrq.gov		
S02113B	Unspecified occipital condyle fracture initial encounter for open fracture	ure, S62307B	Unspecified fracture of fifth metacarpal bone, left hand, initial encounter for open fracture
S02118A	Other fracture of occiput, initial encounter for closed fracture	S62308A	Unspecified fracture of other metacarpal bone, initial encounter for closed fracture
S02118B	Other fracture of occiput, initial encounter for open fracture	S62308B	Unspecified fracture of other metacarpal bone, initial encounter for open fracture
S02119A	Unspecified fracture of occiput, init encounter for closed fracture	tial S62309A	Unspecified fracture of unspecified metacarpal bone, initial encounter for closed fracture
S02119B	Unspecified fracture of occiput, init encounter for open fracture	tial S62309B	Unspecified fracture of unspecified metacarpal bone, initial encounter for open fracture
S0219XA	Other fracture of base of skull, initial encounter for closed fracture	al S62310A	Displaced fracture of base of second metacarpal bone, right hand, initial encounter for closed fracture
S0219XB	Other fracture of base of skull, initial encounter for open fracture	al S62310B	Displaced fracture of base of second metacarpal bone, right hand, initial encounter for open fracture
S022XXA	Fracture of nasal bones, initial encounter for closed fracture	S62311A	Displaced fracture of base of second metacarpal bone. left hand, initial encounter for closed fracture

July 2016 15 of 434

AHRQ QI™ IO Version 6.0	CD-10-CM/PCS Specification	PSI Appendix G	
	ry Indicators Appendices rindicators.ahrq.gov		
S022XXB	Fracture of nasal bones, initial encounter for open fracture	S62311B	Displaced fracture of base of second metacarpal bone. left hand, initial encounter for open fracture
S023XXA	Fracture of orbital floor, initial encounter for closed fracture	S62312A	Displaced fracture of base of third metacarpal bone, right hand, initial encounter for closed fracture
S023XXB	Fracture of orbital floor, initial encounter for open fracture	S62312B	Displaced fracture of base of third metacarpal bone, right hand, initial encounter for open fracture
S02400A	Malar fracture unspecified, initial encounter for closed fracture	S62313A	Displaced fracture of base of third metacarpal bone, left hand, initial encounter for closed fracture
S02400B	Malar fracture unspecified, initial encounter for open fracture	S62313B	Displaced fracture of base of third metacarpal bone, left hand, initial encounter for open fracture
S02401A	Maxillary fracture, unspecified, ini encounter for closed fracture	tial S62314A	Displaced fracture of base of fourth metacarpal bone, right hand, initial encounter for closed fracture
S02401B	Maxillary fracture, unspecified, ini encounter for open fracture	tial S62314B	Displaced fracture of base of fourth metacarpal bone, right hand, initial encounter for open fracture
S02402A	Zygomatic fracture, unspecified, in encounter for closed fracture	itial S62315A	Displaced fracture of base of fourth metacarpal bone, left hand, initial encounter for closed fracture

July 2016 16 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S02402B	Zygomatic fracture, unspecified, initial encounter for open fracture	S62315B	Displaced fracture of base of fourth metacarpal bone, left hand, initial encounter for open fracture		
S02411A	LeFort I fracture, initial encounter for closed fracture	S62316A	Displaced fracture of base of fifth metacarpal bone, right hand, initial encounter for closed fracture		
S02411B	LeFort I fracture, initial encounter for open fracture	S62316B	Displaced fracture of base of fifth metacarpal bone, right hand, initial encounter for open fracture		
S02412A	LeFort II fracture, initial encounter for closed fracture	S62317A	Displaced fracture of base of fifth metacarpal bone. left hand, initial encounter for closed fracture		
S02412B	LeFort II fracture, initial encounter for open fracture	S62317B	Displaced fracture of base of fifth metacarpal bone. left hand, initial encounter for open fracture		
S02413A	LeFort III fracture, initial encounter for closed fracture	S62318A	Displaced fracture of base of other metacarpal bone, initial encounter for closed fracture		
S02413B	LeFort III fracture, initial encounter for open fracture	S62318B	Displaced fracture of base of other metacarpal bone, initial encounter for open fracture		
S0242XA	Fracture of alveolus of maxilla, initial encounter for closed fracture	S62319A	Displaced fracture of base of unspecified metacarpal bone, initial encounter for closed fracture		

July 2016 17 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S0242XB	Fracture of alveolus of maxilla, initial encounter for open fracture	S62319B	Displaced fracture of base of unspecified metacarpal bone, initial encounter for open fracture
S025XXA	Fracture of tooth (traumatic), initial encounter for closed fracture	S62320A	Displaced fracture of shaft of second metacarpal bone, right hand, initial encounter for closed fracture
S025XXB	Fracture of tooth (traumatic), initial encounter for open fracture	S62320B	Displaced fracture of shaft of second metacarpal bone, right hand, initial encounter for open fracture
S02600A	Fracture of unspecified part of body of mandible, initial encounter for closed fracture	S62321A	Displaced fracture of shaft of second metacarpal bone, left hand, initial encounter for closed fracture
S02600B	Fracture of unspecified part of body of mandible, initial encounter for open fracture	S62321B	Displaced fracture of shaft of second metacarpal bone, left hand, initial encounter for open fracture
S02609A	Fracture of mandible, unspecified, initial encounter for closed fracture	S62322A	Displaced fracture of shaft of third metacarpal bone, right hand, initial encounter for closed fracture
S02609B	Fracture of mandible, unspecified, initial encounter for open fracture	S62322B	Displaced fracture of shaft of third metacarpal bone, right hand, initial encounter for open fracture
S0261XA	Fracture of condylar process of mandible, initial encounter for closed fracture	S62323A	Displaced fracture of shaft of third metacarpal bone, left hand, initial encounter for closed fracture

July 2016 18 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Apt ty Indicators Appendices yindicators.ahrq.gov	opendix G	
S0261XB	Fracture of condylar process of mandible, initial encounter for open fracture	S62323B	Displaced fracture of shaft of third metacarpal bone, left hand, initial encounter for open fracture
S0262XA	Fracture of subcondylar process of mandible, initial encounter for closed fracture	S62324A	Displaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for closed fracture
S0262XB	Fracture of subcondylar process of mandible, initial encounter for open fracture	S62324B	Displaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for open fracture
S0263XA	Fracture of coronoid process of mandible, initial encounter for closed fracture	S62325A	Displaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for closed fracture
S0263XB	Fracture of coronoid process of mandible, initial encounter for open fracture	S62325B	Displaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for open fracture
S0264XA	Fracture of ramus of mandible, initial encounter for closed fracture	S62326A	Displaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for closed fracture
S0264XB	Fracture of ramus of mandible, initial encounter for open fracture	S62326B	Displaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for open fracture
S0265XA	Fracture of angle of mandible, initial encounter for closed fracture	S62327A	Displaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for closed fracture

July 2016 19 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S0265XB	Fracture of angle of mandible, initial encounter for open fracture	S62327B	Displaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for open fracture	
S0266XA	Fracture of symphysis of mandible, initial encounter for closed fracture	S62328A	Displaced fracture of shaft of other metacarpal bone, initial encounter for closed fracture	
S0266XB	Fracture of symphysis of mandible, initial encounter for open fracture	S62328B	Displaced fracture of shaft of other metacarpal bone, initial encounter for open fracture	
S0267XA	Fracture of alveolus of mandible, initial encounter for closed fracture	S62329A	Displaced fracture of shaft of unspecified metacarpal bone, initial encounter for closed fracture	
S0267XB	Fracture of alveolus of mandible, initial encounter for open fracture	S62329B	Displaced fracture of shaft of unspecified metacarpal bone, initial encounter for open fracture	
S0269XA	Fracture of mandible of other specified site, initial encounter for closed fracture	S62330A	Displaced fracture of neck of second metacarpal bone, right hand, initial encounter for closed fracture	
S0269XB	Fracture of mandible of other specified site, initial encounter for open fracture	S62330B	Displaced fracture of neck of second metacarpal bone, right hand, initial encounter for open fracture	
S028XXA	Fractures of other specified skull and facial bones, initial encounter for closed fracture	S62331A	Displaced fracture of neck of second metacarpal bone, left hand, initial encounter for closed fracture	

July 2016 20 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S028XXB	Fractures of other specified skull and facial bones, initial encounter for open fracture	S62331B	Displaced fracture of neck of second metacarpal bone, left hand, initial encounter for open fracture	
S0291XA	Unspecified fracture of skull, initial encounter for closed fracture	S62332A	Displaced fracture of neck of third metacarpal bone, right hand, initial encounter for closed fracture	
S0291XB	Unspecified fracture of skull, initial encounter for open fracture	S62332B	Displaced fracture of neck of third metacarpal bone, right hand, initial encounter for open fracture	
S0292XA	Unspecified fracture of facial bones, initial encounter for closed fracture	S62333A	Displaced fracture of neck of third metacarpal bone, left hand, initial encounter for closed fracture	
S0292XB	Unspecified fracture of facial bones, initial encounter for open fracture	S62333B	Displaced fracture of neck of third metacarpal bone, left hand, initial encounter for open fracture	
S030XXA	Dislocation of jaw, initial encounter	S62334A	Displaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for closed fracture	
S032XXA	Dislocation of tooth, initial encounter	S62334B	Displaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for open fracture	
S0520XA	Ocular laceration and rupture with prolapse or loss of intraocular tissue, unspecified eye, initial encounter	S62335A	Displaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for closed fracture	

July 2016 21 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ety Indicators Appendices yindicators.ahrq.gov	oendix G	
S0521XA	Ocular laceration and rupture with prolapse or loss of intraocular tissue, right eye, initial encounter	S62335B	Displaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for open fracture
S0522XA	Ocular laceration and rupture with prolapse or loss of intraocular tissue, left eye, initial encounter	S62336A	Displaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for closed fracture
S0530XA	Ocular laceration without prolapse or loss of intraocular tissue, unspecified eye, initial encounter	S62336B	Displaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for open fracture
S0531XA	Ocular laceration without prolapse or loss of intraocular tissue, right eye, initial encounter	S62337A	Displaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for closed fracture
S0532XA	Ocular laceration without prolapse or loss of intraocular tissue, left eye, initial encounter	S62337B	Displaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for open fracture
S0540XA	Penetrating wound of orbit with or without foreign body, unspecified eye, initial encounter	S62338A	Displaced fracture of neck of other metacarpal bone, initial encounter for closed fracture
S0541XA	Penetrating wound of orbit with or without foreign body, right eye, initial encounter	S62338B	Displaced fracture of neck of other metacarpal bone, initial encounter for open fracture
S0542XA	Penetrating wound of orbit with or without foreign body, left eye, initial encounter	S62339A	Displaced fracture of neck of unspecified metacarpal bone, initial encounter for closed fracture

July 2016 22 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S0550XA	Penetrating wound with foreign bod unspecified eyeball, initial encounter	*	Displaced fracture of neck of unspecified metacarpal bone, initial encounter for open fracture
S0551XA	Penetrating wound with foreign bod right eyeball, initial encounter	ly of S62340A	Nondisplaced fracture of base of second metacarpal bone, right hand, initial encounter for closed fracture
S0552XA	Penetrating wound with foreign bod left eyeball, initial encounter	ly of S62340B	Nondisplaced fracture of base of second metacarpal bone, right hand, initial encounter for open fracture
S0560XA	Penetrating wound without foreign l of unspecified eyeball, initial encou	•	Nondisplaced fracture of base of second metacarpal bone. left hand, initial encounter for closed fracture
S0561XA	Penetrating wound without foreign lof right eyeball, initial encounter	body S62341B	Nondisplaced fracture of base of second metacarpal bone. left hand, initial encounter for open fracture
S0562XA	Penetrating wound without foreign lof left eyeball, initial encounter	body S62342A	Nondisplaced fracture of base of third metacarpal bone, right hand, initial encounter for closed fracture
S0570XA	Avulsion of unspecified eye, initial encounter	S62342B	Nondisplaced fracture of base of third metacarpal bone, right hand, initial encounter for open fracture
S0571XA	Avulsion of right eye, initial encoun	ster S62343A	Nondisplaced fracture of base of third metacarpal bone, left hand, initial encounter for closed fracture

July 2016 23 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S0572XA	Avulsion of left eye, initial encounter	S62343B	Nondisplaced fracture of base of third metacarpal bone, left hand, initial encounter for open fracture	
S058X1A	Other injuries of right eye and orbit, initial encounter	S62344A	Nondisplaced fracture of base of fourth metacarpal bone, right hand, initial encounter for closed fracture	
S058X2A	Other injuries of left eye and orbit, initial encounter	S62344B	Nondisplaced fracture of base of fourth metacarpal bone, right hand, initial encounter for open fracture	
S058X9A	Other injuries of unspecified eye and orbit, initial encounter	S62345A	Nondisplaced fracture of base of fourth metacarpal bone, left hand, initial encounter for closed fracture	
S0590XA	Unspecified injury of unspecified eye and orbit, initial encounter	S62345B	Nondisplaced fracture of base of fourth metacarpal bone, left hand, initial encounter for open fracture	
S0591XA	Unspecified injury of right eye and orbit, initial encounter	S62346A	Nondisplaced fracture of base of fifth metacarpal bone, right hand, initial encounter for closed fracture	
S0592XA	Unspecified injury of left eye and orbit, initial encounter	S62346B	Nondisplaced fracture of base of fifth metacarpal bone, right hand, initial encounter for open fracture	
S060X0A	Concussion without loss of consciousness, initial encounter	S62347A	Nondisplaced fracture of base of fifth metacarpal bone. left hand, initial encounter for closed fracture	

July 2016 24 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S060X1A	Concussion with loss of consciousness of 30 minutes or less, initial encounter	S62347B	Nondisplaced fracture of base of fifth metacarpal bone. left hand, initial encounter for open fracture
S060X2A	Concussion with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S62348A	Nondisplaced fracture of base of other metacarpal bone, initial encounter for closed fracture
S060X3A	Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S62348B	Nondisplaced fracture of base of other metacarpal bone, initial encounter for open fracture
S060X4A	Concussion with loss of consciousness of 6 hours to 24 hours, initial encounter	S62349A	Nondisplaced fracture of base of unspecified metacarpal bone, initial encounter for closed fracture
S060X5A	Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S62349B	Nondisplaced fracture of base of unspecified metacarpal bone, initial encounter for open fracture
S060X6A	Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S62350A	Nondisplaced fracture of shaft of second metacarpal bone, right hand, initial encounter for closed fracture
S060X7A	Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S62350B	Nondisplaced fracture of shaft of second metacarpal bone, right hand, initial encounter for open fracture
S060X8A	Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S62351A	Nondisplaced fracture of shaft of second metacarpal bone, left hand, initial encounter for closed fracture

July 2016 25 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Ap ty Indicators Appendices yindicators.ahrq.gov	pendix G	
S060X9A	Concussion with loss of consciousness of unspecified duration, initial encounter	S62351B	Nondisplaced fracture of shaft of second metacarpal bone, left hand, initial encounter for open fracture
S061X0A	Traumatic cerebral edema without loss of consciousness, initial encounter	S62352A	Nondisplaced fracture of shaft of third metacarpal bone, right hand, initial encounter for closed fracture
S061X1A	Traumatic cerebral edema with loss of consciousness of 30 minutes or less, initial encounter	S62352B	Nondisplaced fracture of shaft of third metacarpal bone, right hand, initial encounter for open fracture
S061X2A	Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S62353A	Nondisplaced fracture of shaft of third metacarpal bone, left hand, initial encounter for closed fracture
S061X3A	Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S62353B	Nondisplaced fracture of shaft of third metacarpal bone, left hand, initial encounter for open fracture
S061X4A	Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, initial encounter	S62354A	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for closed fracture
S061X5A	Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S62354B	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for open fracture
S061X6A	Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S62355A	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for closed fracture

July 2016 26 of 434

Version 6.0	, , ,				
	Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov				
www.quanty	mulcators.amq.gov				
S061X7A	Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S62355B	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for open fracture		
S061X8A	Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S62356A	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for closed fracture		
S061X9A	Traumatic cerebral edema with loss of consciousness of unspecified duration, initial encounter	S62356B	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for open fracture		
S062X0A	Diffuse traumatic brain injury without loss of consciousness, initial encounter	S62357A	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for closed fracture		
S062X1A	Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less, initial encounter	S62357B	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for open fracture		
S062X2A	Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S62358A	Nondisplaced fracture of shaft of other metacarpal bone, initial encounter for closed fracture		
S062X3A	Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S62358B	Nondisplaced fracture of shaft of other metacarpal bone, initial encounter for open fracture		
S062X4A	Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours, initial encounter	S62359A	Nondisplaced fracture of shaft of unspecified metacarpal bone, initial encounter for closed fracture		

PSI Appendix G

AHRQ QI™ ICD-10-CM/PCS Specification

July 2016 27 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI App cy Indicators Appendices rindicators.ahrq.gov	endix G	
S062X5A	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious levels, initial encounter	S62359B	Nondisplaced fracture of shaft of unspecified metacarpal bone, initial encounter for open fracture
S062X6A	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S62360A	Nondisplaced fracture of neck of second metacarpal bone, right hand, initial encounter for closed fracture
S062X7A	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S62360B	Nondisplaced fracture of neck of second metacarpal bone, right hand, initial encounter for open fracture
S062X8A	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S62361A	Nondisplaced fracture of neck of second metacarpal bone, left hand, initial encounter for closed fracture
S062X9A	Diffuse traumatic brain injury with loss of consciousness of unspecified duration, initial encounter	S62361B	Nondisplaced fracture of neck of second metacarpal bone, left hand, initial encounter for open fracture
S06300A	Unspecified focal traumatic brain injury without loss of consciousness, initial encounter	S62362A	Nondisplaced fracture of neck of third metacarpal bone, right hand, initial encounter for closed fracture
S06301A	Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes or less, initial encounter	S62362B	Nondisplaced fracture of neck of third metacarpal bone, right hand, initial encounter for open fracture

S62363A

Unspecified focal traumatic brain injury

with loss of consciousness of 31 minutes

to 59 minutes, initial encounter

S06302A

July 2016 28 of 434

Nondisplaced fracture of neck of third

metacarpal bone, left hand, initial

encounter for closed fracture

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Application PSI Application PSI Application PSI Application PSI Application PSI Application PSI Applications PSI Application PSI Applications PSI Applications PSI Applications PSI Application PSI Appli	oendix G	
S06303A	Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S62363B	Nondisplaced fracture of neck of third metacarpal bone, left hand, initial encounter for open fracture
S06304A	Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, initial encounter	S62364A	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for closed fracture
S06305A	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S62364B	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for open fracture
S06306A	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S62365A	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for closed fracture
S06307A	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S62365B	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for open fracture
S06308A	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S62366A	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for closed fracture
S06309A	Unspecified focal traumatic brain injury with loss of consciousness of unspecified duration, initial encounter	S62366B	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for open fracture
S06310A	Contusion and laceration of right	S62367A	Nondisplaced fracture of neck of fifth

cerebrum without loss of consciousness,

initial encounter

July 2016 29 of 434

metacarpal bone, left hand, initial encounter for closed fracture

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI App ty Indicators Appendices vindicators.ahrq.gov	oendix G	
S06311A	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter	S62367B	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for open fracture
S06312A	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S62368A	Nondisplaced fracture of neck of other metacarpal bone, initial encounter for closed fracture
S06313A	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S62368B	Nondisplaced fracture of neck of other metacarpal bone, initial encounter for open fracture
S06314A	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	S62369A	Nondisplaced fracture of neck of unspecified metacarpal bone, initial encounter for closed fracture
S06315A	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre- existing conscious level, initial encounter	S62369B	Nondisplaced fracture of neck of unspecified metacarpal bone, initial encounter for open fracture
S06316A	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S62390A	Other fracture of second metacarpal bone, right hand, initial encounter for closed fracture
S06317A	Contusion and laceration of right	S62390B	Other fracture of second metacarpal

cerebrum with loss of consciousness of

injury prior to regaining consciousness,

cerebrum with loss of consciousness of

cause prior to regaining consciousness,

any duration with death due to other

any duration with death due to brain

Contusion and laceration of right

initial encounter

initial encounter

S06318A

July 2016 30 of 434

open fracture

closed fracture

S62391A

bone, right hand, initial encounter for

Other fracture of second metacarpal

bone, left hand, initial encounter for

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI Ap ty Indicators Appendices vindicators.ahrq.gov	opendix G	
S06319A	Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, initial encounter	S62391B	Other fracture of second metacarpal bone, left hand, initial encounter for open fracture
S06320A	Contusion and laceration of left cerebrum without loss of consciousness, initial encounter	S62392A	Other fracture of third metacarpal bone, right hand, initial encounter for closed fracture
S06321A	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter	S62392B	Other fracture of third metacarpal bone, right hand, initial encounter for open fracture
S06322A	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S62393A	Other fracture of third metacarpal bone, left hand, initial encounter for closed fracture
S06323A	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S62393B	Other fracture of third metacarpal bone, left hand, initial encounter for open fracture
S06324A	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	S62394A	Other fracture of fourth metacarpal bone, right hand, initial encounter for closed fracture
S06325A	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre- existing conscious level, initial encounter	S62394B	Other fracture of fourth metacarpal bone, right hand, initial encounter for open fracture
S06326A	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving initial encounter.	S62395A	Other fracture of fourth metacarpal bone, left hand, initial encounter for closed fracture

surviving, initial encounter

July 2016 31 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification ty Indicators Appendices yindicators.ahrq.gov	PSI Appendix G
S06327A	Contusion and laceration of left cerebrum with loss of conscious any duration with death due to b injury prior to regaining conscio- initial encounter	ness of orain
S06328A	Contusion and laceration of left cerebrum with loss of conscious any duration with death due to o cause prior to regaining conscious initial encounter	ness of other
S06329A	Contusion and laceration of left cerebrum with loss of conscious unspecified duration, initial enco	eness of

### ndix G

Other fracture of fourth metacarpal bone, left hand, initial encounter for

open fracture

	initial cheoditici		
S06328A	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S62396A	Other fracture of fifth metacarpal bone, right hand, initial encounter for closed fracture
S06329A	Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, initial encounter	S62396B	Other fracture of fifth metacarpal bone, right hand, initial encounter for open fracture
S06330A	Contusion and laceration of cerebrum, unspecified, without loss of consciousness, initial encounter	S62397A	Other fracture of fifth metacarpal bone, left hand, initial encounter for closed fracture
S06331A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	S62397B	Other fracture of fifth metacarpal bone, left hand, initial encounter for open fracture
S06332A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S62398A	Other fracture of other metacarpal bone, initial encounter for closed fracture
S06333A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S62398B	Other fracture of other metacarpal bone, initial encounter for open fracture
S06334A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	S62399A	Other fracture of unspecified metacarpal bone, initial encounter for closed fracture

July 2016 32 of 434

AHRQ QI™ ICD-10-CM/PCS Specification
Version 6.0
Patient Safety Indicators Appendices

www. quality indicators. a hrq. gov

# PSI Appendix G

S06335A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S62399B	Other fracture of unspecified metacarpal bone, initial encounter for open fracture
S06336A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S6290XA	Unspecified fracture of unspecified wrist and hand, initial encounter for closed fracture
S06337A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S6290XB	Unspecified fracture of unspecified wrist and hand, initial encounter for open fracture
S06338A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S63001A	Unspecified subluxation of right wrist and hand, initial encounter
S06339A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	S63002A	Unspecified subluxation of left wrist and hand, initial encounter
S06340A	Traumatic hemorrhage of right cerebrum without loss of consciousness, initial encounter	S63003A	Unspecified subluxation of unspecified wrist and hand, initial encounter
S06341A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter	S63004A	Unspecified dislocation of right wrist and hand, initial encounter
S06342A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S63005A	Unspecified dislocation of left wrist and hand, initial encounter

July 2016 33 of 434

AHRQ QI™ IC	CD-10-CM/PCS Specification
Version 6.0	
Patient Safet	y Indicators Appendices
www.quality	indicators.ahrq.gov
S06343A	Traumatic hemorrhage of ricerebrum with loss of consci 1 hours to 5 hours 59 minut

# PSI Appendix G

S06343A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	S63006A	Unspecified dislocation of unspecified wrist and hand, initial encounter
S06344A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	S63011A	Subluxation of distal radioulnar joint of right wrist, initial encounter
S06345A	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S63012A	Subluxation of distal radioulnar joint of left wrist, initial encounter
S06346A	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S63013A	Subluxation of distal radioulnar joint of unspecified wrist, initial encounter
S06347A	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S63014A	Dislocation of distal radioulnar joint of right wrist, initial encounter
S06348A	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S63015A	Dislocation of distal radioulnar joint of left wrist, initial encounter
S06349A	Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, initial encounter	S63016A	Dislocation of distal radioulnar joint of unspecified wrist, initial encounter
S06350A	Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter	S63021A	Subluxation of radiocarpal joint of right wrist, initial encounter

July 2016 34 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov						
S06351A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter	S63022A	Subluxation of radiocarpal joint of left wrist, initial encounter			
S06352A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S63023A	Subluxation of radiocarpal joint of unspecified wrist, initial encounter			
S06353A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	S63024A	Dislocation of radiocarpal joint of right wrist, initial encounter			
S06354A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	S63025A	Dislocation of radiocarpal joint of left wrist, initial encounter			
S06355A	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S63026A	Dislocation of radiocarpal joint of unspecified wrist, initial encounter			
S06356A	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S63031A	Subluxation of midcarpal joint of right wrist, initial encounter			
S06357A	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S63032A	Subluxation of midcarpal joint of left wrist, initial encounter			
S06358A	Traumatic hemorrhage of left cerebrum	S63033A	Subluxation of midcarpal joint of			

with loss of consciousness of any

encounter

duration with death due to other cause prior to regaining consciousness, initial

July 2016 35 of 434

unspecified wrist, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S06359A	Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, initial encounter	S63034A	Dislocation of midcarpal joint of right wrist, initial encounter		
S06360A	Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter	S63035A	Dislocation of midcarpal joint of left wrist, initial encounter		
S06361A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	S63036A	Dislocation of midcarpal joint of unspecified wrist, initial encounter		
S06362A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S63041A	Subluxation of carpometacarpal joint of right thumb, initial encounter		
S06363A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	S63042A	Subluxation of carpometacarpal joint of left thumb, initial encounter		
S06364A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	S63043A	Subluxation of carpometacarpal joint of unspecified thumb, initial encounter		
S06365A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to preexisting conscious level, initial encounter	S63044A	Dislocation of carpometacarpal joint of right thumb, initial encounter		
S06366A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient	S63045A	Dislocation of carpometacarpal joint of left thumb, initial encounter		

surviving, initial encounter

July 2016 36 of 434

www. quality indicators. a hrq. gov

S06367A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S63046A	Dislocation of carpometacarpal joint of unspecified thumb, initial encounter
S06368A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S63051A	Subluxation of other carpometacarpal joint of right hand, initial encounter
S06369A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	S63052A	Subluxation of other carpometacarpal joint of left hand, initial encounter
S06370A	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, initial encounter	S63053A	Subluxation of other carpometacarpal joint of unspecified hand, initial encounter
S06371A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, initial encounter	S63054A	Dislocation of other carpometacarpal joint of right hand, initial encounter
S06372A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S63055A	Dislocation of other carpometacarpal joint of left hand, initial encounter
S06373A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S63056A	Dislocation of other carpometacarpal joint of unspecified hand, initial encounter
S06374A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, initial encounter	S63061A	Subluxation of metacarpal (bone), proximal end of right hand, initial encounter

July 2016 37 of 434

www. quality indicators. a hrq. gov

······································	, maicato. 3.a.m 4.80 t		
S06375A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S63062A	Subluxation of metacarpal (bone), proximal end of left hand, initial encounter
S06376A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial	S63063A	Subluxation of metacarpal (bone), proximal end of unspecified hand, initial encounter
S06377A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial	S63064A	Dislocation of metacarpal (bone), proximal end of right hand, initial encounter
S06378A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial	S63065A	Dislocation of metacarpal (bone), proximal end of left hand, initial encounter
S06379A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, initial encounter	S63066A	Dislocation of metacarpal (bone), proximal end of unspecified hand, initial encounter
S06380A	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, initial encounter	S63071A	Subluxation of distal end of right ulna, initial encounter
S06381A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, initial encounter	S63072A	Subluxation of distal end of left ulna, initial encounter
S06382A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S63073A	Subluxation of distal end of unspecified ulna, initial encounter

July 2016 38 of 434

## PSI Appendix G

S06383A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S63074A	Dislocation of distal end of right ulna, initial encounter
S06384A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, initial encounter	S63075A	Dislocation of distal end of left ulna, initial encounter
S06385A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S63076A	Dislocation of distal end of unspecified ulna, initial encounter
S06386A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S63091A	Other subluxation of right wrist and hand, initial encounter
S06387A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S63092A	Other subluxation of left wrist and hand, initial encounter
S06388A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S63093A	Other subluxation of unspecified wrist and hand, initial encounter
S06389A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, initial encounter	S63094A	Other dislocation of right wrist and hand, initial encounter
S064X0A	Epidural hemorrhage without loss of consciousness, initial encounter	S63095A	Other dislocation of left wrist and hand, initial encounter

July 2016 39 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI A ty Indicators Appendices vindicators.ahrq.gov	ppendix G	
S064X1A	Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	S63096A	Other dislocation of unspecified wrist and hand, initial encounter
S064X2A	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S65001A	Unspecified injury of ulnar artery at wrist and hand level of right arm, initial encounter
S064X3A	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S65002A	Unspecified injury of ulnar artery at wrist and hand level of left arm, initial encounter
S064X4A	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	S65009A	Unspecified injury of ulnar artery at wrist and hand level of unspecified arm, initial encounter
S064X5A	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S65011A	Laceration of ulnar artery at wrist and hand level of right arm, initial encounter
S064X6A	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S65012A	Laceration of ulnar artery at wrist and hand level of left arm, initial encounter
S064X7A	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S65019A	Laceration of ulnar artery at wrist and hand level of unspecified arm, initial encounter
S064X8A	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, initial encounter	S65091A	Other specified injury of ulnar artery at wrist and hand level of right arm, initial encounter

July 2016 40 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S064X9A	Epidural hemorrhage with loss of consciousness of unspecified duration, initial encounter	S65092A	Other specified injury of ulnar artery at wrist and hand level of left arm, initial encounter
S065X0A	Traumatic subdural hemorrhage without loss of consciousness, initial encounter	S65099A	Other specified injury of ulnar artery at wrist and hand level of unspecified arm, initial encounter
S065X1A	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	S65101A	Unspecified injury of radial artery at wrist and hand level of right arm, initial encounter
S065X2A	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S65102A	Unspecified injury of radial artery at wrist and hand level of left arm, initial encounter
S065X3A	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S65109A	Unspecified injury of radial artery at wrist and hand level of unspecified arm, initial encounter
S065X4A	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	S65111A	Laceration of radial artery at wrist and hand level of right arm, initial encounter
S065X5A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S65112A	Laceration of radial artery at wrist and hand level of left arm, initial encounter
S065X6A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S65119A	Laceration of radial artery at wrist and hand level of unspecified arm, initial encounter

July 2016 41 of 434

AHRQ QI™ IC	CD-10-CM/PCS Specification
Version 6.0	
Patient Safet	y Indicators Appendices
www.quality	indicators.ahrq.gov
S065X7A	Traumatic subdural hemorraloss of consciousness of any
	with death due to brain inju

PSI	Αp	pen	dix	G

S065X7A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter	S65191A	Other specified injury of radial artery at wrist and hand level of right arm, initial encounter
S065X8A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter	S65192A	Other specified injury of radial artery at wrist and hand level of left arm, initial encounter
S065X9A	Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter	S65199A	Other specified injury of radial artery at wrist and hand level of unspecified arm, initial encounter
S066X0A	Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter	S65201A	Unspecified injury of superficial palmar arch of right hand, initial encounter
S066X1A	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	S65202A	Unspecified injury of superficial palmar arch of left hand, initial encounter
S066X2A	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S65209A	Unspecified injury of superficial palmar arch of unspecified hand, initial encounter
S066X3A	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S65211A	Laceration of superficial palmar arch of right hand, initial encounter
S066X4A	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	S65212A	Laceration of superficial palmar arch of left hand, initial encounter

July 2016 42 of 434

AHRQ QI™ ICD-10-CM/PCS Specification
Version 6.0
Patient Safety Indicators Appendices
www.qualityindicators.ahrq.gov

## PSI Appendix G

S066X5A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S65219A	Laceration of superficial palmar arch of unspecified hand, initial encounter
S066X6A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S65291A	Other specified injury of superficial palmar arch of right hand, initial encounter
S066X7A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S65292A	Other specified injury of superficial palmar arch of left hand, initial encounter
S066X8A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S65299A	Other specified injury of superficial palmar arch of unspecified hand, initial encounter
S066X9A	Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter	S65301A	Unspecified injury of deep palmar arch of right hand, initial encounter
S06810A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, initial encounter	S65302A	Unspecified injury of deep palmar arch of left hand, initial encounter
S06811A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, initial encounter	S65309A	Unspecified injury of deep palmar arch of unspecified hand, initial encounter
S06812A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S65311A	Laceration of deep palmar arch of right hand, initial encounter

July 2016 43 of 434

AHRQ QI™ ICD-10-CM/PCS Specification
Version 6.0
Patient Safety Indicators Appendices
www.qualityindicators.ahrq.gov

## PSI Appendix G

S06813A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S65312A	Laceration of deep palmar arch of left hand, initial encounter
S06814A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, initial encounter	S65319A	Laceration of deep palmar arch of unspecified hand, initial encounter
S06815A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to preexisting conscious level, initial	S65391A	Other specified injury of deep palmar arch of right hand, initial encounter
S06816A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient	S65392A	Other specified injury of deep palmar arch of left hand, initial encounter
S06817A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness,	S65399A	Other specified injury of deep palmar arch of unspecified hand, initial encounter
S06818A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness,	S65401A	Unspecified injury of blood vessel of right thumb, initial encounter
S06819A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, initial encounter	S65402A	Unspecified injury of blood vessel of left thumb, initial encounter
S06820A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, initial encounter	S65409A	Unspecified injury of blood vessel of unspecified thumb, initial encounter

July 2016 44 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S06821A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, initial encounter	S65411A	Laceration of blood vessel of right thumb, initial encounter	
S06822A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S65412A	Laceration of blood vessel of left thumb, initial encounter	
S06823A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S65419A	Laceration of blood vessel of unspecified thumb, initial encounter	
S06824A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, initial encounter	S65491A	Other specified injury of blood vessel of right thumb, initial encounter	
S06825A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre existing conscious level, initial	S65492A	Other specified injury of blood vessel of left thumb, initial encounter	
S06826A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patier		Other specified injury of blood vessel of unspecified thumb, initial encounter	
S06827A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness.		Unspecified injury of blood vessel of right index finger, initial encounter	
S06828A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of	S65501A	Unspecified injury of blood vessel of left index finger, initial encounter	

any duration with death due to other cause prior to regaining consciousness,

July 2016 45 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI Ap ty Indicators Appendices rindicators.ahrq.gov	pendix G	
S06829A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, initial encounter	S65502A	Unspecified injury of blood vessel of right middle finger, initial encounter
S06890A	Other specified intracranial injury without loss of consciousness, initial encounter	S65503A	Unspecified injury of blood vessel of left middle finger, initial encounter
S06891A	Other specified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	S65504A	Unspecified injury of blood vessel of right ring finger, initial encounter
S06892A	Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S65505A	Unspecified injury of blood vessel of left ring finger, initial encounter
S06893A	Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S65506A	Unspecified injury of blood vessel of right little finger, initial encounter
S06894A	Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	S65507A	Unspecified injury of blood vessel of left little finger, initial encounter
S06895A	Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S65508A	Unspecified injury of blood vessel of other finger, initial encounter
S06896A	Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S65509A	Unspecified injury of blood vessel of unspecified finger, initial encounter

July 2016 46 of 434

	ty Indicators Appendices yindicators.ahrq.gov		
S06897A	Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S65510A	Laceration of blood vessel of right index finger, initial encounter
S06898A	Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S65511A	Laceration of blood vessel of left index finger, initial encounter
S06899A	Other specified intracranial injury with loss of consciousness of unspecified duration, initial encounter	S65512A	Laceration of blood vessel of right middle finger, initial encounter
S069X0A	Unspecified intracranial injury without loss of consciousness, initial encounter	S65513A	Laceration of blood vessel of left middle finger, initial encounter
S069X1A	Unspecified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	S65514A	Laceration of blood vessel of right ring finger, initial encounter
S069X2A	Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	S65515A	Laceration of blood vessel of left ring finger, initial encounter
S069X3A	Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	S65516A	Laceration of blood vessel of right little finger, initial encounter
S069X4A	Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	S65517A	Laceration of blood vessel of left little finger, initial encounter

PSI Appendix G

AHRQ QI™ ICD-10-CM/PCS Specification

July 2016 47 of 434

	ty Indicators Appendices vindicators.ahrq.gov		
S069X5A	Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	S65518A	Laceration of blood vessel of other finger, initial encounter
S069X6A	Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	S65519A	Laceration of blood vessel of unspecified finger, initial encounter
S069X7A	Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	S65590A	Other specified injury of blood vessel of right index finger, initial encounter
S069X8A	Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	S65591A	Other specified injury of blood vessel of left index finger, initial encounter
S069X9A	Unspecified intracranial injury with loss of consciousness of unspecified duration, initial encounter	S65592A	Other specified injury of blood vessel of right middle finger, initial encounter
S070XXA	Crushing injury of face, initial encounter	S65593A	Other specified injury of blood vessel of left middle finger, initial encounter
S071XXA	Crushing injury of skull, initial encounter	S65594A	Other specified injury of blood vessel of right ring finger, initial encounter
S078XXA	Crushing injury of other parts of head, initial encounter	S65595A	Other specified injury of blood vessel of left ring finger, initial encounter

PSI Appendix G

AHRQ QI™ ICD-10-CM/PCS Specification

July 2016 48 of 434

Version 6.0 Patient Safe	ty Indicators Appendices rindicators.ahrq.gov		
S079XXA	Crushing injury of head, part unspecified, initial encounter	S65596A	Other specified injury of blood vessel of right little finger, initial encounter
S080XXA	Avulsion of scalp, initial encounter	S65597A	Other specified injury of blood vessel of left little finger, initial encounter
S08111A	Complete traumatic amputation of right ear, initial encounter	S65598A	Other specified injury of blood vessel of other finger, initial encounter
S08112A	Complete traumatic amputation of left ear, initial encounter	S65599A	Other specified injury of blood vessel of unspecified finger, initial encounter
S08119A	Complete traumatic amputation of unspecified ear, initial encounter	S65801A	Unspecified injury of other blood vessels at wrist and hand level of right arm, initial encounter
S08121A	Partial traumatic amputation of right ear initial encounter	r, S65802A	Unspecified injury of other blood vessels at wrist and hand level of left arm, initial encounter
S08122A	Partial traumatic amputation of left ear, initial encounter	S65809A	Unspecified injury of other blood vessels at wrist and hand level of unspecified arm, initial encounter
S08129A	Partial traumatic amputation of unspecified ear, initial encounter	S65811A	Laceration of other blood vessels at wrist and hand level of right arm, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S08811A	Complete traumatic amputation of nose, initial encounter	S65812A	Laceration of other blood vessels at wrist and hand level of left arm, initial encounter		
S08812A	Partial traumatic amputation of nose, initial encounter	S65819A	Laceration of other blood vessels at wrist and hand level of unspecified arm, initial encounter		
S0889XA	Traumatic amputation of other parts of head, initial encounter	S65891A	Other specified injury of other blood vessels at wrist and hand level of right arm, initial encounter		
S090XXA	Injury of blood vessels of head, not elsewhere classified, initial encounter	S65892A	Other specified injury of other blood vessels at wrist and hand level of left arm, initial encounter		
S0912XA	Laceration of muscle and tendon of head, initial encounter	S65899A	Other specified injury of other blood vessels at wrist and hand level of unspecified arm, initial encounter		
S0920XA	Traumatic rupture of unspecified ear drum, initial encounter	S65901A	Unspecified injury of unspecified blood vessel at wrist and hand level of right arm, initial encounter		
S0921XA	Traumatic rupture of right ear drum, initial encounter	S65902A	Unspecified injury of unspecified blood vessel at wrist and hand level of left arm, initial encounter		

S65909A

Traumatic rupture of left ear drum,

initial encounter

S0922XA

July 2016 50 of 434

Unspecified injury of unspecified blood

vessel at wrist and hand level of unspecified arm, initial encounter

Version 6.0 Patient Safet	ty Indicators Appendices rindicators.ahrq.gov	Appendix G	
S09301A	Unspecified injury of right middle and inner ear, initial encounter	S65911A	Laceration of unspecified blood vessel at wrist and hand level of right arm, initial encounter
S09302A	Unspecified injury of left middle and inner ear, initial encounter	S65912A	Laceration of unspecified blood vessel at wrist and hand level of left arm, initial encounter
S09309A	Unspecified injury of unspecified middle and inner ear, initial encounter	S65919A	Laceration of unspecified blood vessel at wrist and hand level of unspecified arm, initial encounter
S09311A	Primary blast injury of right ear, initial encounter	S65991A	Other specified injury of unspecified blood vessel at wrist and hand of right arm, initial encounter
S09312A	Primary blast injury of left ear, initial encounter	S65992A	Other specified injury of unspecified blood vessel at wrist and hand of left arm, initial encounter
S09313A	Primary blast injury of ear, bilateral, initial encounter	S65999A	Other specified injury of unspecified blood vessel at wrist and hand of unspecified arm, initial encounter
S09319A	Primary blast injury of unspecified ear, initial encounter	S66021A	Laceration of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter
S09391A	Other specified injury of right middle and inner ear, initial encounter	S66022A	Laceration of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter

July 2016 51 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI App ty Indicators Appendices vindicators.ahrq.gov		
S09392A	Other specified injury of left middle and inner ear, initial encounter	S66029A	Laceration of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter
S09399A	Other specified injury of unspecified middle and inner ear, initial encounter	S66120A	Laceration of flexor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter
S098XXA	Other specified injuries of head, initial encounter	S66121A	Laceration of flexor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter
S0990XA	Unspecified injury of head, initial encounter	S66122A	Laceration of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter
S0991XA	Unspecified injury of ear, initial encounter	S66123A	Laceration of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter
S0993XA	Unspecified injury of face, initial encounter	S66124A	Laceration of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter
S11011A	Laceration without foreign body of larynx, initial encounter	S66125A	Laceration of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter
S11012A	Laceration with foreign body of larynx,	S66126A	Laceration of flexor muscle, fascia and

initial encounter

July 2016 52 of 434

tendon of right little finger at wrist and hand level, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S11013A	Puncture wound without foreign body of larynx, initial encounter	S66127A	Laceration of flexor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	
S11014A	Puncture wound with foreign body of larynx, initial encounter	S66128A	Laceration of flexor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	
S11015A	Open bite of larynx, initial encounter	S66129A	Laceration of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	
S11019A	Unspecified open wound of larynx, initial encounter	S66221A	Laceration of extensor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	
S11021A	Laceration without foreign body of trachea, initial encounter	S66222A	Laceration of extensor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	
S11022A	Laceration with foreign body of trachea, initial encounter	S66229A	Laceration of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	
S11023A	Puncture wound without foreign body of trachea, initial encounter	S66320A	Laceration of extensor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	
S11024A	Puncture wound with foreign body of trachea, initial encounter	S66321A	Laceration of extensor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	

July 2016 53 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S11025A	Open bite of trachea, initial encounter	S66322A	Laceration of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter		
S11029A	Unspecified open wound of trachea, initial encounter	S66323A	Laceration of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter		
S11031A	Laceration without foreign body of vocal cord, initial encounter	S66324A	Laceration of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter		
S11032A	Laceration with foreign body of vocal cord, initial encounter	S66325A	Laceration of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter		
S11033A	Puncture wound without foreign body of vocal cord, initial encounter	S66326A	Laceration of extensor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter		
S11034A	Puncture wound with foreign body of vocal cord, initial encounter	S66327A	Laceration of extensor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter		
S11035A	Open bite of vocal cord, initial encounter	S66328A	Laceration of extensor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter		
S11039A	Unspecified open wound of vocal cord, initial encounter	S66329A	Laceration of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter		

July 2016 54 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S1110XA	Unspecified open wound of thyroid gland, initial encounter	S66421A	Laceration of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter
S1111XA	Laceration without foreign body of thyroid gland, initial encounter	S66422A	Laceration of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter
S1112XA	Laceration with foreign body of thy gland, initial encounter	roid S66429A	Laceration of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter
S1113XA	Puncture wound without foreign bo thyroid gland, initial encounter	dy of S66520A	Laceration of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter
S1114XA	Puncture wound with foreign body thyroid gland, initial encounter	of S66521A	Laceration of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter
S1115XA	Open bite of thyroid gland, initial encounter	S66522A	Laceration of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter
S1120XA	Unspecified open wound of pharynt cervical esophagus, initial encounte		Laceration of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter
S1121XA	Laceration without foreign body of pharynx and cervical esophagus, ini encounter	S66524A itial	Laceration of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter

July 2016 55 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0				
	ty Indicators Appendices rindicators.ahrq.gov			
S1122XA	Laceration with foreign body of pharynx and cervical esophagus, initial encounter	S66525A	Laceration of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	
S1123XA	Puncture wound without foreign body of pharynx and cervical esophagus, initial encounter	S66526A	Laceration of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	
S1124XA	Puncture wound with foreign body of pharynx and cervical esophagus, initial encounter	S66527A	Laceration of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	
S1125XA	Open bite of pharynx and cervical esophagus, initial encounter	S66528A	Laceration of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	
S1180XA	Unspecified open wound of other specified part of neck, initial encounter	S66529A	Laceration of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	
S1181XA	Laceration without foreign body of other specified part of neck, initial encounter	S66821A	Laceration of other specified muscles, fascia and tendons at wrist and hand level, right hand, initial encounter	
S1182XA	Laceration with foreign body of other specified part of neck, initial encounter	S66822A	Laceration of other specified muscles, fascia and tendons at wrist and hand level, left hand, initial encounter	
S1183XA	Puncture wound without foreign body of other specified part of neck, initial encounter	S66829A	Laceration of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, initial encounter	

July 2016 56 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices		PSI Appendix G	
	indicators.ahrq.gov		
S1184XA	Puncture wound with foreign body other specified part of neck, initial encounter	of S66921A	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, right hand, initial encounter
S1185XA	Open bite of other specified part of neck, initial encounter	S66922A	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, left hand, initial encounter
S1189XA	Other open wound of other specifie part of neck, initial encounter	ed S66929A	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, initial encounter
S1190XA	Unspecified open wound of unspec part of neck, initial encounter	rified S6700XA	Crushing injury of unspecified thumb, initial encounter
S1191XA	Laceration without foreign body of unspecified part of neck, initial encounter	S6701XA	Crushing injury of right thumb, initial encounter
S1192XA	Laceration with foreign body of unspecified part of neck, initial encounter	S6702XA	Crushing injury of left thumb, initial encounter
S1193XA	Puncture wound without foreign be unspecified part of neck, initial encounter	ody of S6710XA	Crushing injury of unspecified finger(s), initial encounter
S1194XA	Puncture wound with foreign body unspecified part of neck, initial encounter	of S67190A	Crushing injury of right index finger, initial encounter

July 2016 57 of 434

Version 6.0	CD-10-CM/PCS Specification  by Indicators Appendices	PSI Appendix G	
	indicators.ahrq.gov		
S1195XA	Open bite of unspecified part of nec initial encounter	k, S67191A	Crushing injury of left index finger, initial encounter
S12000A	Unspecified displaced fracture of fin cervical vertebra, initial encounter for closed fracture		Crushing injury of right middle finger, initial encounter
S12000B	Unspecified displaced fracture of fincervical vertebra, initial encounter for open fracture		Crushing injury of left middle finger, initial encounter
S12001A	Unspecified nondisplaced fracture of first cervical vertebra, initial encount for closed fracture		Crushing injury of right ring finger, initial encounter
S12001B	Unspecified nondisplaced fracture of first cervical vertebra, initial encount for open fracture		Crushing injury of left ring finger, initial encounter
S1201XA	Stable burst fracture of first cervical vertebra, initial encounter for closed fracture		Crushing injury of right little finger, initial encounter
S1201XB	Stable burst fracture of first cervical vertebra, initial encounter for open fracture	S67197A	Crushing injury of left little finger, initial encounter
S1202XA	Unstable burst fracture of first cervivertebra, initial encounter for closed fracture		Crushing injury of other finger, initial encounter

July 2016 58 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S1202XB	Unstable burst fracture of first cervical vertebra, initial encounter for open fracture	S6720XA	Crushing injury of unspecified hand, initial encounter	
S12030A	Displaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture	S6721XA	Crushing injury of right hand, initial encounter	
S12030B	Displaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture	S6722XA	Crushing injury of left hand, initial encounter	
S12031A	Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture	S6730XA	Crushing injury of unspecified wrist, initial encounter	
S12031B	Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture	S6731XA	Crushing injury of right wrist, initial encounter	
S12040A	Displaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture	S6732XA	Crushing injury of left wrist, initial encounter	
S12040B	Displaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture	S6740XA	Crushing injury of unspecified wrist and hand, initial encounter	
S12041A	Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture	S6741XA	Crushing injury of right wrist and hand, initial encounter	

July 2016 59 of 434

١	Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI A cy Indicators Appendices rindicators.ahrq.gov	opendix G	
	S12041B	Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture	S6742XA	Crushing injury of left wrist and hand, initial encounter
	S12090A	Other displaced fracture of first cervical vertebra, initial encounter for closed fracture	S6790XA	Crushing injury of unspecified part(s) of unspecified wrist, hand and fingers, initial encounter
	S12090B	Other displaced fracture of first cervical vertebra, initial encounter for open fracture	S6791XA	Crushing injury of unspecified part(s) of right wrist, hand and fingers, initial encounter
	S12091A	Other nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture	S6792XA	Crushing injury of unspecified part(s) of left wrist, hand and fingers, initial encounter
	S12091B	Other nondisplaced fracture of first cervical vertebra, initial encounter for open fracture	S68411A	Complete traumatic amputation of right hand at wrist level, initial encounter
	S12100A	Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture	S68412A	Complete traumatic amputation of left hand at wrist level, initial encounter
	S12100B	Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture	S68419A	Complete traumatic amputation of unspecified hand at wrist level, initial encounter
	S12101A	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture	S68421A	Partial traumatic amputation of right hand at wrist level, initial encounter

July 2016 60 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S12101B	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	S68422A	Partial traumatic amputation of left hand at wrist level, initial encounter		
S12110A	Anterior displaced Type II dens fracture, initial encounter for closed fracture	S68429A	Partial traumatic amputation of unspecified hand at wrist level, initial encounter		
S12110B	Anterior displaced Type II dens fracture, initial encounter for open fracture	S68711A	Complete traumatic transmetacarpal amputation of right hand, initial encounter		
S12111A	Posterior displaced Type II dens fracture, initial encounter for closed fracture	S68712A	Complete traumatic transmetacarpal amputation of left hand, initial encounter		
S12111B	Posterior displaced Type II dens fracture, initial encounter for open fracture	S68719A	Complete traumatic transmetacarpal amputation of unspecified hand, initial encounter		
S12112A	Nondisplaced Type II dens fracture, initial encounter for closed fracture	S68721A	Partial traumatic transmetacarpal amputation of right hand, initial encounter		
S12112B	Nondisplaced Type II dens fracture, initial encounter for open fracture	S68722A	Partial traumatic transmetacarpal amputation of left hand, initial encounter		
S12120A	Other displaced dens fracture, initial encounter for closed fracture	S68729A	Partial traumatic transmetacarpal amputation of unspecified hand, initial encounter		

July 2016 61 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification P  Ty Indicators Appendices  Tindicators.ahrq.gov	PSI Appendix G	
S12120B	Other displaced dens fracture, initial encounter for open fracture	S71001A	Unspecified open wound, right hip, initial encounter
S12121A	Other nondisplaced dens fracture, ini encounter for closed fracture	tial S71002A	Unspecified open wound, left hip, initial encounter
S12121B	Other nondisplaced dens fracture, initial encounter for open fracture	tial S71009A	Unspecified open wound, unspecified hip, initial encounter
S12130A	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	S71011A	Laceration without foreign body, right hip, initial encounter
S12130B	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	S71012A	Laceration without foreign body, left hip, initial encounter
S12131A	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	S71019A	Laceration without foreign body, unspecified hip, initial encounter
S12131B	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	S71021A	Laceration with foreign body, right hip, initial encounter
S1214XA	Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	of S71022A	Laceration with foreign body, left hip, initial encounter

July 2016 62 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S1214XB	Type III traumatic spondylolisthesis second cervical vertebra, initial encounter for open fracture	of S71029A	Laceration with foreign body, unspecified hip, initial encounter
S12150A	Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	S71031A	Puncture wound without foreign body, right hip, initial encounter
S12150B	Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	S71032A	Puncture wound without foreign body, left hip, initial encounter
S12151A	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	S71039A	Puncture wound without foreign body, unspecified hip, initial encounter
S12151B	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	S71041A	Puncture wound with foreign body, right hip, initial encounter
S12190A	Other displaced fracture of second cervical vertebra, initial encounter for closed fracture	S71042A or	Puncture wound with foreign body, left hip, initial encounter
S12190B	Other displaced fracture of second cervical vertebra, initial encounter fo open fracture	S71049A or	Puncture wound with foreign body, unspecified hip, initial encounter
S12191A	Other nondisplaced fracture of secon cervical vertebra, initial encounter for closed fracture		Open bite, right hip, initial encounter

July 2016 63 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S12191B	Other nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	S71052A	Open bite, left hip, initial encounter		
S12200A	Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture	S71059A	Open bite, unspecified hip, initial encounter		
S12200B	Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture	S71101A	Unspecified open wound, right thigh, initial encounter		
S12201A	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	S71102A	Unspecified open wound, left thigh, initial encounter		
S12201B	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	S71109A	Unspecified open wound, unspecified thigh, initial encounter		
S12230A	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	S71111A	Laceration without foreign body, right thigh, initial encounter		
S12230B	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	S71112A	Laceration without foreign body, left thigh, initial encounter		
S12231A	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	S71119A	Laceration without foreign body, unspecified thigh, initial encounter		

July 2016 64 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S12231B	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	S71121A	Laceration with foreign body, right thigh, initial encounter	
S1224XA	Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	S71122A	Laceration with foreign body, left thigh, initial encounter	
S1224XB	Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for open fracture	S71129A	Laceration with foreign body, unspecified thigh, initial encounter	
S12250A	Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	S71131A	Puncture wound without foreign body, right thigh, initial encounter	
S12250B	Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	S71132A	Puncture wound without foreign body, left thigh, initial encounter	
S12251A	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	S71139A	Puncture wound without foreign body, unspecified thigh, initial encounter	
S12251B	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	S71141A	Puncture wound with foreign body, right thigh, initial encounter	
S12290A	Other displaced fracture of third cervical vertebra, initial encounter for closed fracture	S71142A	Puncture wound with foreign body, left thigh, initial encounter	

July 2016 65 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S12290B	Other displaced fracture of third cervical vertebra, initial encounter for open fracture	S71149A	Puncture wound with foreign body, unspecified thigh, initial encounter	
S12291A	Other nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	S71151A	Open bite, right thigh, initial encounter	
S12291B	Other nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	S71152A	Open bite, left thigh, initial encounter	
S12300A	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	S71159A	Open bite, unspecified thigh, initial encounter	
S12300B	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture	S72001A	Fracture of unspecified part of neck of right femur, initial encounter for closed fracture	
S12301A	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	S72001B	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II	
S12301B	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	S72001C	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S12330A	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	S72002A	Fracture of unspecified part of neck of left femur, initial encounter for closed fracture	

July 2016 66 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S12330B	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	S72002B	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II		
S12331A	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	S72002C	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S12331B	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	S72009A	Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture		
S1234XA	Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	S72009B	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II		
S1234XB	Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	S72009C	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S12350A	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	S72011A	Unspecified intracapsular fracture of right femur, initial encounter for closed fracture		
S12350B	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	S72011B	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II		
S12351A	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	S72011C	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC		

July 2016 67 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S12351B	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	S72012A	Unspecified intracapsular fracture of left femur, initial encounter for closed fracture
S12390A	Other displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	S72012B	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II
S12390B	Other displaced fracture of fourth cervical vertebra, initial encounter for open fracture	S72012C	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12391A	Other nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	S72019A	Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture
S12391B	Other nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	S72019B	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II
S12400A	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	S72019C	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12400B	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture	S72021A	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture
S12401A	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	S72021B	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II

July 2016 68 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices vindicators.ahrq.gov	oendix G	
S12401B	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	S72021C	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12430A	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	S72022A	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture
S12430B	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	S72022B	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II
S12431A	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	S72022C	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12431B	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	S72023A	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture
S1244XA	Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	S72023B	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II
S1244XB	Type III traumatic spondylolisthesis of	S72023C	Displaced fracture of epiphysis

S72024A

fifth cervical vertebra, initial encounter

for open fracture

fracture

Other traumatic displaced

spondylolisthesis of fifth cervical

vertebra, initial encounter for closed

S12450A

July 2016 69 of 434

(separation) (upper) of unspecified

Nondisplaced fracture of epiphysis

(separation) (upper) of right femur,

initial encounter for closed fracture

femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S12450B	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	S72024B	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	
S12451A	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	S72024C	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S12451B	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	S72025A	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	
S12490A	Other displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	S72025B	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	
S12490B	Other displaced fracture of fifth cervical vertebra, initial encounter for open fracture	S72025C	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S12491A	Other nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	S72026A	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	
S12491B	Other nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	S72026B	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	
S12500A	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	S72026C	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	

July 2016 70 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S12500B	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture	S72031A	Displaced midcervical fracture of right femur, initial encounter for closed fracture
S12501A	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	S72031B	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II
S12501B	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	S72031C	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12530A	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	S72032A	Displaced midcervical fracture of left femur, initial encounter for closed fracture
S12530B	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	S72032B	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II
S12531A	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	S72032C	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12531B	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	S72033A	Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture
S1254XA	Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	S72033B	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II

July 2016 71 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S1254XB	Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	S72033C	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12550A	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	S72034A	Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture
S12550B	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	S72034B	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II
S12551A	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	S72034C	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12551B	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	S72035A	Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture
S12590A	Other displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	S72035B	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II
S12590B	Other displaced fracture of sixth cervical vertebra, initial encounter for open fracture	S72035C	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12591A	Other nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	S72036A	Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture

July 2016 72 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PS ty Indicators Appendices yindicators.ahrq.gov	il Appendix G	
S12591B	Other nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	S72036B	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II
S12600A	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	S72036C	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12600B	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture	S72041A	Displaced fracture of base of neck of right femur, initial encounter for closed fracture
S12601A	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	S72041B	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II
S12601B	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	S72041C	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12630A	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	S72042A	Displaced fracture of base of neck of left femur, initial encounter for closed fracture
S12630B	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	S72042B	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II
S12631A	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	S72042C	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 73 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification  ty Indicators Appendices yindicators.ahrq.gov	PSI Appendix G	
S12631B	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	S72043A	Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture
S1264XA	Type III traumatic spondylolisthesis seventh cervical vertebra, initial encounter for closed fracture	of S72043B	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II
S1264XB	Type III traumatic spondylolisthesis seventh cervical vertebra, initial encounter for open fracture	of S72043C	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12650A	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture		Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture
S12650B	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	S72044B	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II
S12651A	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture		Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S12651B	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	S72045A	Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture
S12690A	Other displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	S72045B or	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II

July 2016 74 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S12690B	Other displaced fracture of seventh cervical vertebra, initial encounter for open fracture	S72045C	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S12691A	Other nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	S72046A	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	
S12691B	Other nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	S72046B	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	
S128XXA	Fracture of other parts of neck, initial encounter	S72046C	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S129XXA	Fracture of neck, unspecified, initial encounter	S72051A	Unspecified fracture of head of right femur, initial encounter for closed fracture	
S130XXA	Traumatic rupture of cervical intervertebral disc, initial encounter	S72051B	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II	
S13100A	Subluxation of unspecified cervical vertebrae, initial encounter	S72051C	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S13101A	Dislocation of unspecified cervical vertebrae, initial encounter	S72052A	Unspecified fracture of head of left femur, initial encounter for closed fracture	

July 2016 75 of 434

Version 6.0	CD-10-CM/PCS Specification	PSI Appendix G	
	y Indicators Appendices indicators.ahrq.gov		
S13110A	Subluxation of C0/C1 cervical vertebrae, initial encounter	S72052B	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II
S13111A	Dislocation of C0/C1 cervical verte initial encounter	ebrae, S72052C	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S13120A	Subluxation of C1/C2 cervical vertebrae, initial encounter	S72059A	Unspecified fracture of head of unspecified femur, initial encounter for closed fracture
S13121A	Dislocation of C1/C2 cervical verte initial encounter	ebrae, S72059B	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II
S13130A	Subluxation of C2/C3 cervical vertebrae, initial encounter	S72059C	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S13131A	Dislocation of C2/C3 cervical verteinitial encounter	ebrae, S72061A	Displaced articular fracture of head of right femur, initial encounter for closed fracture
S13140A	Subluxation of C3/C4 cervical vertebrae, initial encounter	S72061B	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II
S13141A	Dislocation of C3/C4 cervical verteinitial encounter	ebrae, S72061C	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 76 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S13150A	Subluxation of C4/C5 cervical vertebrae, initial encounter	S72062A	Displaced articular fracture of head of left femur, initial encounter for closed fracture
S13151A	Dislocation of C4/C5 cervical verte initial encounter	ebrae, S72062B	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II
S13160A	Subluxation of C5/C6 cervical vertebrae, initial encounter	S72062C	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S13161A	Dislocation of C5/C6 cervical verte initial encounter	ebrae, S72063A	Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture
S13170A	Subluxation of C6/C7 cervical vertebrae, initial encounter	S72063B	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II
S13171A	Dislocation of C6/C7 cervical verte initial encounter	ebrae, S72063C	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S13180A	Subluxation of C7/T1 cervical vertebrae, initial encounter	S72064A	Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture
S13181A	Dislocation of C7/T1 cervical verte initial encounter	ebrae, S72064B	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II

July 2016 77 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S1320XA	Dislocation of unspecified parts of neck, initial encounter	S72064C	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S1329XA	Dislocation of other parts of neck, initial encounter	S72065A	Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture	
S140XXA	Concussion and edema of cervical spinal cord, initial encounter	S72065B	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II	
S14101A	Unspecified injury at C1 level of cervical spinal cord, initial encounter	S72065C	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S14102A	Unspecified injury at C2 level of cervical spinal cord, initial encounter	S72066A	Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture	
S14103A	Unspecified injury at C3 level of cervical spinal cord, initial encounter	S72066B	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	
S14104A	Unspecified injury at C4 level of cervical spinal cord, initial encounter	S72066C	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S14105A	Unspecified injury at C5 level of cervical spinal cord, initial encounter	S72091A	Other fracture of head and neck of right femur, initial encounter for closed fracture	

July 2016 78 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S14106A	Unspecified injury at C6 level of cervical spinal cord, initial encounter	S72091B	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II	
S14107A	Unspecified injury at C7 level of cervical spinal cord, initial encounter	S72091C	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S14108A	Unspecified injury at C8 level of cervical spinal cord, initial encounter	S72092A	Other fracture of head and neck of left femur, initial encounter for closed fracture	
S14109A	Unspecified injury at unspecified level of cervical spinal cord, initial encounter	S72092B	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II	
S14111A	Complete lesion at C1 level of cervical spinal cord, initial encounter	S72092C	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S14112A	Complete lesion at C2 level of cervical spinal cord, initial encounter	S72099A	Other fracture of head and neck of unspecified femur, initial encounter for closed fracture	
S14113A	Complete lesion at C3 level of cervical spinal cord, initial encounter	S72099B	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II	
S14114A	Complete lesion at C4 level of cervical spinal cord, initial encounter	S72099C	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	

July 2016 79 of 434

AHRQ QI™ IC Version 6.0	D-10-CM/PCS Specification	PSI Appendix G	
	y Indicators Appendices indicators.ahrq.gov		
S14115A	Complete lesion at C5 level of cerv spinal cord, initial encounter	ical S72101A	Unspecified trochanteric fracture of right femur, initial encounter for closed fracture
S14116A	Complete lesion at C6 level of cerv spinal cord, initial encounter	ical S72101B	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II
S14117A	Complete lesion at C7 level of cerv spinal cord, initial encounter	ical S72101C	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S14118A	Complete lesion at C8 level of cerv spinal cord, initial encounter	ical S72102A	Unspecified trochanteric fracture of left femur, initial encounter for closed fracture
S14119A	Complete lesion at unspecified leve cervical spinal cord, initial encount		Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II
S14121A	Central cord syndrome at C1 level of cervical spinal cord, initial encount		Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S14122A	Central cord syndrome at C2 level of cervical spinal cord, initial encount		Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture
S14123A	Central cord syndrome at C3 level of cervical spinal cord, initial encount		Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II

July 2016 80 of 434

AHRQ QI™ IO Version 6.0	CD-10-CM/PCS Specification	PSI Appendix G	
	ry Indicators Appendices rindicators.ahrq.gov		
S14124A	Central cord syndrome at C4 level of cervical spinal cord, initial encount		Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S14125A	Central cord syndrome at C5 level of cervical spinal cord, initial encount		Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture
S14126A	Central cord syndrome at C6 level of cervical spinal cord, initial encount		Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II
S14127A	Central cord syndrome at C7 level of cervical spinal cord, initial encounter		Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S14128A	Central cord syndrome at C8 level of cervical spinal cord, initial encount		Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture
S14129A	Central cord syndrome at unspecific level of cervical spinal cord, initial encounter	ed S72112B	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II
S14131A	Anterior cord syndrome at C1 level cervical spinal cord, initial encount		Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S14132A	Anterior cord syndrome at C2 level cervical spinal cord, initial encount		Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture

July 2016 81 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices		Appendix G	
	indicators.ahrq.gov		
S14133A	Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter	S72113B	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II
S14134A	Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter	S72113C	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S14135A	Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter	S72114A	Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture
S14136A	Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter	S72114B	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II
S14137A	Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter	S72114C	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S14138A	Anterior cord syndrome at C8 level of cervical spinal cord, initial encounter	S72115A	Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture
S14139A	Anterior cord syndrome at unspecified level of cervical spinal cord, initial encounter	S72115B	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II
S14141A	Brown-Sequard syndrome at C1 level of cervical spinal cord, initial encounter	f \$72115C	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 82 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S14142A	Brown-Sequard syndrome at C2 level of cervical spinal cord, initial encounter	S72116A	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	
S14143A	Brown-Sequard syndrome at C3 level of cervical spinal cord, initial encounter	S72116B	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	
S14144A	Brown-Sequard syndrome at C4 level of cervical spinal cord, initial encounter	S72116C	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S14145A	Brown-Sequard syndrome at C5 level of cervical spinal cord, initial encounter	S72121A	Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	
S14146A	Brown-Sequard syndrome at C6 level of cervical spinal cord, initial encounter	S72121B	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	
S14147A	Brown-Sequard syndrome at C7 level of cervical spinal cord, initial encounter	S72121C	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S14148A	Brown-Sequard syndrome at C8 level of cervical spinal cord, initial encounter	S72122A	Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	
S14149A	Brown-Sequard syndrome at unspecified level of cervical spinal cord, initial encounter	S72122B	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	

July 2016 83 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S14151A	Other incomplete lesion at C1 level of cervical spinal cord, initial encounter	S72122C	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S14152A	Other incomplete lesion at C2 level of cervical spinal cord, initial encounter	S72123A	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	
S14153A	Other incomplete lesion at C3 level of cervical spinal cord, initial encounter	S72123B	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	
S14154A	Other incomplete lesion at C4 level of cervical spinal cord, initial encounter	S72123C	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S14155A	Other incomplete lesion at C5 level of cervical spinal cord, initial encounter	S72124A	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	
S14156A	Other incomplete lesion at C6 level of cervical spinal cord, initial encounter	S72124B	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	
S14157A	Other incomplete lesion at C7 level of cervical spinal cord, initial encounter	S72124C	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S14158A	Other incomplete lesion at C8 level of cervical spinal cord, initial encounter	S72125A	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	

July 2016 84 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S14159A	Other incomplete lesion at unspecified level of cervical spinal cord, initial encounter	S72125B	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II
S142XXA	Injury of nerve root of cervical spine, initial encounter	S72125C	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S143XXA	Injury of brachial plexus, initial encounter	S72126A	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture
S15001A	Unspecified injury of right carotid artery, initial encounter	S72126B	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II
S15002A	Unspecified injury of left carotid artery, initial encounter	S72126C	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15009A	Unspecified injury of unspecified carotid artery, initial encounter	S72131A	Displaced apophyseal fracture of right femur, initial encounter for closed fracture
S15011A	Minor laceration of right carotid artery, initial encounter	S72131B	Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II
S15012A	Minor laceration of left carotid artery, initial encounter	S72131C	Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 85 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI App cy Indicators Appendices indicators.ahrq.gov	oendix G	
S15019A	Minor laceration of unspecified carotid artery, initial encounter	S72132A	Displaced apophyseal fracture of left femur, initial encounter for closed fracture
S15021A	Major laceration of right carotid artery, initial encounter	S72132B	Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II
S15022A	Major laceration of left carotid artery, initial encounter	S72132C	Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15029A	Major laceration of unspecified carotid artery, initial encounter	S72133A	Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture
S15091A	Other specified injury of right carotid artery, initial encounter	S72133B	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II
S15092A	Other specified injury of left carotid artery, initial encounter	S72133C	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15099A	Other specified injury of unspecified carotid artery, initial encounter	S72134A	Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture
S15101A	Unspecified injury of right vertebral artery, initial encounter	S72134B	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II

July 2016 86 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S15102A	Unspecified injury of left vertebral artery, initial encounter	S72134C	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15109A	Unspecified injury of unspecified vertebral artery, initial encounter	S72135A	Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture
S15111A	Minor laceration of right vertebral artery, initial encounter	S72135B	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II
S15112A	Minor laceration of left vertebral arinitial encounter	rtery, \$72135C	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15119A	Minor laceration of unspecified vertebral artery, initial encounter	S72136A	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture
S15121A	Major laceration of right vertebral artery, initial encounter	S72136B	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II
S15122A	Major laceration of left vertebral arinitial encounter	rtery, S72136C	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15129A	Major laceration of unspecified vertebral artery, initial encounter	S72141A	Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture

July 2016 87 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0				
	y Indicators Appendices indicators.ahrq.gov			
S15191A	Other specified injury of right vertebral artery, initial encounter	S72141B	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	
S15192A	Other specified injury of left vertebral artery, initial encounter	S72141C	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S15199A	Other specified injury of unspecified vertebral artery, initial encounter	S72142A	Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture	
S15201A	Unspecified injury of right external jugular vein, initial encounter	S72142B	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	
S15202A	Unspecified injury of left external jugular vein, initial encounter	S72142C	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S15209A	Unspecified injury of unspecified external jugular vein, initial encounter	S72143A	Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	
S15211A	Minor laceration of right external jugular vein, initial encounter	S72143B	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	
S15212A	Minor laceration of left external jugular vein, initial encounter	S72143C	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S15219A	Minor laceration of unspecified external jugular vein, initial encounter	S72144A	Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture
S15221A	Major laceration of right external jugular vein, initial encounter	S72144B	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II
S15222A	Major laceration of left external jugular vein, initial encounter	S72144C	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15229A	Major laceration of unspecified external jugular vein, initial encounter	S72145A	Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture
S15291A	Other specified injury of right external jugular vein, initial encounter	S72145B	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II
S15292A	Other specified injury of left external jugular vein, initial encounter	S72145C	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15299A	Other specified injury of unspecified external jugular vein, initial encounter	S72146A	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture
S15301A	Unspecified injury of right internal jugular vein, initial encounter	S72146B	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II

July 2016 89 of 434

Version 6.0	D-10-CM/PCS Specification	PSI Appendix G	
	y Indicators Appendices indicators.ahrq.gov		
S15302A	Unspecified injury of left internal jugular vein, initial encounter	S72146C	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15309A	Unspecified injury of unspecified internal jugular vein, initial encoun	S7221XA ter	Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture
S15311A	Minor laceration of right internal jugular vein, initial encounter	S7221XB	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II
S15312A	Minor laceration of left internal jug vein, initial encounter	ular S7221XC	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15319A	Minor laceration of unspecified into jugular vein, initial encounter	ernal S7222XA	Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture
S15321A	Major laceration of right internal juvein, initial encounter	gular S7222XB	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II
S15322A	Major laceration of left internal jug vein, initial encounter	ular S7222XC	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15329A	Major laceration of unspecified into jugular vein, initial encounter	ernal S7223XA	Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture

July 2016 90 of 434

Version 6.0 Patient Safe	ty Indicators Appendices rindicators.ahrq.gov	Appendix G	
S15391A	Other specified injury of right internal jugular vein, initial encounter	S7223XB	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
S15392A	Other specified injury of left internal jugular vein, initial encounter	S7223XC	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S15399A	Other specified injury of unspecified internal jugular vein, initial encounter	S7224XA	Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture
S158XXA	Injury of other specified blood vessels a neck level, initial encounter	at S7224XB	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II
S159XXA	Injury of unspecified blood vessel at neck level, initial encounter	S7224XC	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S162XXA	Laceration of muscle, fascia and tendon at neck level, initial encounter	S7225XA	Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture
S170XXA	Crushing injury of larynx and trachea, initial encounter	S7225XB	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II
S178XXA	Crushing injury of other specified parts of neck, initial encounter	S7225XC	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 91 of 434

Version 6.0 Patient Safet	D-10-CM/PCS Specification  y Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S179XXA	Crushing injury of neck, part unspecified, initial encounter	S7226XA	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture
S21001A	Unspecified open wound of right brinitial encounter	east, S7226XB	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
S21002A	Unspecified open wound of left brea initial encounter	ast, S7226XC	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21009A	Unspecified open wound of unspeci breast, initial encounter	fied S72301A	Unspecified fracture of shaft of right femur, initial encounter for closed fracture
S21011A	Laceration without foreign body of breast, initial encounter	right S72301B	Unspecified fracture of shaft of right femur, initial encounter for open fracture type I or II
S21012A	Laceration without foreign body of breast, initial encounter	left S72301C	Unspecified fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21019A	Laceration without foreign body of unspecified breast, initial encounter	S72302A	Unspecified fracture of shaft of left femur, initial encounter for closed fracture
S21021A	Laceration with foreign body of right breast, initial encounter	nt S72302B	Unspecified fracture of shaft of left femur, initial encounter for open fracture type I or II

July 2016 92 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI cy Indicators Appendices indicators.ahrq.gov	l Appendix G	
S21022A	Laceration with foreign body of left breast, initial encounter	S72302C	Unspecified fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21029A	Laceration with foreign body of unspecified breast, initial encounter	S72309A	Unspecified fracture of shaft of unspecified femur, initial encounter for closed fracture
S21031A	Puncture wound without foreign body right breast, initial encounter	of S72309B	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type I or II
S21032A	Puncture wound without foreign body left breast, initial encounter	of S72309C	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21039A	Puncture wound without foreign body unspecified breast, initial encounter	of S72321A	Displaced transverse fracture of shaft of right femur, initial encounter for closed fracture
S21041A	Puncture wound with foreign body of right breast, initial encounter	S72321B	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II
S21042A	Puncture wound with foreign body of left breast, initial encounter	S72321C	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21049A	Puncture wound with foreign body of unspecified breast, initial encounter	S72322A	Displaced transverse fracture of shaft of left femur, initial encounter for closed fracture

July 2016 93 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices	PSI Appendix G	
www.quality	indicators.ahrq.gov		
S21051A	Open bite of right breast, initial encounter	S72322B	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II
S21052A	Open bite of left breast, initial enco	ounter S72322C	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21059A	Open bite of unspecified breast, ini encounter	tial S72323A	Displaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture
S21101A	Unspecified open wound of right fr wall of thorax without penetration is thoracic cavity, initial encounter		Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II
S21102A	Unspecified open wound of left fro wall of thorax without penetration is thoracic cavity, initial encounter		Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21109A	Unspecified open wound of unspec front wall of thorax without penetra into thoracic cavity, initial encount	ation	Nondisplaced transverse fracture of shaft of right femur, initial encounter for closed fracture
S21111A	Laceration without foreign body of front wall of thorax without penetra into thoracic cavity, initial encount	ation	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II
S21112A	Laceration without foreign body of front wall of thorax without penetra into thoracic cavity, initial encountered in the contraction of the contra	ation	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 94 of 434

AHRQ QI™ I	CD-10-CM/PCS Specification
Version 6.0	
Patient Safe	ty Indicators Appendices
www.qualit	yindicators.ahrq.gov
S21119A	Laceration without foreign by unspecified front wall of the penetration into thoracic cay
	•
	encounter

S21119A	Laceration without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	S72325A	Nondisplaced transverse fracture of shaft of left femur, initial encounter for closed fracture
S21121A	Laceration with foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	S72325B	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II
S21122A	Laceration with foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	S72325C	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21129A	Laceration with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	S72326A	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture
S21131A	Puncture wound without foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	S72326B	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II
S21132A	Puncture wound without foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	S72326C	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21139A	Puncture wound without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	S72331A	Displaced oblique fracture of shaft of right femur, initial encounter for closed fracture
S21141A	Puncture wound with foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	S72331B	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II

July 2016 95 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI App ty Indicators Appendices rindicators.ahrq.gov	oendix G	
S21142A	Puncture wound with foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	S72331C	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21149A	Puncture wound with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	S72332A	Displaced oblique fracture of shaft of left femur, initial encounter for closed fracture
S21151A	Open bite of right front wall of thorax without penetration into thoracic cavity, initial encounter	S72332B	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II
S21152A	Open bite of left front wall of thorax without penetration into thoracic cavity, initial encounter	S72332C	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21159A	Open bite of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	S72333A	Displaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture
S21201A	Unspecified open wound of right back wall of thorax without penetration into thoracic cavity, initial encounter	S72333B	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II
S21202A	Unspecified open wound of left back wall of thorax without penetration into thoracic cavity, initial encounter	S72333C	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21209A	Unspecified open wound of unspecified back wall of thorax without penetration	S72334A	Nondisplaced oblique fracture of shaft of right femur, initial encounter for

into thoracic cavity, initial encounter

July 2016 96 of 434

closed fracture

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S21211A	Laceration without foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter	S72334B	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	
S21212A	Laceration without foreign body of left back wall of thorax without penetration into thoracic cavity, initial encounter	S72334C	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S21219A	Laceration without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	S72335A	Nondisplaced oblique fracture of shaft of left femur, initial encounter for closed fracture	
S21221A	Laceration with foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter	S72335B	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	
S21222A	Laceration with foreign body of left back wall of thorax without penetration into thoracic cavity, initial encounter	S72335C	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S21229A	Laceration with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	S72336A	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture	
S21231A	Puncture wound without foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter	S72336B	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	

S72336C

Puncture wound without foreign body of

penetration into thoracic cavity, initial

left back wall of thorax without

encounter

S21232A

July 2016 97 of 434

Nondisplaced oblique fracture of shaft

of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

AHRQ QI™ ICD-10-CM/PCS Specification
Version 6.0
Patient Safety Indicators Appendices

www.qualityindicators.ahrq.gov

## PSI Appendix G

S21239A	Puncture wound without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	S72341A	Displaced spiral fracture of shaft of right femur, initial encounter for closed fracture
S21241A	Puncture wound with foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter	S72341B	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II
S21242A	Puncture wound with foreign body of left back wall of thorax without penetration into thoracic cavity, initial encounter	S72341C	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21249A	Puncture wound with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	S72342A	Displaced spiral fracture of shaft of left femur, initial encounter for closed fracture
S21251A	Open bite of right back wall of thorax without penetration into thoracic cavity, initial encounter	S72342B	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II
S21252A	Open bite of left back wall of thorax without penetration into thoracic cavity, initial encounter	S72342C	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21259A	Open bite of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	S72343A	Displaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture
S21301A	Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, initial encounter	S72343B	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II

July 2016 98 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S21302A	Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, initial encounter	S72343C	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21309A	Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	S72344A	Nondisplaced spiral fracture of shaft of right femur, initial encounter for closed fracture
S21311A	Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	S72344B	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II
S21312A	Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	S72344C	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21319A	Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	S72345A	Nondisplaced spiral fracture of shaft of left femur, initial encounter for closed fracture
S21321A	Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	S72345B	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II
S21322A	Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	S72345C	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21329A	Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	S72346A	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture

July 2016 99 of 434

AHRQ QI™ I	CD-10-CM/PCS Specification	
Version 6.0		
Patient Safe	ty Indicators Appendices	
www.qualityindicators.ahrq.gov		
S21331A	Puncture wound without foreig right front wall of thorax with penetration into thoracic cavity encounter	

## PSI Appendix G

S21331A	Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	S72346B	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II
S21332A	Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	S72346C	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21339A	Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	S72351A	Displaced comminuted fracture of shaft of right femur, initial encounter for closed fracture
S21341A	Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	S72351B	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II
S21342A	Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	S72351C	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21349A	Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	S72352A	Displaced comminuted fracture of shaft of left femur, initial encounter for closed fracture
S21351A	Open bite of right front wall of thorax with penetration into thoracic cavity, initial encounter	S72352B	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II
S21352A	Open bite of left front wall of thorax with penetration into thoracic cavity, initial encounter	S72352C	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 100 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Ap ty Indicators Appendices vindicators.ahrq.gov	ppendix G	
S21359A	Open bite of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	S72353A	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture
S21401A	Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, initial encounter	S72353B	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II
S21402A	Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, initial encounter	S72353C	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21409A	Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	S72354A	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for closed fracture
S21411A	Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	S72354B	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II
S21412A	Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	S72354C	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21419A	Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	S72355A	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for closed fracture
S21421A	Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	S72355B	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II

July 2016 101 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S21422A	Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	S72355C	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21429A	Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	S72356A	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture
S21431A	Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	S72356B	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II
S21432A	Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	S72356C	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21439A	Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	S72361A	Displaced segmental fracture of shaft of right femur, initial encounter for closed fracture
S21441A	Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	S72361B	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II
S21442A	Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	S72361C	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S21449A	Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	S72362A	Displaced segmental fracture of shaft of left femur, initial encounter for closed fracture

July 2016 102 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S21451A	Open bite of right back wall of thorax with penetration into thoracic cavity, initial encounter	S72362B	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	
S21452A	Open bite of left back wall of thorax with penetration into thoracic cavity, initial encounter	S72362C	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S21459A	Open bite of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	S72363A	Displaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture	
S2190XA	Unspecified open wound of unspecified part of thorax, initial encounter	S72363B	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	
S2191XA	Laceration without foreign body of unspecified part of thorax, initial encounter	S72363C	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S2192XA	Laceration with foreign body of unspecified part of thorax, initial encounter	S72364A	Nondisplaced segmental fracture of shaft of right femur, initial encounter for closed fracture	
S2193XA	Puncture wound without foreign body of unspecified part of thorax, initial encounter	S72364B	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	
S2194XA	Puncture wound with foreign body of unspecified part of thorax, initial encounter	S72364C	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices		PSI Appendix G	
www.quaiity	vindicators.ahrq.gov		
S2195XA	Open bite of unspecified part of the initial encounter	orax, S72365A	Nondisplaced segmental fracture of shaft of left femur, initial encounter for closed fracture
S22000A	Wedge compression fracture of unspecified thoracic vertebra, initia encounter for closed fracture	S72365B	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II
S22000B	Wedge compression fracture of unspecified thoracic vertebra, initia encounter for open fracture	S72365C	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S22001A	Stable burst fracture of unspecified thoracic vertebra, initial encounter closed fracture		Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture
S22001B	Stable burst fracture of unspecified thoracic vertebra, initial encounter open fracture		Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II
S22002A	Unstable burst fracture of unspecification thoracic vertebra, initial encounter to closed fracture		Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S22002B	Unstable burst fracture of unspecific thoracic vertebra, initial encounter to open fracture		Other fracture of shaft of right femur, initial encounter for closed fracture
S22008A	Other fracture of unspecified thorac vertebra, initial encounter for closed fracture		Other fracture of shaft of right femur, initial encounter for open fracture type I or II

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov						
S22008B	Other fracture of unspecified thoracic vertebra, initial encounter for open fracture	S72391C	Other fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC			
S22009A	Unspecified fracture of unspecified thoracic vertebra, initial encounter for closed fracture	S72392A	Other fracture of shaft of left femur, initial encounter for closed fracture			
S22009B	Unspecified fracture of unspecified thoracic vertebra, initial encounter for open fracture	S72392B	Other fracture of shaft of left femur, initial encounter for open fracture type I or II			
S22010A	Wedge compression fracture of first thoracic vertebra, initial encounter for closed fracture	S72392C	Other fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC			
S22010B	Wedge compression fracture of first thoracic vertebra, initial encounter for open fracture	S72399A	Other fracture of shaft of unspecified femur, initial encounter for closed fracture			
S22011A	Stable burst fracture of first thoracic vertebra, initial encounter for closed fracture	S72399B	Other fracture of shaft of unspecified femur, initial encounter for open fracture type I or II			
S22011B	Stable burst fracture of first thoracic vertebra, initial encounter for open fracture	S72399C	Other fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC			
S22012A	Unstable burst fracture of first thoracic vertebra, initial encounter for closed fracture	S72401A	Unspecified fracture of lower end of right femur, initial encounter for closed fracture			

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI ty Indicators Appendices yindicators.ahrq.gov		
S22012B	Unstable burst fracture of first thoracic vertebra, initial encounter for open fracture	S72401B	Unspecified fracture of lower end of right femur, initial encounter for open fracture type I or II
S22018A	Other fracture of first thoracic vertebra, initial encounter for closed fracture	, S72401C	Unspecified fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S22018B	Other fracture of first thoracic vertebra, initial encounter for open fracture	, S72402A	Unspecified fracture of lower end of left femur, initial encounter for closed fracture
S22019A	Unspecified fracture of first thoracic vertebra, initial encounter for closed fracture	S72402B	Unspecified fracture of lower end of left femur, initial encounter for open fracture type I or II
S22019B	Unspecified fracture of first thoracic vertebra, initial encounter for open fracture	S72402C	Unspecified fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S22020A	Wedge compression fracture of second thoracic vertebra, initial encounter for closed fracture	S72409A	Unspecified fracture of lower end of unspecified femur, initial encounter for closed fracture
S22020B	Wedge compression fracture of second thoracic vertebra, initial encounter for open fracture	S72409B	Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type I or II
S22021A	Stable burst fracture of second thoracic vertebra, initial encounter for closed fracture	s S72409C	Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 106 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S22021B	Stable burst fracture of second thoracic vertebra, initial encounter for open fracture	S72411A	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture		
S22022A	Unstable burst fracture of second thoracic vertebra, initial encounter for closed fracture	S72411B	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II		
S22022B	Unstable burst fracture of second thoracic vertebra, initial encounter for open fracture	S72411C	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S22028A	Other fracture of second thoracic vertebra, initial encounter for closed fracture	S72412A	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture		
S22028B	Other fracture of second thoracic vertebra, initial encounter for open fracture	S72412B	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II		
S22029A	Unspecified fracture of second thoracic vertebra, initial encounter for closed fracture	S72412C	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S22029B	Unspecified fracture of second thoracic vertebra, initial encounter for open fracture	S72413A	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture		
S22030A	Wedge compression fracture of third thoracic vertebra, initial encounter for	S72413B	Displaced unspecified condyle fracture of lower end of unspecified femur,		

closed fracture

July 2016 107 of 434

or II

initial encounter for open fracture type I

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov						
S22030B	Wedge compression fracture of third thoracic vertebra, initial encounter for open fracture	S72413C	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC			
S22031A	Stable burst fracture of third thoracic vertebra, initial encounter for closed fracture	S72414A	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture			
S22031B	Stable burst fracture of third thoracic vertebra, initial encounter for open fracture	S72414B	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II			
S22032A	Unstable burst fracture of third thoracic vertebra, initial encounter for closed fracture	S72414C	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC			
S22032B	Unstable burst fracture of third thoracic vertebra, initial encounter for open fracture	S72415A	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture			
S22038A	Other fracture of third thoracic vertebra, initial encounter for closed fracture	S72415B	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II			
S22038B	Other fracture of third thoracic vertebra, initial encounter for open fracture	S72415C	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC			
S22039A	Unspecified fracture of third thoracic vertebra, initial encounter for closed fracture	S72416A	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture			

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S22039B	Unspecified fracture of third thoracic vertebra, initial encounter for open fracture	S72416B	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	
S22040A	Wedge compression fracture of fourth thoracic vertebra, initial encounter for closed fracture	S72416C	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S22040B	Wedge compression fracture of fourth thoracic vertebra, initial encounter for open fracture	S72421A	Displaced fracture of lateral condyle of right femur, initial encounter for closed fracture	
S22041A	Stable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture	S72421B	Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II	
S22041B	Stable burst fracture of fourth thoracic vertebra, initial encounter for open fracture	S72421C	Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S22042A	Unstable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture	S72422A	Displaced fracture of lateral condyle of left femur, initial encounter for closed fracture	
S22042B	Unstable burst fracture of fourth thoracic vertebra, initial encounter for open fracture	S72422B	Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II	
S22048A	Other fracture of fourth thoracic vertebra, initial encounter for closed fracture	S72422C	Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S22048B	Other fracture of fourth thoracic vertebra, initial encounter for open fracture	S72423A	Displaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture	
S22049A	Unspecified fracture of fourth thoracic vertebra, initial encounter for closed fracture	S72423B	Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II	
S22049B	Unspecified fracture of fourth thoracic vertebra, initial encounter for open fracture	S72423C	Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S22050A	Wedge compression fracture of T5-T6 vertebra, initial encounter for closed fracture	S72424A	Nondisplaced fracture of lateral condyle of right femur, initial encounter for closed fracture	
S22050B	Wedge compression fracture of T5-T6 vertebra, initial encounter for open fracture	S72424B	Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II	
S22051A	Stable burst fracture of T5-T6 vertebra, initial encounter for closed fracture	S72424C	Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S22051B	Stable burst fracture of T5-T6 vertebra, initial encounter for open fracture	S72425A	Nondisplaced fracture of lateral condyle of left femur, initial encounter for closed fracture	
S22052A	Unstable burst fracture of T5-T6 vertebra, initial encounter for closed fracture	S72425B	Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II	

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S22052B	Unstable burst fracture of T5-T6 vertebra, initial encounter for open fracture	S72425C	Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S22058A	Other fracture of T5-T6 vertebra, init encounter for closed fracture	cial S72426A	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture
S22058B	Other fracture of T5-T6 vertebra, init encounter for open fracture	cial S72426B	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II
S22059A	Unspecified fracture of T5-T6 vertebrinitial encounter for closed fracture	ra, S72426C	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S22059B	Unspecified fracture of T5-T6 vertebrinitial encounter for open fracture	ra, S72431A	Displaced fracture of medial condyle of right femur, initial encounter for closed fracture
S22060A	Wedge compression fracture of T7-T2 vertebra, initial encounter for closed fracture	78 S72431B	Displaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II
S22060B	Wedge compression fracture of T7-T8 vertebra, initial encounter for open fracture	78 S72431C	Displaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S22061A	Stable burst fracture of T7-T8 vertebrinitial encounter for closed fracture	ra, S72432A	Displaced fracture of medial condyle of left femur, initial encounter for closed fracture

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		opendix G	
S22061B	Stable burst fracture of T7-T8 vertebra, initial encounter for open fracture	S72432B	Displaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II
S22062A	Unstable burst fracture of T7-T8 vertebra, initial encounter for closed fracture	S72432C	Displaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S22062B	Unstable burst fracture of T7-T8 vertebra, initial encounter for open fracture	S72433A	Displaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture
S22068A	Other fracture of T7-T8 thoracic vertebra, initial encounter for closed fracture	S72433B	Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II
S22068B	Other fracture of T7-T8 thoracic vertebra, initial encounter for open fracture	S72433C	Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S22069A	Unspecified fracture of T7-T8 vertebra, initial encounter for closed fracture	S72434A	Nondisplaced fracture of medial condyle of right femur, initial encounter for closed fracture
S22069B	Unspecified fracture of T7-T8 vertebra, initial encounter for open fracture	S72434B	Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II
S22070A	Wedge compression fracture of T9-T10 vertebra, initial encounter for closed fracture	S72434C	Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S22070B	Wedge compression fracture of T9-T10 vertebra, initial encounter for open fracture	0 S72435A	Nondisplaced fracture of medial condyle of left femur, initial encounter for closed fracture	
S22071A	Stable burst fracture of T9-T10 vertebrinitial encounter for closed fracture	ra, S72435B	Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II	
S22071B	Stable burst fracture of T9-T10 vertebrinitial encounter for open fracture	ra, S72435C	Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S22072A	Unstable burst fracture of T9-T10 vertebra, initial encounter for closed fracture	S72436A	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture	
S22072B	Unstable burst fracture of T9-T10 vertebra, initial encounter for open fracture	S72436B	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II	
S22078A	Other fracture of T9-T10 vertebra, initial encounter for closed fracture	S72436C	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S22078B	Other fracture of T9-T10 vertebra, initial encounter for open fracture	S72441A	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture	
S22079A	Unspecified fracture of T9-T10 vertebra, initial encounter for closed fracture	S72441B	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II	

July 2016 113 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S22079B	Unspecified fracture of T9-T10 vertebra, initial encounter for open fracture	S72441C	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S22080A	Wedge compression fracture of T11-T12 vertebra, initial encounter for closed fracture	S72442A	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture		
S22080B	Wedge compression fracture of T11-T12 vertebra, initial encounter for open fracture	S72442B	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II		
S22081A	Stable burst fracture of T11-T12 vertebra, initial encounter for closed fracture	S72442C	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S22081B	Stable burst fracture of T11-T12 vertebra, initial encounter for open fracture	S72443A	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture		
S22082A	Unstable burst fracture of T11-T12 vertebra, initial encounter for closed fracture	S72443B	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II		
S22082B	Unstable burst fracture of T11-T12 vertebra, initial encounter for open fracture	S72443C	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S22088A	Other fracture of T11-T12 vertebra, initial encounter for closed fracture	S72444A	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture		

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S22088B	Other fracture of T11-T12 vertebra, initial encounter for open fracture	S72444B	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II
S22089A	Unspecified fracture of T11-T12 vertebra, initial encounter for closed fracture	S72444C d	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S22089B	Unspecified fracture of T11-T12 vertebra, initial encounter for open fracture	S72445A	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture
S2220XA	Unspecified fracture of sternum, initial encounter for closed fracture	itial S72445B	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II
S2220XB	Unspecified fracture of sternum, initial encounter for open fracture	itial S72445C	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S2221XA	Fracture of manubrium, initial enco for closed fracture	ounter S72446A	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture
S2221XB	Fracture of manubrium, initial enco	ounter S72446B	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II
S2222XA	Fracture of body of sternum, initial encounter for closed fracture	S72446C	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0				
	y Indicators Appendices indicators.ahrq.gov			
S2222XB	Fracture of body of sternum, initial encounter for open fracture	S72451A	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture	
S2223XA	Sternal manubrial dissociation, initial encounter for closed fracture	S72451B	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	
S2223XB	Sternal manubrial dissociation, initial encounter for open fracture	S72451C	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S2224XA	Fracture of xiphoid process, initial encounter for closed fracture	S72452A	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture	
S2224XB	Fracture of xiphoid process, initial encounter for open fracture	S72452B	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	
S2231XA	Fracture of one rib, right side, initial encounter for closed fracture	S72452C	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S2231XB	Fracture of one rib, right side, initial encounter for open fracture	S72453A	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	
S2232XA	Fracture of one rib, left side, initial encounter for closed fracture	S72453B	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	

July 2016 116 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S2232XB	Fracture of one rib, left side, initial encounter for open fracture	S72453C	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S2239XA	Fracture of one rib, unspecified side, initial encounter for closed fracture	S72454A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture	
S2239XB	Fracture of one rib, unspecified side, initial encounter for open fracture	S72454B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	
S2241XA	Multiple fractures of ribs, right side, initial encounter for closed fracture	S72454C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S2241XB	Multiple fractures of ribs, right side, initial encounter for open fracture	S72455A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture	
S2242XA	Multiple fractures of ribs, left side, initial encounter for closed fracture	S72455B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	
S2242XB	Multiple fractures of ribs, left side, initial encounter for open fracture	S72455C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S2243XA	Multiple fractures of ribs, bilateral, initial encounter for closed fracture	S72456A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	

July 2016 117 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S2243XB	Multiple fractures of ribs, bilateral, initial encounter for open fracture	S72456B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	
S2249XA	Multiple fractures of ribs, unspecified side, initial encounter for closed fracture	S72456C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S2249XB	Multiple fractures of ribs, unspecified side, initial encounter for open fracture	S72461A	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture	
S225XXA	Flail chest, initial encounter for closed fracture	S72461B	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	
S225XXB	Flail chest, initial encounter for open fracture	S72461C	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S229XXA	Fracture of bony thorax, part unspecified, initial encounter for closed fracture	S72462A	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture	
S229XXB	Fracture of bony thorax, part unspecified, initial encounter for open fracture	S72462B	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	
S230XXA	Traumatic rupture of thoracic intervertebral disc, initial encounter	S72462C	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S23100A	Subluxation of unspecified thoracic vertebra, initial encounter	S72463A	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	
S23101A	Dislocation of unspecified thoracic vertebra, initial encounter	S72463B	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	
S23110A	Subluxation of T1/T2 thoracic vertebra, initial encounter	S72463C	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S23111A	Dislocation of T1/T2 thoracic vertebra, initial encounter	S72464A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture	
S23120A	Subluxation of T2/T3 thoracic vertebra, initial encounter	S72464B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	
S23121A	Dislocation of T2/T3 thoracic vertebra, initial encounter	S72464C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S23122A	Subluxation of T3/T4 thoracic vertebra, initial encounter	S72465A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture	
S23123A	Dislocation of T3/T4 thoracic vertebra, initial encounter	S72465B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S23130A	Subluxation of T4/T5 thoracic vertebra, initial encounter	S72465C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S23131A	Dislocation of T4/T5 thoracic vertebra, initial encounter	S72466A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	
S23132A	Subluxation of T5/T6 thoracic vertebra, initial encounter	S72466B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	
S23133A	Dislocation of T5/T6 thoracic vertebra, initial encounter	S72466C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S23140A	Subluxation of T6/T7 thoracic vertebra, initial encounter	S72471A	Torus fracture of lower end of right femur, initial encounter for closed fracture	
S23141A	Dislocation of T6/T7 thoracic vertebra, initial encounter	S72472A	Torus fracture of lower end of left femur, initial encounter for closed fracture	
S23142A	Subluxation of T7/T8 thoracic vertebra, initial encounter	S72479A	Torus fracture of lower end of unspecified femur, initial encounter for closed fracture	
S23143A	Dislocation of T7/T8 thoracic vertebra, initial encounter	S72491A	Other fracture of lower end of right femur, initial encounter for closed fracture	

July 2016 120 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S23150A	Subluxation of T8/T9 thoracic vertebra, initial encounter	S72491B	Other fracture of lower end of right femur, initial encounter for open fracture type I or II	
S23151A	Dislocation of T8/T9 thoracic vertebra, initial encounter	S72491C	Other fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S23152A	Subluxation of T9/T10 thoracic vertebra, initial encounter	S72492A	Other fracture of lower end of left femur, initial encounter for closed fracture	
S23153A	Dislocation of T9/T10 thoracic vertebra, initial encounter	S72492B	Other fracture of lower end of left femur, initial encounter for open fracture type I or II	
S23160A	Subluxation of T10/T11 thoracic vertebra, initial encounter	S72492C	Other fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S23161A	Dislocation of T10/T11 thoracic vertebra, initial encounter	S72499A	Other fracture of lower end of unspecified femur, initial encounter for closed fracture	
S23162A	Subluxation of T11/T12 thoracic vertebra, initial encounter	S72499B	Other fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	
S23163A	Dislocation of T11/T12 thoracic vertebra, initial encounter	S72499C	Other fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S23170A	Subluxation of T12/L1 thoracic vertebra, initial encounter	S728X1A	Other fracture of right femur, initial encounter for closed fracture
S23171A	Dislocation of T12/L1 thoracic vert initial encounter	tebra, S728X1B	Other fracture of right femur, initial encounter for open fracture type I or II
S2320XA	Dislocation of unspecified part of thorax, initial encounter	S728X1C	Other fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S2329XA	Dislocation of other parts of thorax initial encounter	, S728X2A	Other fracture of left femur, initial encounter for closed fracture
S240XXA	Concussion and edema of thoracic spinal cord, initial encounter	S728X2B	Other fracture of left femur, initial encounter for open fracture type I or II
S24101A	Unspecified injury at T1 level of thoracic spinal cord, initial encount	S728X2C	Other fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S24102A	Unspecified injury at T2-T6 level o thoracic spinal cord, initial encount		Other fracture of unspecified femur, initial encounter for closed fracture
S24103A	Unspecified injury at T7-T10 level thoracic spinal cord, initial encount		Other fracture of unspecified femur, initial encounter for open fracture type I or II

July 2016 122 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S24104A	Unspecified injury at T11-T12 level of thoracic spinal cord, initial encounter	S728X9C	Other fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S24109A	Unspecified injury at unspecified level of thoracic spinal cord, initial encounter	S7290XA	Unspecified fracture of unspecified femur, initial encounter for closed fracture	
S24111A	Complete lesion at T1 level of thoracic spinal cord, initial encounter	S7290XB	Unspecified fracture of unspecified femur, initial encounter for open fracture type I or II	
S24112A	Complete lesion at T2-T6 level of thoracic spinal cord, initial encounter	S7290XC	Unspecified fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S24113A	Complete lesion at T7-T10 level of thoracic spinal cord, initial encounter	S7291XA	Unspecified fracture of right femur, initial encounter for closed fracture	
S24114A	Complete lesion at T11-T12 level of thoracic spinal cord, initial encounter	S7291XB	Unspecified fracture of right femur, initial encounter for open fracture type I or II	
S24119A	Complete lesion at unspecified level of thoracic spinal cord, initial encounter	S7291XC	Unspecified fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S24131A	Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter	S7292XA	Unspecified fracture of left femur, initial encounter for closed fracture	

July 2016 123 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S24132A	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter	S7292XB	Unspecified fracture of left femur, initial encounter for open fracture type I or II	
S24133A	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial encounter	S7292XC	Unspecified fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S24134A	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter	S73001A	Unspecified subluxation of right hip, initial encounter	
S24139A	Anterior cord syndrome at unspecified level of thoracic spinal cord, initial encounter	S73002A	Unspecified subluxation of left hip, initial encounter	
S24141A	Brown-Sequard syndrome at T1 level of thoracic spinal cord, initial encounter	S73003A	Unspecified subluxation of unspecified hip, initial encounter	
S24142A	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, initial encounter	S73004A	Unspecified dislocation of right hip, initial encounter	
S24143A	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, initial encounter	S73005A	Unspecified dislocation of left hip, initial encounter	
S24144A	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, initial encounter	S73006A	Unspecified dislocation of unspecified hip, initial encounter	

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S24149A	Brown-Sequard syndrome at unspecified level of thoracic spinal cord, initial encounter	S73011A	Posterior subluxation of right hip, initial encounter
S24151A	Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter	S73012A	Posterior subluxation of left hip, initial encounter
S24152A	Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter	S73013A	Posterior subluxation of unspecified hip, initial encounter
S24153A	Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial encounter	S73014A	Posterior dislocation of right hip, initial encounter
S24154A	Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter	S73015A	Posterior dislocation of left hip, initial encounter
S24159A	Other incomplete lesion at unspecified level of thoracic spinal cord, initial encounter	S73016A	Posterior dislocation of unspecified hip, initial encounter
S242XXA	Injury of nerve root of thoracic spine, initial encounter	S73021A	Obturator subluxation of right hip, initial encounter
S2500XA	Unspecified injury of thoracic aorta,	S73022A	Obturator subluxation of left hip, initial

initial encounter

encounter

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  y Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S2501XA	Minor laceration of thoracic aorta, initial encounter	S73023A	Obturator subluxation of unspecified hip, initial encounter
S2502XA	Major laceration of thoracic aorta, initial encounter	S73024A	Obturator dislocation of right hip, initial encounter
S2509XA	Other specified injury of thoracic a initial encounter	orta, S73025A	Obturator dislocation of left hip, initial encounter
S25101A	Unspecified injury of right innominor subclavian artery, initial encount		Obturator dislocation of unspecified hip, initial encounter
S25102A	Unspecified injury of left innomina subclavian artery, initial encounter	ate or S73031A	Other anterior subluxation of right hip, initial encounter
S25109A	Unspecified injury of unspecified innominate or subclavian artery, in encounter	S73032A itial	Other anterior subluxation of left hip, initial encounter
S25111A	Minor laceration of right innominat subclavian artery, initial encounter		Other anterior subluxation of unspecified hip, initial encounter
S25112A	Minor laceration of left innominate subclavian artery, initial encounter	or S73034A	Other anterior dislocation of right hip, initial encounter

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices vindicators.ahrq.gov	endix G	
S25119A	Minor laceration of unspecified innominate or subclavian artery, initial encounter	S73035A	Other anterior dislocation of left hip, initial encounter
S25121A	Major laceration of right innominate or subclavian artery, initial encounter	S73036A	Other anterior dislocation of unspecified hip, initial encounter
S25122A	Major laceration of left innominate or subclavian artery, initial encounter	S73041A	Central subluxation of right hip, initial encounter
S25129A	Major laceration of unspecified innominate or subclavian artery, initial encounter	S73042A	Central subluxation of left hip, initial encounter
S25191A	Other specified injury of right innominate or subclavian artery, initial encounter	S73043A	Central subluxation of unspecified hip, initial encounter
S25192A	Other specified injury of left innominate or subclavian artery, initial encounter	S73044A	Central dislocation of right hip, initial encounter
S25199A	Other specified injury of unspecified innominate or subclavian artery, initial encounter	S73045A	Central dislocation of left hip, initial encounter
S2520XA	Unspecified injury of superior vena cava, initial encounter	S73046A	Central dislocation of unspecified hip, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S2521XA	Minor laceration of superior vena cava, initial encounter	S75001A	Unspecified injury of femoral artery, right leg, initial encounter	
S2522XA	Major laceration of superior vena cava, initial encounter	S75002A	Unspecified injury of femoral artery, left leg, initial encounter	
S2529XA	Other specified injury of superior vena cava, initial encounter	S75009A	Unspecified injury of femoral artery, unspecified leg, initial encounter	
S25301A	Unspecified injury of right innominate or subclavian vein, initial encounter	S75011A	Minor laceration of femoral artery, right leg, initial encounter	
S25302A	Unspecified injury of left innominate or subclavian vein, initial encounter	S75012A	Minor laceration of femoral artery, left leg, initial encounter	
S25309A	Unspecified injury of unspecified innominate or subclavian vein, initial encounter	S75019A	Minor laceration of femoral artery, unspecified leg, initial encounter	
S25311A	Minor laceration of right innominate or subclavian vein, initial encounter	S75021A	Major laceration of femoral artery, right leg, initial encounter	
S25312A	Minor laceration of left innominate or subclavian vein, initial encounter	S75022A	Major laceration of femoral artery, left leg, initial encounter	

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S25319A	Minor laceration of unspecified innominate or subclavian vein, initial encounter	S75029A	Major laceration of femoral artery, unspecified leg, initial encounter		
S25321A	Major laceration of right innominate or subclavian vein, initial encounter	S75091A	Other specified injury of femoral artery, right leg, initial encounter		
S25322A	Major laceration of left innominate or subclavian vein, initial encounter	S75092A	Other specified injury of femoral artery, left leg, initial encounter		
S25329A	Major laceration of unspecified innominate or subclavian vein, initial encounter	S75099A	Other specified injury of femoral artery, unspecified leg, initial encounter		
S25391A	Other specified injury of right innominate or subclavian vein, initial encounter	S75101A	Unspecified injury of femoral vein at hip and thigh level, right leg, initial encounter		
S25392A	Other specified injury of left innominate or subclavian vein, initial encounter	S75102A	Unspecified injury of femoral vein at hip and thigh level, left leg, initial encounter		
S25399A	Other specified injury of unspecified innominate or subclavian vein, initial encounter	S75109A	Unspecified injury of femoral vein at hip and thigh level, unspecified leg, initial encounter		
S25401A	Unspecified injury of right pulmonary blood vessels, initial encounter	S75111A	Minor laceration of femoral vein at hip and thigh level, right leg, initial encounter		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S25402A	Unspecified injury of left pulmonary blood vessels, initial encounter	S75112A	Minor laceration of femoral vein at hip and thigh level, left leg, initial encounter		
S25409A	Unspecified injury of unspecified pulmonary blood vessels, initial encounter	S75119A	Minor laceration of femoral vein at hip and thigh level, unspecified leg, initial encounter		
S25411A	Minor laceration of right pulmonary blood vessels, initial encounter	S75121A	Major laceration of femoral vein at hip and thigh level, right leg, initial encounter		
S25412A	Minor laceration of left pulmonary blood vessels, initial encounter	S75122A	Major laceration of femoral vein at hip and thigh level, left leg, initial encounter		
S25419A	Minor laceration of unspecified pulmonary blood vessels, initial encounter	S75129A	Major laceration of femoral vein at hip and thigh level, unspecified leg, initial encounter		
S25421A	Major laceration of right pulmonary blood vessels, initial encounter	S75191A	Other specified injury of femoral vein at hip and thigh level, right leg, initial encounter		
S25422A	Major laceration of left pulmonary blood vessels, initial encounter	S75192A	Other specified injury of femoral vein at hip and thigh level, left leg, initial encounter		
S25429A	Major laceration of unspecified pulmonary blood vessels, initial encounter	S75199A	Other specified injury of femoral vein at hip and thigh level, unspecified leg, initial encounter		

July 2016 130 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PS  Ty Indicators Appendices  Tindicators.ahrq.gov	SI Appendix G	
S25491A	Other specified injury of right pulmonary blood vessels, initial encounter	S75201A	Unspecified injury of greater saphenous vein at hip and thigh level, right leg, initial encounter
S25492A	Other specified injury of left pulmona blood vessels, initial encounter	ry S75202A	Unspecified injury of greater saphenous vein at hip and thigh level, left leg, initial encounter
S25499A	Other specified injury of unspecified pulmonary blood vessels, initial encounter	S75209A	Unspecified injury of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter
S25501A	Unspecified injury of intercostal blood vessels, right side, initial encounter	d S75211A	Minor laceration of greater saphenous vein at hip and thigh level, right leg, initial encounter
S25502A	Unspecified injury of intercostal blood vessels, left side, initial encounter	d S75212A	Minor laceration of greater saphenous vein at hip and thigh level, left leg, initial encounter
S25509A	Unspecified injury of intercostal blood vessels, unspecified side, initial encounter	d S75219A	Minor laceration of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter
S25511A	Laceration of intercostal blood vessels right side, initial encounter	s, S75221A	Major laceration of greater saphenous vein at hip and thigh level, right leg, initial encounter
S25512A	Laceration of intercostal blood vessels left side, initial encounter	s, S75222A	Major laceration of greater saphenous vein at hip and thigh level, left leg, initial encounter

July 2016 131 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S25519A	Laceration of intercostal blood vessels, unspecified side, initial encounter	S75229A	Major laceration of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter	
S25591A	Other specified injury of intercostal blood vessels, right side, initial encounter	S75291A	Other specified injury of greater saphenous vein at hip and thigh level, right leg, initial encounter	
S25592A	Other specified injury of intercostal blood vessels, left side, initial encounter	S75292A	Other specified injury of greater saphenous vein at hip and thigh level, left leg, initial encounter	
S25599A	Other specified injury of intercostal blood vessels, unspecified side, initial encounter	S75299A	Other specified injury of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter	
S25801A	Unspecified injury of other blood vessels of thorax, right side, initial encounter	S75801A	Unspecified injury of other blood vessels at hip and thigh level, right leg, initial encounter	
S25802A	Unspecified injury of other blood vessels of thorax, left side, initial encounter	S75802A	Unspecified injury of other blood vessels at hip and thigh level, left leg, initial encounter	
S25809A	Unspecified injury of other blood vessels of thorax, unspecified side, initial encounter	S75809A	Unspecified injury of other blood vessels at hip and thigh level, unspecified leg, initial encounter	
S25811A	Laceration of other blood vessels of thorax, right side, initial encounter	S75811A	Laceration of other blood vessels at hip and thigh level, right leg, initial encounter	

July 2016 132 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI Apply	oendix G	
S25812A	Laceration of other blood vessels of thorax, left side, initial encounter	S75812A	Laceration of other blood vessels at hip and thigh level, left leg, initial encounter
S25819A	Laceration of other blood vessels of thorax, unspecified side, initial encounter	S75819A	Laceration of other blood vessels at hip and thigh level, unspecified leg, initial encounter
S25891A	Other specified injury of other blood vessels of thorax, right side, initial encounter	S75891A	Other specified injury of other blood vessels at hip and thigh level, right leg, initial encounter
S25892A	Other specified injury of other blood vessels of thorax, left side, initial encounter	S75892A	Other specified injury of other blood vessels at hip and thigh level, left leg, initial encounter
S25899A	Other specified injury of other blood vessels of thorax, unspecified side, initial encounter	S75899A	Other specified injury of other blood vessels at hip and thigh level, unspecified leg, initial encounter
S2590XA	Unspecified injury of unspecified blood vessel of thorax, initial encounter	S75901A	Unspecified injury of unspecified blood vessel at hip and thigh level, right leg, initial encounter
S2591XA	Laceration of unspecified blood vessel of thorax, initial encounter	S75902A	Unspecified injury of unspecified blood vessel at hip and thigh level, left leg, initial encounter
S2599XA	Other specified injury of unspecified blood vessel of thorax, initial encounter	S75909A	Unspecified injury of unspecified blood vessel at hip and thigh level, unspecified leg, initial encounter

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices  indicators.ahrq.gov	PSI Appendix G	
S2600XA	Unspecified injury of heart with hemopericardium, initial encounter	S75911A	Laceration of unspecified blood vessel at hip and thigh level, right leg, initial encounter
S2601XA	Contusion of heart with hemopericardium, initial encounter	S75912A	Laceration of unspecified blood vessel at hip and thigh level, left leg, initial encounter
S26020A	Mild laceration of heart with hemopericardium, initial encounter	S75919A	Laceration of unspecified blood vessel at hip and thigh level, unspecified leg, initial encounter
S26021A	Moderate laceration of heart with hemopericardium, initial encounter	S75991A	Other specified injury of unspecified blood vessel at hip and thigh level, right leg, initial encounter
S26022A	Major laceration of heart with hemopericardium, initial encounter	S75992A	Other specified injury of unspecified blood vessel at hip and thigh level, left leg, initial encounter
S2609XA	Other injury of heart with hemopericardium, initial encounter	S75999A	Other specified injury of unspecified blood vessel at hip and thigh level, unspecified leg, initial encounter
S2610XA	Unspecified injury of heart without hemopericardium, initial encounter		Laceration of muscle, fascia and tendon of right hip, initial encounter
S2611XA	Contusion of heart without hemopericardium, initial encounter	S76022A	Laceration of muscle, fascia and tendon of left hip, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S2612XA	Laceration of heart without hemopericardium, initial encounter	S76029A	Laceration of muscle, fascia and tendon of unspecified hip, initial encounter
S2619XA	Other injury of heart without hemopericardium, initial encounter	S76121A	Laceration of right quadriceps muscle, fascia and tendon, initial encounter
S2690XA	Unspecified injury of heart, unspeciwith or without hemopericardium, i encounter		Laceration of left quadriceps muscle, fascia and tendon, initial encounter
S2691XA	Contusion of heart, unspecified with without hemopericardium, initial encounter	h or S76129A	Laceration of unspecified quadriceps muscle, fascia and tendon, initial encounter
S2692XA	Laceration of heart, unspecified wit without hemopericardium, initial encounter	ch or \$76221A	Laceration of adductor muscle, fascia and tendon of right thigh, initial encounter
S2699XA	Other injury of heart, unspecified w or without hemopericardium, initial encounter		Laceration of adductor muscle, fascia and tendon of left thigh, initial encounter
S270XXA	Traumatic pneumothorax, initial encounter	S76229A	Laceration of adductor muscle, fascia and tendon of unspecified thigh, initial encounter
S271XXA	Traumatic hemothorax, initial enco	unter S76321A	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, initial encounter

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PS ty Indicators Appendices rindicators.ahrq.gov		
S272XXA	Traumatic hemopneumothorax, initial encounter	l S76322A	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, initial encounter
S27301A	Unspecified injury of lung, unilateral, initial encounter	, S76329A	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, initial encounter
S27302A	Unspecified injury of lung, bilateral, initial encounter	S76821A	Laceration of other specified muscles, fascia and tendons at thigh level, right thigh, initial encounter
S27309A	Unspecified injury of lung, unspecified initial encounter	ed, S76822A	Laceration of other specified muscles, fascia and tendons at thigh level, left thigh, initial encounter
S27311A	Primary blast injury of lung, unilatera initial encounter	al, S76829A	Laceration of other specified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter
S27312A	Primary blast injury of lung, bilateral, initial encounter	, S76921A	Laceration of unspecified muscles, fascia and tendons at thigh level, right thigh, initial encounter
S27319A	Primary blast injury of lung, unspecified, initial encounter	S76922A	Laceration of unspecified muscles, fascia and tendons at thigh level, left thigh, initial encounter
S27321A	Contusion of lung, unilateral, initial encounter	S76929A	Laceration of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S27322A	Contusion of lung, bilateral, initial encounter	S7700XA	Crushing injury of unspecified hip, initial encounter	
S27329A	Contusion of lung, unspecified, initial encounter	S7701XA	Crushing injury of right hip, initial encounter	
S27331A	Laceration of lung, unilateral, initial encounter	S7702XA	Crushing injury of left hip, initial encounter	
S27332A	Laceration of lung, bilateral, initial encounter	S7710XA	Crushing injury of unspecified thigh, initial encounter	
S27339A	Laceration of lung, unspecified, initial encounter	S7711XA	Crushing injury of right thigh, initial encounter	
S27391A	Other injuries of lung, unilateral, initial encounter	al S7712XA	Crushing injury of left thigh, initial encounter	
S27392A	Other injuries of lung, bilateral, initial encounter	S7720XA	Crushing injury of unspecified hip with thigh, initial encounter	
S27399A	Other injuries of lung, unspecified,	S7721XA	Crushing injury of right hip with thigh,	

initial encounter

initial encounter

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S27401A	Unspecified injury of bronchus, unilateral, initial encounter	S7722XA	Crushing injury of left hip with thigh, initial encounter
S27402A	Unspecified injury of bronchus, bilateral, initial encounter	S78011A	Complete traumatic amputation at right hip joint, initial encounter
S27409A	Unspecified injury of bronchus, unspecified, initial encounter	S78012A	Complete traumatic amputation at left hip joint, initial encounter
S27411A	Primary blast injury of bronchus, unilateral, initial encounter	S78019A	Complete traumatic amputation at unspecified hip joint, initial encounter
S27412A	Primary blast injury of bronchus, bilateral, initial encounter	S78021A	Partial traumatic amputation at right hip joint, initial encounter
S27419A	Primary blast injury of bronchus, unspecified, initial encounter	S78022A	Partial traumatic amputation at left hip joint, initial encounter
S27421A	Contusion of bronchus, unilateral, encounter	initial S78029A	Partial traumatic amputation at unspecified hip joint, initial encounter
S27422A	Contusion of bronchus, bilateral, in encounter	nitial S78111A	Complete traumatic amputation at level between right hip and knee, initial encounter

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI A cy Indicators Appendices indicators.ahrq.gov	Appendix G	
S27429A	Contusion of bronchus, unspecified, initial encounter	S78112A	Complete traumatic amputation at level between left hip and knee, initial encounter
S27431A	Laceration of bronchus, unilateral, initial encounter	S78119A	Complete traumatic amputation at level between unspecified hip and knee, initial encounter
S27432A	Laceration of bronchus, bilateral, initial encounter	S78121A	Partial traumatic amputation at level between right hip and knee, initial encounter
S27439A	Laceration of bronchus, unspecified, initial encounter	S78122A	Partial traumatic amputation at level between left hip and knee, initial encounter
S27491A	Other injury of bronchus, unilateral, initial encounter	S78129A	Partial traumatic amputation at level between unspecified hip and knee, initial encounter
S27492A	Other injury of bronchus, bilateral, initial encounter	S78911A	Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter
S27499A	Other injury of bronchus, unspecified, initial encounter	S78912A	Complete traumatic amputation of left hip and thigh, level unspecified, initial encounter
S2750XA	Unspecified injury of thoracic trachea, initial encounter	S78919A	Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S2751XA	Primary blast injury of thoracic trachea, initial encounter	S78921A	Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter	
S2752XA	Contusion of thoracic trachea, initial encounter	S78922A	Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter	
S2753XA	Laceration of thoracic trachea, initial encounter	S78929A	Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter	
S2759XA	Other injury of thoracic trachea, initial encounter	S79001A	Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture	
S2760XA	Unspecified injury of pleura, initial encounter	S79002A	Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture	
S2763XA	Laceration of pleura, initial encounter	S79009A	Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	
S2769XA	Other injury of pleura, initial encounter	S79011A	Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture	
S27802A	Contusion of diaphragm, initial encounter	S79012A	Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture	

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S27803A	Laceration of diaphragm, initial encounter	S79019A	Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
S27808A	Other injury of diaphragm, initial encounter	S79091A	Other physeal fracture of upper end of right femur, initial encounter for closed fracture
S27809A	Unspecified injury of diaphragm, in encounter	nitial S79092A	Other physeal fracture of upper end of left femur, initial encounter for closed fracture
S27812A	Contusion of esophagus (thoracic pinitial encounter	vart), S79099A	Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
S27813A	Laceration of esophagus (thoracic pinitial encounter	oart), S79101A	Unspecified physeal fracture of lower end of right femur, initial encounter for closed fracture
S27818A	Other injury of esophagus (thoracic part), initial encounter	S79102A	Unspecified physeal fracture of lower end of left femur, initial encounter for closed fracture
S27819A	Unspecified injury of esophagus (thoracic part), initial encounter	S79109A	Unspecified physeal fracture of lower end of unspecified femur, initial encounter for closed fracture
S27892A	Contusion of other specified intrathoracic organs, initial encount	S79111A ter	Salter-Harris Type I physeal fracture of lower end of right femur, initial encounter for closed fracture

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S27893A	Laceration of other specified intrathoracic organs, initial encounter	S79112A	Salter-Harris Type I physeal fracture of lower end of left femur, initial encounter for closed fracture	
S27898A	Other injury of other specified intrathoracic organs, initial encounter	S79119A	Salter-Harris Type I physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	
S27899A	Unspecified injury of other specified intrathoracic organs, initial encounter	S79121A	Salter-Harris Type II physeal fracture of lower end of right femur, initial encounter for closed fracture	
S279XXA	Injury of unspecified intrathoracic organ, initial encounter	S79122A	Salter-Harris Type II physeal fracture of lower end of left femur, initial encounter for closed fracture	
S280XXA	Crushed chest, initial encounter	S79129A	Salter-Harris Type II physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	
S281XXA	Traumatic amputation (partial) of part of thorax, except breast, initial encounter	S79131A	Salter-Harris Type III physeal fracture of lower end of right femur, initial encounter for closed fracture	
S28211A	Complete traumatic amputation of right breast, initial encounter	S79132A	Salter-Harris Type III physeal fracture of lower end of left femur, initial encounter for closed fracture	
S28212A	Complete traumatic amputation of left breast, initial encounter	S79139A	Salter-Harris Type III physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S28219A	Complete traumatic amputation of unspecified breast, initial encounter	S79141A	Salter-Harris Type IV physeal fracture of lower end of right femur, initial encounter for closed fracture	
S28221A	Partial traumatic amputation of right breast, initial encounter	S79142A	Salter-Harris Type IV physeal fracture of lower end of left femur, initial encounter for closed fracture	
S28222A	Partial traumatic amputation of left breast, initial encounter	S79149A	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	
S28229A	Partial traumatic amputation of unspecified breast, initial encounter	S79191A	Other physeal fracture of lower end of right femur, initial encounter for closed fracture	
S29021A	Laceration of muscle and tendon of front wall of thorax, initial encounter	S79192A	Other physeal fracture of lower end of left femur, initial encounter for closed fracture	
S29022A	Laceration of muscle and tendon of back wall of thorax, initial encounter	S79199A	Other physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	
S29029A	Laceration of muscle and tendon of unspecified wall of thorax, initial encounter	S81001A	Unspecified open wound, right knee, initial encounter	
S31000A	Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, initial encounter	S81002A	Unspecified open wound, left knee, initial encounter	

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S31001A	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter	S81009A	Unspecified open wound, unspecified knee, initial encounter		
S31010A	Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter	S81011A	Laceration without foreign body, right knee, initial encounter		
S31011A	Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	S81012A	Laceration without foreign body, left knee, initial encounter		
S31020A	Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter	S81019A	Laceration without foreign body, unspecified knee, initial encounter		
S31021A	Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	S81021A	Laceration with foreign body, right knee, initial encounter		
S31030A	Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter	S81022A	Laceration with foreign body, left knee, initial encounter		
S31031A	Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	S81029A	Laceration with foreign body, unspecified knee, initial encounter		
S31040A	Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter	S81031A	Puncture wound without foreign body, right knee, initial encounter		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S31041A	Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	S81032A	Puncture wound without foreign body, left knee, initial encounter	
S31050A	Open bite of lower back and pelvis without penetration into retroperitoneum, initial encounter	S81039A	Puncture wound without foreign body, unspecified knee, initial encounter	
S31051A	Open bite of lower back and pelvis with penetration into retroperitoneum, initial encounter	S81041A	Puncture wound with foreign body, right knee, initial encounter	
S31100A	Unspecified open wound of abdominal wall, right upper quadrant without penetration into peritoneal cavity, initial encounter	S81042A	Puncture wound with foreign body, left knee, initial encounter	
S31101A	Unspecified open wound of abdominal wall, left upper quadrant without penetration into peritoneal cavity, initial encounter	S81049A	Puncture wound with foreign body, unspecified knee, initial encounter	
S31102A	Unspecified open wound of abdominal wall, epigastric region without penetration into peritoneal cavity, initial encounter	S81051A	Open bite, right knee, initial encounter	
S31103A	Unspecified open wound of abdominal wall, right lower quadrant without penetration into peritoneal cavity, initial encounter	S81052A	Open bite, left knee, initial encounter	
S31104A	Unspecified open wound of abdominal wall, left lower quadrant without penetration into peritoneal cavity, initial encounter	S81059A	Open bite, unspecified knee, initial encounter	

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	pendix G	
S31105A	Unspecified open wound of abdominal wall, periumbilic region without penetration into peritoneal cavity, initial encounter	S81801A	Unspecified open wound, right lower leg, initial encounter
S31109A	Unspecified open wound of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, initial encounter	S81802A	Unspecified open wound, left lower leg initial encounter
S31110A	Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, initial encounter	S81809A	Unspecified open wound, unspecified lower leg, initial encounter
S31111A	Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, initial encounter	S81811A	Laceration without foreign body, right lower leg, initial encounter
S31112A	Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, initial encounter	S81812A	Laceration without foreign body, left lower leg, initial encounter

S31109A	Unspecified open wound of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, initial encounter	S81802A	Unspecified open wound, left lower leg, initial encounter
S31110A	Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, initial encounter	S81809A	Unspecified open wound, unspecified lower leg, initial encounter
S31111A	Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, initial encounter	S81811A	Laceration without foreign body, right lower leg, initial encounter
S31112A	Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, initial encounter	S81812A	Laceration without foreign body, left lower leg, initial encounter
S31113A	Laceration without foreign body of abdominal wall, right lower quadrant without penetration into peritoneal cavity, initial encounter	S81819A	Laceration without foreign body, unspecified lower leg, initial encounter
S31114A	Laceration without foreign body of abdominal wall, left lower quadrant without penetration into peritoneal cavity, initial encounter	S81821A	Laceration with foreign body, right lower leg, initial encounter
S31115A	Laceration without foreign body of abdominal wall, periumbilic region without penetration into peritoneal cavity, initial encounter	S81822A	Laceration with foreign body, left lower leg, initial encounter

July 2016 146 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		SI Appendix G	
S31119A	Laceration without foreign body of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, initial encounter	S81829A	Laceration with foreign body, unspecified lower leg, initial encounter
S31120A	Laceration of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, initial encounter	S81831A	Puncture wound without foreign body, right lower leg, initial encounter
S31121A	Laceration of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, initial encounter	S81832A	Puncture wound without foreign body, left lower leg, initial encounter
S31122A	Laceration of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, inite encounter		Puncture wound without foreign body, unspecified lower leg, initial encounter
S31123A	Laceration of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, initial encounter	S81841A	Puncture wound with foreign body, right lower leg, initial encounter
S31124A	Laceration of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, initial encounter	S81842A	Puncture wound with foreign body, left lower leg, initial encounter
S31125A	Laceration of abdominal wall with foreign body, periumbilic region with penetration into peritoneal cavity, init- encounter		Puncture wound with foreign body, unspecified lower leg, initial encounter
S31129A	Laceration of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, initial encounter	S81851A	Open bite, right lower leg, initial encounter

Version 6.0 Patient Safe	CD-10-CM/PCS Specification ty Indicators Appendices vindicators.ahrq.gov	PSI Appendix G	
S31130A	Puncture wound of abdominal wall without foreign body, right upper quadrant without penetration into peritoneal cavity, initial encounter	S81852A	Open bite, left lower leg, initial encounter
S31131A	Puncture wound of abdominal wall without foreign body, left upper quadrant without penetration into peritoneal cavity, initial encounter	S81859A	Open bite, unspecified lower leg, initial encounter
S31132A	Puncture wound of abdominal wall without foreign body, epigastric rewithout penetration into peritoneal cavity, initial encounter	gion	Unspecified fracture of right patella, initial encounter for closed fracture
S31133A	Puncture wound of abdominal wall without foreign body, right lower quadrant without penetration into peritoneal cavity, initial encounter	S82001B	Unspecified fracture of right patella, initial encounter for open fracture type I or II
S31134A	Puncture wound of abdominal wall without foreign body, left lower quadrant without penetration into peritoneal cavity, initial encounter	S82001C	Unspecified fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31135A	Puncture wound of abdominal wall without foreign body, periumbilic without penetration into peritoneal cavity, initial encounter	region	Unspecified fracture of left patella, initial encounter for closed fracture
S31139A	Puncture wound of abdominal wall without foreign body, unspecified quadrant without penetration into peritoneal cavity, initial encounter	S82002B	Unspecified fracture of left patella, initial encounter for open fracture type I or II
S31140A	Puncture wound of abdominal wall foreign body, right upper quadrant without penetration into peritoneal cavity, initial encounter		Unspecified fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S31141A	Puncture wound of abdominal wall w foreign body, left upper quadrant without penetration into peritoneal cavity, initial encounter	vith S82009A	Unspecified fracture of unspecified patella, initial encounter for closed fracture	
S31142A	Puncture wound of abdominal wall w foreign body, epigastric region without penetration into peritoneal cavity, inite encounter	ut	Unspecified fracture of unspecified patella, initial encounter for open fracture type I or II	
S31143A	Puncture wound of abdominal wall w foreign body, right lower quadrant without penetration into peritoneal cavity, initial encounter	vith S82009C	Unspecified fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S31144A	Puncture wound of abdominal wall w foreign body, left lower quadrant without penetration into peritoneal cavity, initial encounter	vith S82011A	Displaced osteochondral fracture of right patella, initial encounter for closed fracture	
S31145A	Puncture wound of abdominal wall w foreign body, periumbilic region with penetration into peritoneal cavity, init encounter	nout	Displaced osteochondral fracture of right patella, initial encounter for open fracture type I or II	
S31149A	Puncture wound of abdominal wall w foreign body, unspecified quadrant without penetration into peritoneal cavity, initial encounter	vith S82011C	Displaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S31150A	Open bite of abdominal wall, right upper quadrant without penetration in peritoneal cavity, initial encounter	S82012A nto	Displaced osteochondral fracture of left patella, initial encounter for closed fracture	

S82012B

Open bite of abdominal wall, left upper

quadrant without penetration into

peritoneal cavity, initial encounter

S31151A

July 2016 149 of 434

fracture type I or II

Displaced osteochondral fracture of left

patella, initial encounter for open

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S31152A	Open bite of abdominal wall, epigastric region without penetration into peritoneal cavity, initial encounter	S82012C	Displaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S31153A	Open bite of abdominal wall, right lower quadrant without penetration into peritoneal cavity, initial encounter	S82013A	Displaced osteochondral fracture of unspecified patella, initial encounter for closed fracture	
S31154A	Open bite of abdominal wall, left lower quadrant without penetration into peritoneal cavity, initial encounter	S82013B	Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type I or II	
S31155A	Open bite of abdominal wall, periumbilic region without penetration into peritoneal cavity, initial encounter	S82013C	Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S31159A	Open bite of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, initial encounter	S82014A	Nondisplaced osteochondral fracture of right patella, initial encounter for closed fracture	
S3120XA	Unspecified open wound of penis, initial encounter	S82014B	Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type I or II	
S3121XA	Laceration without foreign body of penis, initial encounter	S82014C	Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S3122XA	Laceration with foreign body of penis, initial encounter	S82015A	Nondisplaced osteochondral fracture of left patella, initial encounter for closed fracture	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0							
	Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov						
S3123XA	Puncture wound without foreign body of penis, initial encounter	S82015B	Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type I or II				
S3124XA	Puncture wound with foreign body of penis, initial encounter	S82015C	Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC				
S3125XA	Open bite of penis, initial encounter	S82016A	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for closed fracture				
S3130XA	Unspecified open wound of scrotum and testes, initial encounter	S82016B	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type I or II				
S3131XA	Laceration without foreign body of scrotum and testes, initial encounter	S82016C	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC				
S3132XA	Laceration with foreign body of scrotum and testes, initial encounter	S82021A	Displaced longitudinal fracture of right patella, initial encounter for closed fracture				
S3133XA	Puncture wound without foreign body of scrotum and testes, initial encounter	S82021B	Displaced longitudinal fracture of right patella, initial encounter for open fracture type I or II				
S3134XA	Puncture wound with foreign body of scrotum and testes, initial encounter	S82021C	Displaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC				

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S3135XA	Open bite of scrotum and testes, initial encounter	S82022A	Displaced longitudinal fracture of left patella, initial encounter for closed fracture
S3140XA	Unspecified open wound of vagina and vulva, initial encounter	S82022B	Displaced longitudinal fracture of left patella, initial encounter for open fracture type I or II
S3141XA	Laceration without foreign body of vagina and vulva, initial encounter	S82022C	Displaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S3142XA	Laceration with foreign body of vagina and vulva, initial encounter	S82023A	Displaced longitudinal fracture of unspecified patella, initial encounter for closed fracture
S3143XA	Puncture wound without foreign body of vagina and vulva, initial encounter	S82023B	Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type I or II
S3144XA	Puncture wound with foreign body of vagina and vulva, initial encounter	S82023C	Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S3145XA	Open bite of vagina and vulva, initial encounter	S82024A	Nondisplaced longitudinal fracture of right patella, initial encounter for closed fracture
S31501A	Unspecified open wound of unspecified external genital organs, male, initial encounter	S82024B	Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type I or II

July 2016 152 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov		
S31502A	Unspecified open wound of unspecified external genital organs, female, initial encounter	S82024C	Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31511A	Laceration without foreign body of unspecified external genital organs, male, initial encounter	S82025A	Nondisplaced longitudinal fracture of left patella, initial encounter for closed fracture
S31512A	Laceration without foreign body of unspecified external genital organs, female, initial encounter	S82025B	Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type I or II
S31521A	Laceration with foreign body of unspecified external genital organs, male, initial encounter	S82025C	Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31522A	Laceration with foreign body of unspecified external genital organs, female, initial encounter	S82026A	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for closed fracture
S31531A	Puncture wound without foreign body of unspecified external genital organs, male, initial encounter	S82026B	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type I or II
S31532A	Puncture wound without foreign body of unspecified external genital organs, female, initial encounter	S82026C	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31541A	Puncture wound with foreign body of unspecified external genital organs, male, initial encounter	S82031A	Displaced transverse fracture of right patella, initial encounter for closed fracture

July 2016 153 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S31542A	Puncture wound with foreign body of unspecified external genital organs, female, initial encounter	S82031B	Displaced transverse fracture of right patella, initial encounter for open fracture type I or II		
S31551A	Open bite of unspecified external genital organs, male, initial encounter	S82031C	Displaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S31552A	Open bite of unspecified external genital organs, female, initial encounter	S82032A	Displaced transverse fracture of left patella, initial encounter for closed fracture		
S31600A	Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	S82032B	Displaced transverse fracture of left patella, initial encounter for open fracture type I or II		
S31601A	Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	S82032C	Displaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S31602A	Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	S82033A	Displaced transverse fracture of unspecified patella, initial encounter for closed fracture		
S31603A	Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	S82033B	Displaced transverse fracture of unspecified patella, initial encounter for open fracture type I or II		
S31604A	Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	S82033C	Displaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC		

July 2016 154 of 434

S31605A	Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	S82034A	Nondisplaced transverse fracture of right patella, initial encounter for closed fracture
S31609A	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	S82034B	Nondisplaced transverse fracture of right patella, initial encounter for open fracture type I or II
S31610A	Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	S82034C	Nondisplaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31611A	Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	S82035A	Nondisplaced transverse fracture of left patella, initial encounter for closed fracture
S31612A	Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	S82035B	Nondisplaced transverse fracture of left patella, initial encounter for open fracture type I or II
S31613A	Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	S82035C	Nondisplaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31614A	Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	S82036A	Nondisplaced transverse fracture of unspecified patella, initial encounter for closed fracture
S31615A	Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	S82036B	Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type I or II

AHRQ QI™ ICD-10-CM/PCS Specification
Version 6.0
Patient Safety Indicators Appendices

## PSI Appendix G

S31619A	Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	S82036C	Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31620A	Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	S82041A	Displaced comminuted fracture of right patella, initial encounter for closed fracture
S31621A	Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	S82041B	Displaced comminuted fracture of right patella, initial encounter for open fracture type I or II
S31622A	Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	S82041C	Displaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31623A	Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	S82042A	Displaced comminuted fracture of left patella, initial encounter for closed fracture
S31624A	Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	S82042B	Displaced comminuted fracture of left patella, initial encounter for open fracture type I or II
S31625A	Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	S82042C	Displaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31629A	Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	S82043A	Displaced comminuted fracture of unspecified patella, initial encounter for closed fracture

July 2016 156 of 434

AHRQ QI™ ICD-10-CM/PCS Specification
Version 6.0
Patient Safety Indicators Appendices

## PSI Appendix G

S31630A	Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	S82043B	Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type I or II
S31631A	Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	S82043C	Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31632A	Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	S82044A	Nondisplaced comminuted fracture of right patella, initial encounter for closed fracture
S31633A	Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	S82044B	Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type I or II
S31634A	Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	S82044C	Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31635A	Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	S82045A	Nondisplaced comminuted fracture of left patella, initial encounter for closed fracture
S31639A	Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	S82045B	Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type I or II
S31640A	Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	S82045C	Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 157 of 434

S31641A	Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	S82046A	Nondisplaced comminuted fracture of unspecified patella, initial encounter for closed fracture
S31642A	Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	S82046B	Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type I or II
S31643A	Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	S82046C	Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31644A	Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	S82091A	Other fracture of right patella, initial encounter for closed fracture
S31645A	Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	S82091B	Other fracture of right patella, initial encounter for open fracture type I or II
S31649A	Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	S82091C	Other fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31650A	Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	S82092A	Other fracture of left patella, initial encounter for closed fracture
S31651A	Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	S82092B	Other fracture of left patella, initial encounter for open fracture type I or II

July 2016 158 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S31652A	Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	S82092C	Other fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31653A	Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	S82099A	Other fracture of unspecified patella, initial encounter for closed fracture
S31654A	Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	S82099B	Other fracture of unspecified patella, initial encounter for open fracture type I or II
S31655A	Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	S82099C	Other fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31659A	Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	S82101A	Unspecified fracture of upper end of right tibia, initial encounter for closed fracture
S31801A	Laceration without foreign body of unspecified buttock, initial encounter	S82101B	Unspecified fracture of upper end of right tibia, initial encounter for open fracture type I or II
S31802A	Laceration with foreign body of unspecified buttock, initial encounter	S82101C	Unspecified fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31803A	Puncture wound without foreign body of unspecified buttock, initial encounter	S82102A	Unspecified fracture of upper end of left tibia, initial encounter for closed fracture

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S31804A	Puncture wound with foreign body of unspecified buttock, initial encounter	S82102B	Unspecified fracture of upper end of left tibia, initial encounter for open fracture type I or II	
S31805A	Open bite of unspecified buttock, initial encounter	S82102C	Unspecified fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S31809A	Unspecified open wound of unspecified buttock, initial encounter	S82109A	Unspecified fracture of upper end of unspecified tibia, initial encounter for closed fracture	
S31811A	Laceration without foreign body of right buttock, initial encounter	S82109B	Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II	
S31812A	Laceration with foreign body of right buttock, initial encounter	S82109C	Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S31813A	Puncture wound without foreign body of right buttock, initial encounter	S82111A	Displaced fracture of right tibial spine, initial encounter for closed fracture	
S31814A	Puncture wound with foreign body of right buttock, initial encounter	S82111B	Displaced fracture of right tibial spine, initial encounter for open fracture type I or II	
S31815A	Open bite of right buttock, initial encounter	S82111C	Displaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S31819A	Unspecified open wound of right buttock, initial encounter	S82112A	Displaced fracture of left tibial spine, initial encounter for closed fracture
S31821A	Laceration without foreign body of l buttock, initial encounter	left S82112B	Displaced fracture of left tibial spine, initial encounter for open fracture type I or II
S31822A	Laceration with foreign body of left buttock, initial encounter	S82112C	Displaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31823A	Puncture wound without foreign booleft buttock, initial encounter	dy of S82113A	Displaced fracture of unspecified tibial spine, initial encounter for closed fracture
S31824A	Puncture wound with foreign body of left buttock, initial encounter	of S82113B	Displaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II
S31825A	Open bite of left buttock, initial encounter	S82113C	Displaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31829A	Unspecified open wound of left butt initial encounter	ock, S82114A	Nondisplaced fracture of right tibial spine, initial encounter for closed fracture
S31831A	Laceration without foreign body of anus, initial encounter	S82114B	Nondisplaced fracture of right tibial spine, initial encounter for open fracture type I or II

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S31832A	Laceration with foreign body of anus, initial encounter	S82114C	Nondisplaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31833A	Puncture wound without foreign body of anus, initial encounter	S82115A	Nondisplaced fracture of left tibial spine, initial encounter for closed fracture
S31834A	Puncture wound with foreign body of anus, initial encounter	S82115B	Nondisplaced fracture of left tibial spine, initial encounter for open fracture type I or II
S31835A	Open bite of anus, initial encounter	S82115C	Nondisplaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC
S31839A	Unspecified open wound of anus, initial encounter	S82116A	Nondisplaced fracture of unspecified tibial spine, initial encounter for closed fracture
S32000A	Wedge compression fracture of unspecified lumbar vertebra, initial encounter for closed fracture	S82116B	Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II
S32000B	Wedge compression fracture of unspecified lumbar vertebra, initial encounter for open fracture	S82116C	Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32001A	Stable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture	S82121A	Displaced fracture of lateral condyle of right tibia, initial encounter for closed fracture

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0					
	Patient Safety Indicators Appendices				
www.quality	indicators.ahrq.gov				
S32001B	Stable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture	S82121B	Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II		
S32002A	Unstable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture	S82121C	Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32002B	Unstable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture	S82122A	Displaced fracture of lateral condyle of left tibia, initial encounter for closed fracture		
S32008A	Other fracture of unspecified lumbar vertebra, initial encounter for closed fracture	S82122B	Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II		
S32008B	Other fracture of unspecified lumbar vertebra, initial encounter for open fracture	S82122C	Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32009A	Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture	S82123A	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture		
S32009B	Unspecified fracture of unspecified lumbar vertebra, initial encounter for open fracture	S82123B	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II		
S32010A	Wedge compression fracture of first lumbar vertebra, initial encounter for closed fracture	S82123C	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0					
	ty Indicators Appendices vindicators.ahrq.gov				
S32010B	Wedge compression fracture of first lumbar vertebra, initial encounter for open fracture	S82124A	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for closed fracture		
S32011A	Stable burst fracture of first lumbar vertebra, initial encounter for closed fracture	S82124B	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II		
S32011B	Stable burst fracture of first lumbar vertebra, initial encounter for open fracture	S82124C	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32012A	Unstable burst fracture of first lumbar vertebra, initial encounter for closed fracture	S82125A	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for closed fracture		
S32012B	Unstable burst fracture of first lumbar vertebra, initial encounter for open fracture	S82125B	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II		
S32018A	Other fracture of first lumbar vertebra, initial encounter for closed fracture	S82125C	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32018B	Other fracture of first lumbar vertebra, initial encounter for open fracture	S82126A	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture		
S32019A	Unspecified fracture of first lumbar vertebra, initial encounter for closed fracture	S82126B	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II		

July 2016 164 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32019B	Unspecified fracture of first lumbar vertebra, initial encounter for open fracture	S82126C	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32020A	Wedge compression fracture of second lumbar vertebra, initial encounter for closed fracture	S82131A	Displaced fracture of medial condyle of right tibia, initial encounter for closed fracture	
S32020B	Wedge compression fracture of second lumbar vertebra, initial encounter for open fracture	S82131B	Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II	
S32021A	Stable burst fracture of second lumbar vertebra, initial encounter for closed fracture	S82131C	Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32021B	Stable burst fracture of second lumbar vertebra, initial encounter for open fracture	S82132A	Displaced fracture of medial condyle of left tibia, initial encounter for closed fracture	
S32022A	Unstable burst fracture of second lumbar vertebra, initial encounter for closed fracture	S82132B	Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II	
S32022B	Unstable burst fracture of second lumbar vertebra, initial encounter for open fracture	S82132C	Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32028A	Other fracture of second lumbar vertebra, initial encounter for closed fracture	S82133A	Displaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S32028B	Other fracture of second lumbar vertebra, initial encounter for open fracture	S82133B	Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II		
S32029A	Unspecified fracture of second lumbar vertebra, initial encounter for closed fracture	S82133C	Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32029B	Unspecified fracture of second lumbar vertebra, initial encounter for open fracture	S82134A	Nondisplaced fracture of medial condyle of right tibia, initial encounter for closed fracture		
S32030A	Wedge compression fracture of third lumbar vertebra, initial encounter for closed fracture	S82134B	Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II		
S32030B	Wedge compression fracture of third lumbar vertebra, initial encounter for open fracture	S82134C	Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32031A	Stable burst fracture of third lumbar vertebra, initial encounter for closed fracture	S82135A	Nondisplaced fracture of medial condyle of left tibia, initial encounter for closed fracture		
S32031B	Stable burst fracture of third lumbar vertebra, initial encounter for open fracture	S82135B	Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II		
S32032A	Unstable burst fracture of third lumbar vertebra, initial encounter for closed fracture	S82135C	Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov			PSI Appendix G	
	S32032B	Unstable burst fracture of third lumb vertebra, initial encounter for open fracture	oar S82136A	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture
	S32038A	Other fracture of third lumbar verteb initial encounter for closed fracture	ora, S82136B	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II
	S32038B	Other fracture of third lumbar verteb initial encounter for open fracture	ora, S82136C	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
	S32039A	Unspecified fracture of third lumbar vertebra, initial encounter for closed fracture		Displaced bicondylar fracture of right tibia, initial encounter for closed fracture
	S32039B	Unspecified fracture of third lumbar vertebra, initial encounter for open fracture	S82141B	Displaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II
	S32040A	Wedge compression fracture of four lumbar vertebra, initial encounter for closed fracture		Displaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
	S32040B	Wedge compression fracture of four lumbar vertebra, initial encounter for open fracture		Displaced bicondylar fracture of left tibia, initial encounter for closed fracture
	S32041A	Stable burst fracture of fourth lumba vertebra, initial encounter for closed fracture		Displaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32041B	Stable burst fracture of fourth lumbar vertebra, initial encounter for open fracture	S82142C	Displaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32042A	Unstable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture	S82143A	Displaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture	
S32042B	Unstable burst fracture of fourth lumbar vertebra, initial encounter for open fracture	S82143B	Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II	
S32048A	Other fracture of fourth lumbar vertebra, initial encounter for closed fracture	S82143C	Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32048B	Other fracture of fourth lumbar vertebra, initial encounter for open fracture	S82144A	Nondisplaced bicondylar fracture of right tibia, initial encounter for closed fracture	
S32049A	Unspecified fracture of fourth lumbar vertebra, initial encounter for closed fracture	S82144B	Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II	
S32049B	Unspecified fracture of fourth lumbar vertebra, initial encounter for open fracture	S82144C	Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32050A	Wedge compression fracture of fifth lumbar vertebra, initial encounter for closed fracture	S82145A	Nondisplaced bicondylar fracture of left tibia, initial encounter for closed fracture	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32050B	Wedge compression fracture of fifth lumbar vertebra, initial encounter for open fracture	S82145B	Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II	
S32051A	Stable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture	S82145C	Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32051B	Stable burst fracture of fifth lumbar vertebra, initial encounter for open fracture	S82146A	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture	
S32052A	Unstable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture	S82146B	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II	
S32052B	Unstable burst fracture of fifth lumbar vertebra, initial encounter for open fracture	S82146C	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32058A	Other fracture of fifth lumbar vertebra, initial encounter for closed fracture	S82151A	Displaced fracture of right tibial tuberosity, initial encounter for closed fracture	
S32058B	Other fracture of fifth lumbar vertebra, initial encounter for open fracture	S82151B	Displaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II	
S32059A	Unspecified fracture of fifth lumbar vertebra, initial encounter for closed fracture	S82151C	Displaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32059B	Unspecified fracture of fifth lumbar vertebra, initial encounter for open fracture	S82152A	Displaced fracture of left tibial tuberosity, initial encounter for closed fracture	
S3210XA	Unspecified fracture of sacrum, initial encounter for closed fracture	S82152B	Displaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II	
S3210XB	Unspecified fracture of sacrum, initial encounter for open fracture	S82152C	Displaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32110A	Nondisplaced Zone I fracture of sacrum, initial encounter for closed fracture	S82153A	Displaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture	
S32110B	Nondisplaced Zone I fracture of sacrum, initial encounter for open fracture	S82153B	Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II	
S32111A	Minimally displaced Zone I fracture of sacrum, initial encounter for closed fracture	S82153C	Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32111B	Minimally displaced Zone I fracture of sacrum, initial encounter for open fracture	S82154A	Nondisplaced fracture of right tibial tuberosity, initial encounter for closed fracture	
S32112A	Severely displaced Zone I fracture of sacrum, initial encounter for closed fracture	S82154B	Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II	

July 2016 170 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32112B	Severely displaced Zone I fracture of sacrum, initial encounter for open fracture	S82154C	Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32119A	Unspecified Zone I fracture of sacrum, initial encounter for closed fracture	S82155A	Nondisplaced fracture of left tibial tuberosity, initial encounter for closed fracture	
S32119B	Unspecified Zone I fracture of sacrum, initial encounter for open fracture	S82155B	Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II	
S32120A	Nondisplaced Zone II fracture of sacrum, initial encounter for closed fracture	S82155C	Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32120B	Nondisplaced Zone II fracture of sacrum, initial encounter for open fracture	S82156A	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture	
S32121A	Minimally displaced Zone II fracture of sacrum, initial encounter for closed fracture	S82156B	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II	
S32121B	Minimally displaced Zone II fracture of sacrum, initial encounter for open fracture	S82156C	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32122A	Severely displaced Zone II fracture of sacrum, initial encounter for closed fracture	S82161A	Torus fracture of upper end of right tibia, initial encounter for closed fracture	

July 2016 171 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0		PSI Appendix G	
	ty Indicators Appendices rindicators.ahrq.gov		
S32122B	Severely displaced Zone II fracture of sacrum, initial encounter for open fracture	S82162A	Torus fracture of upper end of left tibia, initial encounter for closed fracture
S32129A	Unspecified Zone II fracture of sacrum, initial encounter for closed fracture	S82169A	Torus fracture of upper end of unspecified tibia, initial encounter for closed fracture
S32129B	Unspecified Zone II fracture of sacrum, initial encounter for open fracture	S82191A	Other fracture of upper end of right tibia, initial encounter for closed fracture
S32130A	Nondisplaced Zone III fracture of sacrum, initial encounter for closed fracture	S82191B	Other fracture of upper end of right tibia, initial encounter for open fracture type I or II
S32130B	Nondisplaced Zone III fracture of sacrum, initial encounter for open fracture	S82191C	Other fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32131A	Minimally displaced Zone III fracture of sacrum, initial encounter for closed fracture	S82192A	Other fracture of upper end of left tibia, initial encounter for closed fracture
S32131B	Minimally displaced Zone III fracture of sacrum, initial encounter for open fracture	S82192B	Other fracture of upper end of left tibia, initial encounter for open fracture type I or II
S32132A	Severely displaced Zone III fracture of sacrum, initial encounter for closed fracture	S82192C	Other fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32132B	Severely displaced Zone III fracture of sacrum, initial encounter for open fracture	S82199A	Other fracture of upper end of unspecified tibia, initial encounter for closed fracture	
S32139A	Unspecified Zone III fracture of sacrum, initial encounter for closed fracture	S82199B	Other fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II	
S32139B	Unspecified Zone III fracture of sacrum, initial encounter for open fracture	S82199C	Other fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S3214XA	Type 1 fracture of sacrum, initial encounter for closed fracture	S82201A	Unspecified fracture of shaft of right tibia, initial encounter for closed fracture	
S3214XB	Type 1 fracture of sacrum, initial encounter for open fracture	S82201B	Unspecified fracture of shaft of right tibia, initial encounter for open fracture type I or II	
S3215XA	Type 2 fracture of sacrum, initial encounter for closed fracture	S82201C	Unspecified fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S3215XB	Type 2 fracture of sacrum, initial encounter for open fracture	S82202A	Unspecified fracture of shaft of left tibia, initial encounter for closed fracture	
S3216XA	Type 3 fracture of sacrum, initial encounter for closed fracture	S82202B	Unspecified fracture of shaft of left tibia, initial encounter for open fracture type I or II	

July 2016 173 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S3216XB	Type 3 fracture of sacrum, initial encounter for open fracture	S82202C	Unspecified fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S3217XA	Type 4 fracture of sacrum, initial encounter for closed fracture	S82209A	Unspecified fracture of shaft of unspecified tibia, initial encounter for closed fracture
S3217XB	Type 4 fracture of sacrum, initial encounter for open fracture	S82209B	Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II
S3219XA	Other fracture of sacrum, initial encounter for closed fracture	S82209C	Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S3219XB	Other fracture of sacrum, initial encounter for open fracture	S82221A	Displaced transverse fracture of shaft of right tibia, initial encounter for closed fracture
S322XXA	Fracture of coccyx, initial encounter closed fracture	er for \$82221B	Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II
S322XXB	Fracture of coccyx, initial encounte open fracture	er for S82221C	Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32301A	Unspecified fracture of right ilium initial encounter for closed fracture		Displaced transverse fracture of shaft of left tibia, initial encounter for closed fracture

AHRQ QI™ IC Version 6.0	CD-10-CM/PCS Specification	PSI Appendix G	
	y Indicators Appendices indicators.ahrq.gov		
S32301B	Unspecified fracture of right ilium, initial encounter for open fracture	S82222B	Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II
S32302A	Unspecified fracture of left ilium, in encounter for closed fracture	nitial S82222C	Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32302B	Unspecified fracture of left ilium, in encounter for open fracture	sitial S82223A	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture
S32309A	Unspecified fracture of unspecified ilium, initial encounter for closed fracture	S82223B	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II
S32309B	Unspecified fracture of unspecified ilium, initial encounter for open frac	S82223C eture	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32311A	Displaced avulsion fracture of right ilium, initial encounter for closed fracture	S82224A	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for closed fracture
S32311B	Displaced avulsion fracture of right ilium, initial encounter for open frac	S82224B eture	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II
S32312A	Displaced avulsion fracture of left il initial encounter for closed fracture	lium, S82224C	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 175 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ety Indicators Appendices yindicators.ahrq.gov	oendix G	
S32312B	Displaced avulsion fracture of left ilium, initial encounter for open fracture	S82225A	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for closed fracture
S32313A	Displaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	S82225B	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II
S32313B	Displaced avulsion fracture of unspecified ilium, initial encounter for open fracture	S82225C	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32314A	Nondisplaced avulsion fracture of right ilium, initial encounter for closed fracture	S82226A	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture
S32314B	Nondisplaced avulsion fracture of right ilium, initial encounter for open fracture	S82226B	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II
S32315A	Nondisplaced avulsion fracture of left ilium, initial encounter for closed fracture	S82226C	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32315B	Nondisplaced avulsion fracture of left ilium, initial encounter for open fracture	S82231A	Displaced oblique fracture of shaft of right tibia, initial encounter for closed fracture
S32316A	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	S82231B	Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II

July 2016 176 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Ap ty Indicators Appendices yindicators.ahrq.gov	pendix G	
S32316B	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for open fracture	S82231C	Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32391A	Other fracture of right ilium, initial encounter for closed fracture	S82232A	Displaced oblique fracture of shaft of left tibia, initial encounter for closed fracture
S32391B	Other fracture of right ilium, initial encounter for open fracture	S82232B	Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II
S32392A	Other fracture of left ilium, initial encounter for closed fracture	S82232C	Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32392B	Other fracture of left ilium, initial encounter for open fracture	S82233A	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture
S32399A	Other fracture of unspecified ilium, initial encounter for closed fracture	S82233B	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II
S32399B	Other fracture of unspecified ilium, initial encounter for open fracture	S82233C	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32401A	Unspecified fracture of right acetabulum, initial encounter for closed fracture	S82234A	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for closed fracture

July 2016 177 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S32401B	Unspecified fracture of right acetabulum, initial encounter for open fracture	S82234B	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II		
S32402A	Unspecified fracture of left acetabulum, initial encounter for closed fracture	S82234C	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32402B	Unspecified fracture of left acetabulum, initial encounter for open fracture	S82235A	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for closed fracture		
S32409A	Unspecified fracture of unspecified acetabulum, initial encounter for closed fracture	S82235B	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II		
S32409B	Unspecified fracture of unspecified acetabulum, initial encounter for open fracture	S82235C	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32411A	Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	S82236A	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture		
S32411B	Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	S82236B	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II		
S32412A	Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	S82236C	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		

July 2016 178 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov						
S32412B	Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	S82241A	Displaced spiral fracture of shaft of right tibia, initial encounter for closed fracture			
S32413A	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	S82241B	Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II			
S32413B	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	S82241C	Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC			
S32414A	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	S82242A	Displaced spiral fracture of shaft of left tibia, initial encounter for closed fracture			
S32414B	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	S82242B	Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II			
S32415A	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	S82242C	Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC			
S32415B	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	S82243A	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture			
S32416A	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	S82243B	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II			

July 2016 179 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices							
www.qualityindicators.ahrq.gov							
S32416B	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	S82243C	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC				
S32421A	Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	S82244A	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for closed fracture				
S32421B	Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	S82244B	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II				
S32422A	Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	S82244C	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC				
S32422B	Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	S82245A	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for closed fracture				
S32423A	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	S82245B	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II				
S32423B	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	S82245C	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC				
S32424A	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	S82246A	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture				

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32424B	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	S82246B	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II		
S32425A	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	S82246C	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32425B	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	S82251A	Displaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture		
S32426A	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	S82251B	Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II		
S32426B	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	S82251C	Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32431A	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	S82252A	Displaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture		
S32431B	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	S82252B	Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II		
S32432A	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	S82252C	Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI ty Indicators Appendices vindicators.ahrq.gov	l Appendix G	
S32432B	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	S82253A	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture
S32433A	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	S82253B	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II
S32433B	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	S82253C	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32434A	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum initial encounter for closed fracture	\$82254A	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture
S32434B	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum initial encounter for open fracture	S82254B	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II
S32435A	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	S82254C	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32435B	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	S82255A	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture
S32436A	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	S82255B d	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices  indicators.ahrq.gov	PSI Appendix G	
S32436B	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for optracture	S82255C pen	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32441A	Displaced fracture of posterior colu [ilioischial] of right acetabulum, in encounter for closed fracture		Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture
S32441B	Displaced fracture of posterior colu [ilioischial] of right acetabulum, in encounter for open fracture		Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II
S32442A	Displaced fracture of posterior colu [ilioischial] of left acetabulum, init encounter for closed fracture		Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32442B	Displaced fracture of posterior colu [ilioischial] of left acetabulum, init encounter for open fracture		Displaced segmental fracture of shaft of right tibia, initial encounter for closed fracture
S32443A	Displaced fracture of posterior colu [ilioischial] of unspecified acetabul initial encounter for closed fracture	lum,	Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II
S32443B	Displaced fracture of posterior colu [ilioischial] of unspecified acetabul initial encounter for open fracture		Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32444A	Nondisplaced fracture of posterior column [ilioischial] of right acetabi initial encounter for closed fracture		Displaced segmental fracture of shaft of left tibia, initial encounter for closed fracture

July 2016 183 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32444B	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	S82262B	Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II		
S32445A	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	S82262C	Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32445B	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	S82263A	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture		
S32446A	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	S82263B	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II		
S32446B	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	S82263C	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32451A	Displaced transverse fracture of right acetabulum, initial encounter for closed fracture	S82264A	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for closed fracture		
S32451B	Displaced transverse fracture of right acetabulum, initial encounter for open fracture	S82264B	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II		
S32452A	Displaced transverse fracture of left acetabulum, initial encounter for closed fracture	S82264C	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		ppendix G	
S32452B	Displaced transverse fracture of left acetabulum, initial encounter for open fracture	S82265A	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for closed fracture
S32453A	Displaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	S82265B	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II
S32453B	Displaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	S82265C	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32454A	Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture	S82266A	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture
S32454B	Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture	S82266B	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II
S32455A	Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture	S82266C	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32455B	Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture	S82291A	Other fracture of shaft of right tibia, initial encounter for closed fracture
S32456A	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	S82291B	Other fracture of shaft of right tibia, initial encounter for open fracture type I or II

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0		Appendix G	
	ty Indicators Appendices yindicators.ahrq.gov		
S32456B	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	S82291C	Other fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32461A	Displaced associated transverse- posterior fracture of right acetabulum, initial encounter for closed fracture	S82292A	Other fracture of shaft of left tibia, initial encounter for closed fracture
S32461B	Displaced associated transverse- posterior fracture of right acetabulum, initial encounter for open fracture	S82292B	Other fracture of shaft of left tibia, initial encounter for open fracture type I or II
S32462A	Displaced associated transverse- posterior fracture of left acetabulum, initial encounter for closed fracture	S82292C	Other fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32462B	Displaced associated transverse- posterior fracture of left acetabulum, initial encounter for open fracture	S82299A	Other fracture of shaft of unspecified tibia, initial encounter for closed fracture
S32463A	Displaced associated transverse- posterior fracture of unspecified acetabulum, initial encounter for closed fracture	S82299B	Other fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II
S32463B	Displaced associated transverse- posterior fracture of unspecified acetabulum, initial encounter for open fracture	S82299C	Other fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32464A	Nondisplaced associated transverse- posterior fracture of right acetabulum, initial encounter for closed fracture	S82301A	Unspecified fracture of lower end of right tibia, initial encounter for closed fracture

July 2016 186 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32464B	Nondisplaced associated transverse- posterior fracture of right acetabulum, initial encounter for open fracture	S82301B	Unspecified fracture of lower end of right tibia, initial encounter for open fracture type I or II		
S32465A	Nondisplaced associated transverse- posterior fracture of left acetabulum, initial encounter for closed fracture	S82301C	Unspecified fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32465B	Nondisplaced associated transverse- posterior fracture of left acetabulum, initial encounter for open fracture	S82302A	Unspecified fracture of lower end of left tibia, initial encounter for closed fracture		
S32466A	Nondisplaced associated transverse- posterior fracture of unspecified acetabulum, initial encounter for closed fracture	S82302B	Unspecified fracture of lower end of left tibia, initial encounter for open fracture type I or II		
S32466B	Nondisplaced associated transverse- posterior fracture of unspecified acetabulum, initial encounter for open fracture	S82302C	Unspecified fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32471A	Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	S82309A	Unspecified fracture of lower end of unspecified tibia, initial encounter for closed fracture		
S32471B	Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture	S82309B	Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type I or II		
S32472A	Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	S82309C	Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC		

July 2016 187 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32472B	Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture	S82311A	Torus fracture of lower end of right tibia, initial encounter for closed fracture	
S32473A	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	S82312A	Torus fracture of lower end of left tibia, initial encounter for closed fracture	
S32473B	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	S82319A	Torus fracture of lower end of unspecified tibia, initial encounter for closed fracture	
S32474A	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	S82391A	Other fracture of lower end of right tibia, initial encounter for closed fracture	
S32474B	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture	S82391B	Other fracture of lower end of right tibia, initial encounter for open fracture type I or II	
S32475A	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	S82391C	Other fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32475B	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture	S82392A	Other fracture of lower end of left tibia, initial encounter for closed fracture	
S32476A	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	S82392B	Other fracture of lower end of left tibia, initial encounter for open fracture type I or II	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32476B	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	S82392C	Other fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32481A	Displaced dome fracture of right acetabulum, initial encounter for closed fracture	S82399A	Other fracture of lower end of unspecified tibia, initial encounter for closed fracture	
S32481B	Displaced dome fracture of right acetabulum, initial encounter for open fracture	S82399B	Other fracture of lower end of unspecified tibia, initial encounter for open fracture type I or II	
S32482A	Displaced dome fracture of left acetabulum, initial encounter for closed fracture	S82399C	Other fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32482B	Displaced dome fracture of left acetabulum, initial encounter for open fracture	S82401A	Unspecified fracture of shaft of right fibula, initial encounter for closed fracture	
S32483A	Displaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	S82401B	Unspecified fracture of shaft of right fibula, initial encounter for open fracture type I or II	
S32483B	Displaced dome fracture of unspecified acetabulum, initial encounter for open fracture	S82401C	Unspecified fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32484A	Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture	S82402A	Unspecified fracture of shaft of left fibula, initial encounter for closed fracture	

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32484B	Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture	S82402B	Unspecified fracture of shaft of left fibula, initial encounter for open fracture type I or II		
S32485A	Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture	S82402C	Unspecified fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32485B	Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture	S82409A	Unspecified fracture of shaft of unspecified fibula, initial encounter for closed fracture		
S32486A	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	S82409B	Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II		
S32486B	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for open fracture	S82409C	Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32491A	Other specified fracture of right acetabulum, initial encounter for closed fracture	S82421A	Displaced transverse fracture of shaft of right fibula, initial encounter for closed fracture		
S32491B	Other specified fracture of right acetabulum, initial encounter for open fracture	S82421B	Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II		
S32492A	Other specified fracture of left acetabulum, initial encounter for closed fracture	S82421C	Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32492B	Other specified fracture of left acetabulum, initial encounter for open fracture	S82422A	Displaced transverse fracture of shaft of left fibula, initial encounter for closed fracture	
S32499A	Other specified fracture of unspecified acetabulum, initial encounter for closed fracture	S82422B	Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II	
S32499B	Other specified fracture of unspecified acetabulum, initial encounter for open fracture	S82422C	Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32501A	Unspecified fracture of right pubis, initial encounter for closed fracture	S82423A	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture	
S32501B	Unspecified fracture of right pubis, initial encounter for open fracture	S82423B	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	
S32502A	Unspecified fracture of left pubis, initial encounter for closed fracture	al S82423C	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32502B	Unspecified fracture of left pubis, initial encounter for open fracture	al S82424A	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for closed fracture	
S32509A	Unspecified fracture of unspecified pubis, initial encounter for closed fracture	S82424B	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32509B	Unspecified fracture of unspecified pubis, initial encounter for open fracture	S82424C	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32511A	Fracture of superior rim of right pubis, initial encounter for closed fracture	S82425A	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for closed fracture	
S32511B	Fracture of superior rim of right pubis, initial encounter for open fracture	S82425B	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II	
S32512A	Fracture of superior rim of left pubis, initial encounter for closed fracture	S82425C	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32512B	Fracture of superior rim of left pubis, initial encounter for open fracture	S82426A	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture	
S32519A	Fracture of superior rim of unspecified pubis, initial encounter for closed fracture	S82426B	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	
S32519B	Fracture of superior rim of unspecified pubis, initial encounter for open fracture	S82426C	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32591A	Other specified fracture of right pubis, initial encounter for closed fracture	S82431A	Displaced oblique fracture of shaft of right fibula, initial encounter for closed fracture	

July 2016 192 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32591B	Other specified fracture of right pubis, initial encounter for open fracture	S82431B	Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II	
S32592A	Other specified fracture of left pubis, initial encounter for closed fracture	S82431C	Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32592B	Other specified fracture of left pubis, initial encounter for open fracture	S82432A	Displaced oblique fracture of shaft of left fibula, initial encounter for closed fracture	
S32599A	Other specified fracture of unspecified pubis, initial encounter for closed fracture	S82432B	Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II	
S32599B	Other specified fracture of unspecified pubis, initial encounter for open fracture	S82432C	Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32601A	Unspecified fracture of right ischium, initial encounter for closed fracture	S82433A	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture	
S32601B	Unspecified fracture of right ischium, initial encounter for open fracture	S82433B	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	
S32602A	Unspecified fracture of left ischium, initial encounter for closed fracture	S82433C	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	

Version 6.0 Patient Safet	ty Indicators Appendices	PSI Appendix G	
www.quality	rindicators.ahrq.gov		
S32602B	Unspecified fracture of left ischium, initial encounter for open fracture	S82434A	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for closed fracture
S32609A	Unspecified fracture of unspecified ischium, initial encounter for closed fracture	S82434B	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II
S32609B	Unspecified fracture of unspecified ischium, initial encounter for open fracture	S82434C	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32611A	Displaced avulsion fracture of right ischium, initial encounter for closed fracture	S82435A	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for closed fracture
S32611B	Displaced avulsion fracture of right ischium, initial encounter for open fracture	S82435B	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II
S32612A	Displaced avulsion fracture of left ischium, initial encounter for closed fracture	S82435C	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S32612B	Displaced avulsion fracture of left ischium, initial encounter for open fracture	S82436A	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture
S32613A	Displaced avulsion fracture of unspecified ischium, initial encounte for closed fracture	S82436B er	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32613B	Displaced avulsion fracture of unspecified ischium, initial encounter for open fracture	S82436C	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32614A	Nondisplaced avulsion fracture of right ischium, initial encounter for closed fracture	S82441A	Displaced spiral fracture of shaft of right fibula, initial encounter for closed fracture		
S32614B	Nondisplaced avulsion fracture of right ischium, initial encounter for open fracture	S82441B	Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II		
S32615A	Nondisplaced avulsion fracture of left ischium, initial encounter for closed fracture	S82441C	Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32615B	Nondisplaced avulsion fracture of left ischium, initial encounter for open fracture	S82442A	Displaced spiral fracture of shaft of left fibula, initial encounter for closed fracture		
S32616A	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	S82442B	Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II		
S32616B	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for open fracture	S82442C	Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S32691A	Other specified fracture of right ischium, initial encounter for closed fracture	S82443A	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture		

July 2016 195 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0				
	ry Indicators Appendices rindicators.ahrq.gov			
S32691B	Other specified fracture of right ischium, initial encounter for open fracture	S82443B	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	
S32692A	Other specified fracture of left ischium, initial encounter for closed fracture	S82443C	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32692B	Other specified fracture of left ischium, initial encounter for open fracture	S82444A	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for closed fracture	
S32699A	Other specified fracture of unspecified ischium, initial encounter for closed fracture	S82444B	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II	
S32699B	Other specified fracture of unspecified ischium, initial encounter for open fracture	S82444C	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S32810A	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for closed fracture	S82445A	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for closed fracture	
S32810B	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for open fracture	S82445B	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II	
S32811A	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for closed fracture	S82445C	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S32811B	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for open fracture	S82446A	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture	
S3282XA	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for closed fracture	S82446B	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	
S3282XB	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for open fracture	S82446C	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S3289XA	Fracture of other parts of pelvis, initial encounter for closed fracture	S82451A	Displaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture	
S3289XB	Fracture of other parts of pelvis, initial encounter for open fracture	S82451B	Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II	
S329XXA	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture	S82451C	Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S329XXB	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for open fracture	S82452A	Displaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture	
S330XXA	Traumatic rupture of lumbar intervertebral disc, initial encounter	S82452B	Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II	

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices  indicators.ahrq.gov	PSI Appendix G	
S33100A	Subluxation of unspecified lumbar vertebra, initial encounter	S82452C	Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S33101A	Dislocation of unspecified lumbar vertebra, initial encounter	S82453A	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture
S33110A	Subluxation of L1/L2 lumbar vertel initial encounter	bra, S82453B	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II
S33111A	Dislocation of L1/L2 lumbar vertebinitial encounter	ora, S82453C	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S33120A	Subluxation of L2/L3 lumbar vertel initial encounter	bra, S82454A	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture
S33121A	Dislocation of L2/L3 lumbar vertebinitial encounter	ora, S82454B	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II
S33130A	Subluxation of L3/L4 lumbar vertel initial encounter	bra, S82454C	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S33131A	Dislocation of L3/L4 lumbar vertebinitial encounter	ora, S82455A	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  y Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S33140A	Subluxation of L4/L5 lumbar vertebrinitial encounter	ra, S82455B	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II
S33141A	Dislocation of L4/L5 lumbar vertebrinitial encounter	ra, S82455C	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S332XXA	Dislocation of sacroiliac and sacrococcygeal joint, initial encounter	S82456A er	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture
S3330XA	Dislocation of unspecified parts of lumbar spine and pelvis, initial encounter	S82456B	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II
S3339XA	Dislocation of other parts of lumbar spine and pelvis, initial encounter	S82456C	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S3401XA	Concussion and edema of lumbar sp. cord, initial encounter	inal S82461A	Displaced segmental fracture of shaft of right fibula, initial encounter for closed fracture
S3402XA	Concussion and edema of sacral spir cord, initial encounter	nal S82461B	Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II
S34101A	Unspecified injury to L1 level of lunspinal cord, initial encounter	mbar S82461C	Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0					
	y Indicators Appendices indicators.ahrq.gov				
S34102A	Unspecified injury to L2 level of lumbar spinal cord, initial encounter	S82462A	Displaced segmental fracture of shaft of left fibula, initial encounter for closed fracture		
S34103A	Unspecified injury to L3 level of lumbar spinal cord, initial encounter	S82462B	Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II		
S34104A	Unspecified injury to L4 level of lumbar spinal cord, initial encounter	S82462C	Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S34105A	Unspecified injury to L5 level of lumbar spinal cord, initial encounter	S82463A	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture		
S34109A	Unspecified injury to unspecified level of lumbar spinal cord, initial encounter	S82463B	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II		
S34111A	Complete lesion of L1 level of lumbar spinal cord, initial encounter	S82463C	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S34112A	Complete lesion of L2 level of lumbar spinal cord, initial encounter	S82464A	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for closed fracture		
S34113A	Complete lesion of L3 level of lumbar spinal cord, initial encounter	S82464B	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II		

July 2016 200 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S34114A	Complete lesion of L4 level of lumba spinal cord, initial encounter	nr S82464C	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S34115A	Complete lesion of L5 level of lumba spinal cord, initial encounter	ar S82465A	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for closed fracture	
S34119A	Complete lesion of unspecified level lumbar spinal cord, initial encounter	of S82465B	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II	
S34121A	Incomplete lesion of L1 level of lumb spinal cord, initial encounter	bar S82465C	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S34122A	Incomplete lesion of L2 level of lumb spinal cord, initial encounter	bar \$82466A	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture	
S34123A	Incomplete lesion of L3 level of lumb spinal cord, initial encounter	bar S82466B	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	
S34124A	Incomplete lesion of L4 level of lumb spinal cord, initial encounter	bar S82466C	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S34125A	Incomplete lesion of L5 level of lumb spinal cord, initial encounter	bar S82491A	Other fracture of shaft of right fibula, initial encounter for closed fracture	

July 2016 201 of 434

Version 6.0	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0				
	ry Indicators Appendices indicators.ahrq.gov				
S34129A	Incomplete lesion of unspecified level of lumbar spinal cord, initial encounter	S82491B	Other fracture of shaft of right fibula, initial encounter for open fracture type I or II		
S34131A	Complete lesion of sacral spinal cord, initial encounter	S82491C	Other fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S34132A	Incomplete lesion of sacral spinal cord, initial encounter	S82492A	Other fracture of shaft of left fibula, initial encounter for closed fracture		
S34139A	Unspecified injury to sacral spinal cord, initial encounter	S82492B	Other fracture of shaft of left fibula, initial encounter for open fracture type I or II		
S3421XA	Injury of nerve root of lumbar spine, initial encounter	S82492C	Other fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S3422XA	Injury of nerve root of sacral spine, initial encounter	S82499A	Other fracture of shaft of unspecified fibula, initial encounter for closed fracture		
S343XXA	Injury of cauda equina, initial encounter	S82499B	Other fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II		
S344XXA	Injury of lumbosacral plexus, initial encounter	S82499C	Other fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		

AHRQ QI™ IC Version 6.0	D-10-CM/PCS Specification PSI	Appendix G	
	y Indicators Appendices indicators.ahrq.gov		
S3500XA	Unspecified injury of abdominal aorta, initial encounter	S8251XA	Displaced fracture of medial malleolus of right tibia, initial encounter for closed fracture
S3501XA	Minor laceration of abdominal aorta, initial encounter	S8251XB	Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type I or II
S3502XA	Major laceration of abdominal aorta, initial encounter	S8251XC	Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S3509XA	Other injury of abdominal aorta, initial encounter	S8252XA	Displaced fracture of medial malleolus of left tibia, initial encounter for closed fracture
S3510XA	Unspecified injury of inferior vena cava initial encounter	a, S8252XB	Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type I or II
S3511XA	Minor laceration of inferior vena cava, initial encounter	S8252XC	Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S3512XA	Major laceration of inferior vena cava, initial encounter	S8253XA	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for closed fracture
S3519XA	Other injury of inferior vena cava, initia encounter	al S8253XB	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type I or II

AHRQ QI™ IC Version 6.0	D-10-CM/PCS Specification P	PSI Appendix G	
	y Indicators Appendices indicators.ahrq.gov		
S35211A	Minor laceration of celiac artery, init encounter	ial S8253XC	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35212A	Major laceration of celiac artery, initiation encounter	ial S8254XA	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for closed fracture
S35218A	Other injury of celiac artery, initial encounter	S8254XB	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type I or II
S35219A	Unspecified injury of celiac artery, initial encounter	S8254XC	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35221A	Minor laceration of superior mesente artery, initial encounter	ric S8255XA	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for closed fracture
S35222A	Major laceration of superior mesenter artery, initial encounter	ric S8255XB	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type I or II
S35228A	Other injury of superior mesenteric artery, initial encounter	S8255XC	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35229A	Unspecified injury of superior mesenteric artery, initial encounter	S8256XA	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for closed fracture

July 2016 204 of 434

Version 6.0 Patient Safet	D-10-CM/PCS Specification  y Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S35231A	Minor laceration of inferior mesente artery, initial encounter	ric S8256XB	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type I or II
S35232A	Major laceration of inferior mesente artery, initial encounter	ric S8256XC	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35238A	Other injury of inferior mesenteric artery, initial encounter	S8261XA	Displaced fracture of lateral malleolus of right fibula, initial encounter for closed fracture
S35239A	Unspecified injury of inferior mesenteric artery, initial encounter	S8261XB	Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type I or II
S35291A	Minor laceration of branches of celia and mesenteric artery, initial encoun		Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35292A	Major laceration of branches of celia and mesenteric artery, initial encoun		Displaced fracture of lateral malleolus of left fibula, initial encounter for closed fracture
S35298A	Other injury of branches of celiac an mesenteric artery, initial encounter	nd S8262XB	Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type I or II
S35299A	Unspecified injury of branches of ce and mesenteric artery, initial encoun		Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 205 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S35311A	Laceration of portal vein, initial encounter	S8263XA	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for closed fracture		
S35318A	Other specified injury of portal vein, initial encounter	S8263XB	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type I or II		
S35319A	Unspecified injury of portal vein, initial encounter	S8263XC	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S35321A	Laceration of splenic vein, initial encounter	S8264XA	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for closed fracture		
S35328A	Other specified injury of splenic vein, initial encounter	S8264XB	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type I or II		
S35329A	Unspecified injury of splenic vein, initial encounter	S8264XC	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S35331A	Laceration of superior mesenteric vein, initial encounter	S8265XA	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for closed fracture		
S35338A	Other specified injury of superior mesenteric vein, initial encounter	S8265XB	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type I or II		

July 2016 206 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  ty Indicators Appendices  rindicators.ahrq.gov	PSI Appendix G	
S35339A	Unspecified injury of superior mesenteric vein, initial encounter	S8265XC	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35341A	Laceration of inferior mesenteric vei initial encounter	in, S8266XA	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for closed fracture
S35348A	Other specified injury of inferior mesenteric vein, initial encounter	S8266XB	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type I or II
S35349A	Unspecified injury of inferior mesenteric vein, initial encounter	S8266XC	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35401A	Unspecified injury of right renal arte initial encounter	ery, S82811A	Torus fracture of upper end of right fibula, initial encounter for closed fracture
S35402A	Unspecified injury of left renal arter initial encounter	y, S82812A	Torus fracture of upper end of left fibula, initial encounter for closed fracture
S35403A	Unspecified injury of unspecified reartery, initial encounter	nal S82819A	Torus fracture of upper end of unspecified fibula, initial encounter for closed fracture
S35404A	Unspecified injury of right renal vein initial encounter	n, S82821A	Torus fracture of lower end of right fibula, initial encounter for closed fracture

July 2016 207 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0					
	ry Indicators Appendices rindicators.ahrq.gov				
S35405A	Unspecified injury of left renal vein, initial encounter	S82822A	Torus fracture of lower end of left fibula, initial encounter for closed fracture		
S35406A	Unspecified injury of unspecified renal vein, initial encounter	S82829A	Torus fracture of lower end of unspecified fibula, initial encounter for closed fracture		
S35411A	Laceration of right renal artery, initial encounter	S82831A	Other fracture of upper and lower end of right fibula, initial encounter for closed fracture		
S35412A	Laceration of left renal artery, initial encounter	S82831B	Other fracture of upper and lower end of right fibula, initial encounter for open fracture type I or II		
S35413A	Laceration of unspecified renal artery, initial encounter	S82831C	Other fracture of upper and lower end of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S35414A	Laceration of right renal vein, initial encounter	S82832A	Other fracture of upper and lower end of left fibula, initial encounter for closed fracture		
S35415A	Laceration of left renal vein, initial encounter	S82832B	Other fracture of upper and lower end of left fibula, initial encounter for open fracture type I or II		
S35416A	Laceration of unspecified renal vein, initial encounter	S82832C	Other fracture of upper and lower end of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC		

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices  indicators.ahrq.gov	PSI Appendix G	
S35491A	Other specified injury of right renal artery, initial encounter	l S82839A	Other fracture of upper and lower end of unspecified fibula, initial encounter for closed fracture
S35492A	Other specified injury of left renal artery, initial encounter	S82839B	Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type I or II
S35493A	Other specified injury of unspecifier renal artery, initial encounter	ed S82839C	Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35494A	Other specified injury of right renal vein, initial encounter	l S82841A	Displaced bimalleolar fracture of right lower leg, initial encounter for closed fracture
S35495A	Other specified injury of left renal vinitial encounter	vein, S82841B	Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type I or II
S35496A	Other specified injury of unspecifier renal vein, initial encounter	ed S82841C	Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S3550XA	Injury of unspecified iliac blood vessel(s), initial encounter	S82842A	Displaced bimalleolar fracture of left lower leg, initial encounter for closed fracture
S35511A	Injury of right iliac artery, initial encounter	S82842B	Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type I or II

July 2016 209 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PS  ry Indicators Appendices indicators.ahrq.gov	SI Appendix G	
S35512A	Injury of left iliac artery, initial encounter	S82842C	Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35513A	Injury of unspecified iliac artery, initial encounter	al S82843A	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for closed fracture
S35514A	Injury of right iliac vein, initial encounter	S82843B	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II
S35515A	Injury of left iliac vein, initial encount	ser S82843C	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35516A	Injury of unspecified iliac vein, initial encounter	S82844A	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for closed fracture
S35531A	Injury of right uterine artery, initial encounter	S82844B	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type I or II
S35532A	Injury of left uterine artery, initial encounter	S82844C	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35533A	Injury of unspecified uterine artery, initial encounter	S82845A	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for closed fracture

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S35534A	Injury of right uterine vein, initial encounter	S82845B	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type I or II
S35535A	Injury of left uterine vein, initial encounter	S82845C	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S35536A	Injury of unspecified uterine vein, i encounter	nitial S82846A	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for closed fracture
S3559XA	Injury of other iliac blood vessels, i encounter	nitial S82846B	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II
S358X1A	Laceration of other blood vessels at abdomen, lower back and pelvis lev initial encounter		Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S358X8A	Other specified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter		Displaced trimalleolar fracture of right lower leg, initial encounter for closed fracture
S358X9A	Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter	S82851B	Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type I or II
S3590XA	Unspecified injury of unspecified by vessel at abdomen, lower back and pelvis level, initial encounter	lood S82851C	Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI App ty Indicators Appendices rindicators.ahrq.gov	oendix G	
S3591XA	Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter	S82852A	Displaced trimalleolar fracture of left lower leg, initial encounter for closed fracture
S3599XA	Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter	S82852B	Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type I or II
S3600XA	Unspecified injury of spleen, initial encounter	S82852C	Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36020A	Minor contusion of spleen, initial encounter	S82853A	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for closed fracture
S36021A	Major contusion of spleen, initial encounter	S82853B	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II
S36029A	Unspecified contusion of spleen, initial encounter	S82853C	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36030A	Superficial (capsular) laceration of spleen, initial encounter	S82854A	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for closed fracture
S36031A	Moderate laceration of spleen, initial encounter	S82854B	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type I or II

July 2016 212 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S36032A	Major laceration of spleen, initial encounter	S82854C	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S36039A	Unspecified laceration of spleen, initial encounter	al S82855A	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for closed fracture	
S3609XA	Other injury of spleen, initial encounter	er S82855B	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	
S36112A	Contusion of liver, initial encounter	S82855C	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S36113A	Laceration of liver, unspecified degree initial encounter	e, S82856A	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	
S36114A	Minor laceration of liver, initial encounter	S82856B	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	
S36115A	Moderate laceration of liver, initial encounter	S82856C	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S36116A	Major laceration of liver, initial encounter	S82861A	Displaced Maisonneuves fracture of right leg, initial encounter for closed fracture	

July 2016 213 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S36118A	Other injury of liver, initial encoun	nter S82861B	Displaced Maisonneuves fracture of right leg, initial encounter for open fracture type I or II
S36119A	Unspecified injury of liver, initial encounter	S82861C	Displaced Maisonneuves fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36122A	Contusion of gallbladder, initial encounter	S82862A	Displaced Maisonneuves fracture of left leg, initial encounter for closed fracture
S36123A	Laceration of gallbladder, initial encounter	S82862B	Displaced Maisonneuves fracture of left leg, initial encounter for open fracture type I or II
S36128A	Other injury of gallbladder, initial encounter	S82862C	Displaced Maisonneuves fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36129A	Unspecified injury of gallbladder, i encounter	initial S82863A	Displaced Maisonneuves fracture of unspecified leg, initial encounter for closed fracture
S3613XA	Injury of bile duct, initial encounte	r S82863B	Displaced Maisonneuves fracture of unspecified leg, initial encounter for open fracture type I or II
S36200A	Unspecified injury of head of pancinitial encounter	reas, S82863C	Displaced Maisonneuves fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S36201A	Unspecified injury of body of pancreas, initial encounter	S82864A	Nondisplaced Maisonneuves fracture of right leg, initial encounter for closed fracture		
S36202A	Unspecified injury of tail of pancreas, initial encounter	S82864B	Nondisplaced Maisonneuves fracture of right leg, initial encounter for open fracture type I or II		
S36209A	Unspecified injury of unspecified part of pancreas, initial encounter	S82864C	Nondisplaced Maisonneuves fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S36220A	Contusion of head of pancreas, initial encounter	S82865A	Nondisplaced Maisonneuves fracture of left leg, initial encounter for closed fracture		
S36221A	Contusion of body of pancreas, initial encounter	S82865B	Nondisplaced Maisonneuves fracture of left leg, initial encounter for open fracture type I or II		
S36222A	Contusion of tail of pancreas, initial encounter	S82865C	Nondisplaced Maisonneuves fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC		
S36229A	Contusion of unspecified part of pancreas, initial encounter	S82866A	Nondisplaced Maisonneuves fracture of unspecified leg, initial encounter for closed fracture		
S36230A	Laceration of head of pancreas, unspecified degree, initial encounter	S82866B	Nondisplaced Maisonneuves fracture of unspecified leg, initial encounter for open fracture type I or II		

July 2016 215 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Apply	pendix G	
S36231A	Laceration of body of pancreas, unspecified degree, initial encounter	S82866C	Nondisplaced Maisonneuves fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36232A	Laceration of tail of pancreas, unspecified degree, initial encounter	S82871A	Displaced pilon fracture of right tibia, initial encounter for closed fracture
S36239A	Laceration of unspecified part of pancreas, unspecified degree, initial encounter	S82871B	Displaced pilon fracture of right tibia, initial encounter for open fracture type I or II
S36240A	Minor laceration of head of pancreas, initial encounter	S82871C	Displaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36241A	Minor laceration of body of pancreas, initial encounter	S82872A	Displaced pilon fracture of left tibia, initial encounter for closed fracture
S36242A	Minor laceration of tail of pancreas, initial encounter	S82872B	Displaced pilon fracture of left tibia, initial encounter for open fracture type I or II
S36249A	Minor laceration of unspecified part of pancreas, initial encounter	S82872C	Displaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36250A	Moderate laceration of head of pancreas, initial encounter	S82873A	Displaced pilon fracture of unspecified tibia, initial encounter for closed fracture

July 2016 216 of 434

AHRQ QI™ IC Version 6.0	D-10-CM/PCS Specification PS	SI Appendix G	
Patient Safet	y Indicators Appendices		
www.quality	indicators.ahrq.gov		
S36251A	Moderate laceration of body of pancreas, initial encounter	S82873B	Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type I or II
S36252A	Moderate laceration of tail of pancrea initial encounter	s, S82873C	Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36259A	Moderate laceration of unspecified partial of pancreas, initial encounter	rt S82874A	Nondisplaced pilon fracture of right tibia, initial encounter for closed fracture
S36260A	Major laceration of head of pancreas, initial encounter	S82874B	Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type I or II
S36261A	Major laceration of body of pancreas, initial encounter	S82874C	Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36262A	Major laceration of tail of pancreas, initial encounter	S82875A	Nondisplaced pilon fracture of left tibia, initial encounter for closed fracture
S36269A	Major laceration of unspecified part o pancreas, initial encounter	f S82875B	Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type I or II
S36290A	Other injury of head of pancreas, initi encounter	al S82875C	Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC

July 2016 217 of 434

Version 6.0 Patient Safe	•	pendix G	
S36291A	Other injury of body of pancreas, initial encounter	S82876A	Nondisplaced pilon fracture of unspecified tibia, initial encounter for closed fracture
S36292A	Other injury of tail of pancreas, initial encounter	S82876B	Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type I or II
S36299A	Other injury of unspecified part of pancreas, initial encounter	S82876C	Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC
S3630XA	Unspecified injury of stomach, initial encounter	S82891A	Other fracture of right lower leg, initial encounter for closed fracture
S3632XA	Contusion of stomach, initial encounter	S82891B	Other fracture of right lower leg, initial encounter for open fracture type I or II
S3633XA	Laceration of stomach, initial encounter	S82891C	Other fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S3639XA	Other injury of stomach, initial encounter	S82892A	Other fracture of left lower leg, initial encounter for closed fracture
S36400A	Unspecified injury of duodenum, initial encounter	S82892B	Other fracture of left lower leg, initial encounter for open fracture type I or II

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S36408A	Unspecified injury of other part of small intestine, initial encounter	S82892C	Other fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S36409A	Unspecified injury of unspecified part of small intestine, initial encounter	S82899A	Other fracture of unspecified lower leg, initial encounter for closed fracture	
S36410A	Primary blast injury of duodenum, initial encounter	S82899B	Other fracture of unspecified lower leg, initial encounter for open fracture type I or II	
S36418A	Primary blast injury of other part of small intestine, initial encounter	S82899C	Other fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S36419A	Primary blast injury of unspecified part of small intestine, initial encounter	S8290XA	Unspecified fracture of unspecified lower leg, initial encounter for closed fracture	
S36420A	Contusion of duodenum, initial encounter	S8290XB	Unspecified fracture of unspecified lower leg, initial encounter for open fracture type I or II	
S36428A	Contusion of other part of small intestine, initial encounter	S8290XC	Unspecified fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S36429A	Contusion of unspecified part of small intestine, initial encounter	S8291XA	Unspecified fracture of right lower leg, initial encounter for closed fracture	

July 2016 219 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0		PSI Appendix G	
	y Indicators Appendices		
www.quality	indicators.ahrq.gov		
S36430A	Laceration of duodenum, initial encounter	S8291XB	Unspecified fracture of right lower leg, initial encounter for open fracture type I or II
S36438A	Laceration of other part of small intestine, initial encounter	S8291XC	Unspecified fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36439A	Laceration of unspecified part of sn intestine, initial encounter	mall S8292XA	Unspecified fracture of left lower leg, initial encounter for closed fracture
S36490A	Other injury of duodenum, initial encounter	S8292XB	Unspecified fracture of left lower leg, initial encounter for open fracture type I or II
S36498A	Other injury of other part of small intestine, initial encounter	S8292XC	Unspecified fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC
S36499A	Other injury of unspecified part of sintestine, initial encounter	small S83001A	Unspecified subluxation of right patella, initial encounter
S36500A	Unspecified injury of ascending [rigcolon, initial encounter	ght] S83002A	Unspecified subluxation of left patella, initial encounter
S36501A	Unspecified injury of transverse colinitial encounter	lon, S83003A	Unspecified subluxation of unspecified patella, initial encounter

July 2016 220 of 434

Version 6.0 Patient Safet	D-10-CM/PCS Specification y Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S36502A	Unspecified injury of descending [l colon, initial encounter	eft] S83004A	Unspecified dislocation of right patella, initial encounter
S36503A	Unspecified injury of sigmoid color initial encounter	n, S83005A	Unspecified dislocation of left patella, initial encounter
S36508A	Unspecified injury of other part of colon, initial encounter	S83006A	Unspecified dislocation of unspecified patella, initial encounter
S36509A	Unspecified injury of unspecified p colon, initial encounter	eart of S83011A	Lateral subluxation of right patella, initial encounter
S36510A	Primary blast injury of ascending [r colon, initial encounter	right] S83012A	Lateral subluxation of left patella, initial encounter
S36511A	Primary blast injury of transverse coinitial encounter	olon, S83013A	Lateral subluxation of unspecified patella, initial encounter
S36512A	Primary blast injury of descending colon, initial encounter	[left] S83014A	Lateral dislocation of right patella, initial encounter
S36513A	Primary blast injury of sigmoid cold initial encounter	on, S83015A	Lateral dislocation of left patella, initial encounter

July 2016 221 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices  indicators.ahrq.gov	PSI Appendix G	
S36518A	Primary blast injury of other part of colon, initial encounter	S83016A	Lateral dislocation of unspecified patella, initial encounter
S36519A	Primary blast injury of unspecified pof colon, initial encounter	part S83091A	Other subluxation of right patella, initial encounter
S36520A	Contusion of ascending [right] color initial encounter	n, S83092A	Other subluxation of left patella, initial encounter
S36521A	Contusion of transverse colon, initial encounter	al S83093A	Other subluxation of unspecified patella, initial encounter
S36522A	Contusion of descending [left] color initial encounter	n, S83094A	Other dislocation of right patella, initial encounter
S36523A	Contusion of sigmoid colon, initial encounter	S83095A	Other dislocation of left patella, initial encounter
S36528A	Contusion of other part of colon, initial encounter	itial S83096A	Other dislocation of unspecified patella, initial encounter
S36529A	Contusion of unspecified part of colinitial encounter	lon, S83101A	Unspecified subluxation of right knee, initial encounter

July 2016 222 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S36530A	Laceration of ascending [right] color initial encounter	n, S83102A	Unspecified subluxation of left knee, initial encounter
S36531A	Laceration of transverse colon, initial encounter	al S83103A	Unspecified subluxation of unspecified knee, initial encounter
S36532A	Laceration of descending [left] color initial encounter	n, S83104A	Unspecified dislocation of right knee, initial encounter
S36533A	Laceration of sigmoid colon, initial encounter	S83105A	Unspecified dislocation of left knee, initial encounter
S36538A	Laceration of other part of colon, initencounter	itial S83106A	Unspecified dislocation of unspecified knee, initial encounter
S36539A	Laceration of unspecified part of colinitial encounter	lon, S83111A	Anterior subluxation of proximal end of tibia, right knee, initial encounter
S36590A	Other injury of ascending [right] colinitial encounter	lon, S83112A	Anterior subluxation of proximal end of tibia, left knee, initial encounter
S36591A	Other injury of transverse colon, init encounter	tial S83113A	Anterior subluxation of proximal end of tibia, unspecified knee, initial encounter

July 2016 223 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S36592A	Other injury of descending [left] colon, initial encounter	S83114A	Anterior dislocation of proximal end of tibia, right knee, initial encounter	
S36593A	Other injury of sigmoid colon, initial encounter	S83115A	Anterior dislocation of proximal end of tibia, left knee, initial encounter	
S36598A	Other injury of other part of colon, initial encounter	S83116A	Anterior dislocation of proximal end of tibia, unspecified knee, initial encounter	
S36599A	Other injury of unspecified part of colon, initial encounter	S83121A	Posterior subluxation of proximal end of tibia, right knee, initial encounter	
S3660XA	Unspecified injury of rectum, initial encounter	S83122A	Posterior subluxation of proximal end of tibia, left knee, initial encounter	
S3661XA	Primary blast injury of rectum, initial encounter	S83123A	Posterior subluxation of proximal end of tibia, unspecified knee, initial encounter	
S3662XA	Contusion of rectum, initial encounter	S83124A	Posterior dislocation of proximal end of tibia, right knee, initial encounter	
S3663XA	Laceration of rectum, initial encounter	S83125A	Posterior dislocation of proximal end of tibia, left knee, initial encounter	

July 2016 224 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices vindicators.ahrq.gov		
S3669XA	Other injury of rectum, initial encounter	S83126A	Posterior dislocation of proximal end of tibia, unspecified knee, initial encounter
S3681XA	Injury of peritoneum, initial encounter	S83131A	Medial subluxation of proximal end of tibia, right knee, initial encounter
S36892A	Contusion of other intra-abdominal organs, initial encounter	S83132A	Medial subluxation of proximal end of tibia, left knee, initial encounter
S36893A	Laceration of other intra-abdominal organs, initial encounter	S83133A	Medial subluxation of proximal end of tibia, unspecified knee, initial encounter
S36898A	Other injury of other intra-abdominal organs, initial encounter	S83134A	Medial dislocation of proximal end of tibia, right knee, initial encounter
S36899A	Unspecified injury of other intra- abdominal organs, initial encounter	S83135A	Medial dislocation of proximal end of tibia, left knee, initial encounter
S3690XA	Unspecified injury of unspecified intra- abdominal organ, initial encounter	S83136A	Medial dislocation of proximal end of tibia, unspecified knee, initial encounter
S3692XA	Contusion of unspecified intra-	S83141A	Lateral subluxation of proximal end of

abdominal organ, initial encounter

July 2016 225 of 434

tibia, right knee, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S3693XA	Laceration of unspecified intra- abdominal organ, initial encounter	S83142A	Lateral subluxation of proximal end of tibia, left knee, initial encounter
S3699XA	Other injury of unspecified intra- abdominal organ, initial encounter	S83143A	Lateral subluxation of proximal end of tibia, unspecified knee, initial encounter
S37001A	Unspecified injury of right kidney, initial encounter	S83144A	Lateral dislocation of proximal end of tibia, right knee, initial encounter
S37002A	Unspecified injury of left kidney, ini encounter	itial S83145A	Lateral dislocation of proximal end of tibia, left knee, initial encounter
S37009A	Unspecified injury of unspecified kidney, initial encounter	S83146A	Lateral dislocation of proximal end of tibia, unspecified knee, initial encounter
S37011A	Minor contusion of right kidney, init encounter	tial S83191A	Other subluxation of right knee, initial encounter
S37012A	Minor contusion of left kidney, initial encounter	al S83192A	Other subluxation of left knee, initial encounter
S37019A	Minor contusion of unspecified kidn initial encounter	ney, S83193A	Other subluxation of unspecified knee, initial encounter

July 2016 226 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S37021A	Major contusion of right kidney, initial encounter	S83194A	Other dislocation of right knee, initial encounter	
S37022A	Major contusion of left kidney, initial encounter	S83195A	Other dislocation of left knee, initial encounter	
S37029A	Major contusion of unspecified kidney, initial encounter	S83196A	Other dislocation of unspecified knee, initial encounter	
S37031A	Laceration of right kidney, unspecified degree, initial encounter	S83200A	Bucket-handle tear of unspecified meniscus, current injury, right knee, initial encounter	
S37032A	Laceration of left kidney, unspecified degree, initial encounter	S83201A	Bucket-handle tear of unspecified meniscus, current injury, left knee, initial encounter	
S37039A	Laceration of unspecified kidney, unspecified degree, initial encounter	S83202A	Bucket-handle tear of unspecified meniscus, current injury, unspecified knee, initial encounter	
S37041A	Minor laceration of right kidney, initial encounter	S83203A	Other tear of unspecified meniscus, current injury, right knee, initial encounter	
S37042A	Minor laceration of left kidney, initial encounter	S83204A	Other tear of unspecified meniscus, current injury, left knee, initial encounter	

July 2016 227 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S37049A	Minor laceration of unspecified kidney, initial encounter	S83205A	Other tear of unspecified meniscus, current injury, unspecified knee, initial encounter	
S37051A	Moderate laceration of right kidney, initial encounter	S83206A	Unspecified tear of unspecified meniscus, current injury, right knee, initial encounter	
S37052A	Moderate laceration of left kidney, initial encounter	S83207A	Unspecified tear of unspecified meniscus, current injury, left knee, initial encounter	
S37059A	Moderate laceration of unspecified kidney, initial encounter	S83209A	Unspecified tear of unspecified meniscus, current injury, unspecified knee, initial encounter	
S37061A	Major laceration of right kidney, initial encounter	S83211A	Bucket-handle tear of medial meniscus, current injury, right knee, initial encounter	
S37062A	Major laceration of left kidney, initial encounter	S83212A	Bucket-handle tear of medial meniscus, current injury, left knee, initial encounter	
S37069A	Major laceration of unspecified kidney, initial encounter	S83219A	Bucket-handle tear of medial meniscus, current injury, unspecified knee, initial encounter	
S37091A	Other injury of right kidney, initial encounter	S83221A	Peripheral tear of medial meniscus, current injury, right knee, initial encounter	

July 2016 228 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S37092A	Other injury of left kidney, initial encounter	S83222A	Peripheral tear of medial meniscus, current injury, left knee, initial encounter	
S37099A	Other injury of unspecified kidney, initial encounter	S83229A	Peripheral tear of medial meniscus, current injury, unspecified knee, initial encounter	
S3710XA	Unspecified injury of ureter, initial encounter	S83231A	Complex tear of medial meniscus, current injury, right knee, initial encounter	
S3712XA	Contusion of ureter, initial encounter	S83232A	Complex tear of medial meniscus, current injury, left knee, initial encounter	
S3713XA	Laceration of ureter, initial encounter	S83239A	Complex tear of medial meniscus, current injury, unspecified knee, initial encounter	
S3719XA	Other injury of ureter, initial encounter	S83241A	Other tear of medial meniscus, current injury, right knee, initial encounter	
S3720XA	Unspecified injury of bladder, initial encounter	S83242A	Other tear of medial meniscus, current injury, left knee, initial encounter	
S3722XA	Contusion of bladder, initial encounter	S83249A	Other tear of medial meniscus, current injury, unspecified knee, initial encounter	

July 2016 229 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification PSI App cy Indicators Appendices rindicators.ahrq.gov	endix G	
S3723XA	Laceration of bladder, initial encounter	S83251A	Bucket-handle tear of lateral meniscus, current injury, right knee, initial encounter
S3729XA	Other injury of bladder, initial encounter	S83252A	Bucket-handle tear of lateral meniscus, current injury, left knee, initial encounter
S3730XA	Unspecified injury of urethra, initial encounter	S83259A	Bucket-handle tear of lateral meniscus, current injury, unspecified knee, initial encounter
S3732XA	Contusion of urethra, initial encounter	S83261A	Peripheral tear of lateral meniscus, current injury, right knee, initial encounter
S3733XA	Laceration of urethra, initial encounter	S83262A	Peripheral tear of lateral meniscus, current injury, left knee, initial encounter
S3739XA	Other injury of urethra, initial encounter	S83269A	Peripheral tear of lateral meniscus, current injury, unspecified knee, initial encounter
S37401A	Unspecified injury of ovary, unilateral, initial encounter	S83271A	Complex tear of lateral meniscus, current injury, right knee, initial encounter
S37402A	Unspecified injury of ovary, bilateral, initial encounter	S83272A	Complex tear of lateral meniscus, current injury, left knee, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		Appendix G	
S37409A	Unspecified injury of ovary, unspecified, initial encounter	S83279A	Complex tear of lateral meniscus, current injury, unspecified knee, initial encounter
S37421A	Contusion of ovary, unilateral, initial encounter	S83281A	Other tear of lateral meniscus, current injury, right knee, initial encounter
S37422A	Contusion of ovary, bilateral, initial encounter	S83282A	Other tear of lateral meniscus, current injury, left knee, initial encounter
S37429A	Contusion of ovary, unspecified, initial encounter	S83289A	Other tear of lateral meniscus, current injury, unspecified knee, initial encounter
S37431A	Laceration of ovary, unilateral, initial encounter	S8330XA	Tear of articular cartilage of unspecified knee, current, initial encounter
S37432A	Laceration of ovary, bilateral, initial encounter	S8331XA	Tear of articular cartilage of right knee, current, initial encounter
S37439A	Laceration of ovary, unspecified, initial encounter	1 S8332XA	Tear of articular cartilage of left knee, current, initial encounter
S37491A	Other injury of ovary, unilateral, initial encounter	S85001A	Unspecified injury of popliteal artery, right leg, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S37492A	Other injury of ovary, bilateral, initial encounter	S85002A	Unspecified injury of popliteal artery, left leg, initial encounter	
S37499A	Other injury of ovary, unspecified, initial encounter	S85009A	Unspecified injury of popliteal artery, unspecified leg, initial encounter	
S37501A	Unspecified injury of fallopian tube, unilateral, initial encounter	S85011A	Laceration of popliteal artery, right leg, initial encounter	
S37502A	Unspecified injury of fallopian tube, bilateral, initial encounter	S85012A	Laceration of popliteal artery, left leg, initial encounter	
S37509A	Unspecified injury of fallopian tube, unspecified, initial encounter	S85019A	Laceration of popliteal artery, unspecified leg, initial encounter	
S37511A	Primary blast injury of fallopian tube, unilateral, initial encounter	S85091A	Other specified injury of popliteal artery, right leg, initial encounter	
S37512A	Primary blast injury of fallopian tube, bilateral, initial encounter	S85092A	Other specified injury of popliteal artery, left leg, initial encounter	
S37519A	Primary blast injury of fallopian tube, unspecified, initial encounter	S85099A	Other specified injury of popliteal artery, unspecified leg, initial encounter	

July 2016 232 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S37521A	Contusion of fallopian tube, unilateral, initial encounter	S85101A	Unspecified injury of unspecified tibial artery, right leg, initial encounter	
S37522A	Contusion of fallopian tube, bilateral, initial encounter	S85102A	Unspecified injury of unspecified tibial artery, left leg, initial encounter	
S37529A	Contusion of fallopian tube, unspecified, initial encounter	S85109A	Unspecified injury of unspecified tibial artery, unspecified leg, initial encounter	
S37531A	Laceration of fallopian tube, unilateral, initial encounter	S85111A	Laceration of unspecified tibial artery, right leg, initial encounter	
S37532A	Laceration of fallopian tube, bilateral, initial encounter	S85112A	Laceration of unspecified tibial artery, left leg, initial encounter	
S37539A	Laceration of fallopian tube, unspecified, initial encounter	S85119A	Laceration of unspecified tibial artery, unspecified leg, initial encounter	
S37591A	Other injury of fallopian tube, unilateral, initial encounter	S85121A	Other specified injury of unspecified tibial artery, right leg, initial encounter	
S37592A	Other injury of fallopian tube, bilateral, initial encounter	S85122A	Other specified injury of unspecified tibial artery, left leg, initial encounter	

July 2016 233 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S37599A	Other injury of fallopian tube, unspecified, initial encounter	S85129A	Other specified injury of unspecified tibial artery, unspecified leg, initial encounter	
S3760XA	Unspecified injury of uterus, initial encounter	S85131A	Unspecified injury of anterior tibial artery, right leg, initial encounter	
S3762XA	Contusion of uterus, initial encounter	S85132A	Unspecified injury of anterior tibial artery, left leg, initial encounter	
S3763XA	Laceration of uterus, initial encounter	S85139A	Unspecified injury of anterior tibial artery, unspecified leg, initial encounter	
S3769XA	Other injury of uterus, initial encounter	S85141A	Laceration of anterior tibial artery, right leg, initial encounter	
S37812A	Contusion of adrenal gland, initial encounter	S85142A	Laceration of anterior tibial artery, left leg, initial encounter	
S37813A	Laceration of adrenal gland, initial encounter	S85149A	Laceration of anterior tibial artery, unspecified leg, initial encounter	
S37818A	Other injury of adrenal gland, initial encounter	S85151A	Other specified injury of anterior tibial artery, right leg, initial encounter	

July 2016 234 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S37819A	Unspecified injury of adrenal gland, initial encounter	S85152A	Other specified injury of anterior tibial artery, left leg, initial encounter		
S37822A	Contusion of prostate, initial encounter	S85159A	Other specified injury of anterior tibial artery, unspecified leg, initial encounter		
S37823A	Laceration of prostate, initial encounter	r S85161A	Unspecified injury of posterior tibial artery, right leg, initial encounter		
S37828A	Other injury of prostate, initial encounter	S85162A	Unspecified injury of posterior tibial artery, left leg, initial encounter		
S37829A	Unspecified injury of prostate, initial encounter	S85169A	Unspecified injury of posterior tibial artery, unspecified leg, initial encounter		
S37892A	Contusion of other urinary and pelvic organ, initial encounter	S85171A	Laceration of posterior tibial artery, right leg, initial encounter		
S37893A	Laceration of other urinary and pelvic organ, initial encounter	S85172A	Laceration of posterior tibial artery, left leg, initial encounter		
S37898A	Other injury of other urinary and pelvic organ, initial encounter	c S85179A	Laceration of posterior tibial artery, unspecified leg, initial encounter		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S37899A	Unspecified injury of other urinary as pelvic organ, initial encounter	nd S85181A	Other specified injury of posterior tibial artery, right leg, initial encounter	
S3790XA	Unspecified injury of unspecified urinary and pelvic organ, initial encounter	S85182A	Other specified injury of posterior tibial artery, left leg, initial encounter	
S3792XA	Contusion of unspecified urinary and pelvic organ, initial encounter	l S85189A	Other specified injury of posterior tibial artery, unspecified leg, initial encounter	
\$3793XA	Laceration of unspecified urinary and pelvic organ, initial encounter	d S85201A	Unspecified injury of peroneal artery, right leg, initial encounter	
S3799XA	Other injury of unspecified urinary as pelvic organ, initial encounter	nd S85202A	Unspecified injury of peroneal artery, left leg, initial encounter	
S38001A	Crushing injury of unspecified extern genital organs, male, initial encounter		Unspecified injury of peroneal artery, unspecified leg, initial encounter	
S38002A	Crushing injury of unspecified extern genital organs, female, initial encoun		Laceration of peroneal artery, right leg, initial encounter	
S3801XA	Crushing injury of penis, initial encounter	S85212A	Laceration of peroneal artery, left leg, initial encounter	

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  y Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S3802XA	Crushing injury of scrotum and testis initial encounter	s, S85219A	Laceration of peroneal artery, unspecified leg, initial encounter
S3803XA	Crushing injury of vulva, initial encounter	S85291A	Other specified injury of peroneal artery, right leg, initial encounter
S381XXA	Crushing injury of abdomen, lower back, and pelvis, initial encounter	S85292A	Other specified injury of peroneal artery, left leg, initial encounter
S38211A	Complete traumatic amputation of female external genital organs, initial encounter	S85299A 1	Other specified injury of peroneal artery, unspecified leg, initial encounter
S38212A	Partial traumatic amputation of fema external genital organs, initial encoun		Unspecified injury of greater saphenous vein at lower leg level, right leg, initial encounter
S38221A	Complete traumatic amputation of perinitial encounter	enis, S85302A	Unspecified injury of greater saphenous vein at lower leg level, left leg, initial encounter
S38222A	Partial traumatic amputation of penis initial encounter	s, S85309A	Unspecified injury of greater saphenous vein at lower leg level, unspecified leg, initial encounter
S38231A	Complete traumatic amputation of scrotum and testis, initial encounter	S85311A	Laceration of greater saphenous vein at lower leg level, right leg, initial encounter

July 2016 237 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S38232A	Partial traumatic amputation of screand testis, initial encounter	otum S85312A	Laceration of greater saphenous vein at lower leg level, left leg, initial encounter
S383XXA	Transection (partial) of abdomen, in encounter	nitial S85319A	Laceration of greater saphenous vein at lower leg level, unspecified leg, initial encounter
S39021A	Laceration of muscle, fascia and ter of abdomen, initial encounter	ndon S85391A	Other specified injury of greater saphenous vein at lower leg level, right leg, initial encounter
S39022A	Laceration of muscle, fascia and ter of lower back, initial encounter	ndon S85392A	Other specified injury of greater saphenous vein at lower leg level, left leg, initial encounter
S39023A	Laceration of muscle, fascia and ter of pelvis, initial encounter	ndon S85399A	Other specified injury of greater saphenous vein at lower leg level, unspecified leg, initial encounter
S41001A	Unspecified open wound of right shoulder, initial encounter	S85401A	Unspecified injury of lesser saphenous vein at lower leg level, right leg, initial encounter
S41002A	Unspecified open wound of left shoulder, initial encounter	S85402A	Unspecified injury of lesser saphenous vein at lower leg level, left leg, initial encounter
S41009A	Unspecified open wound of unspec shoulder, initial encounter	ified S85409A	Unspecified injury of lesser saphenous vein at lower leg level, unspecified leg, initial encounter

July 2016 238 of 434

Version 6.0		Appendix G	
	ty Indicators Appendices rindicators.ahrq.gov		
S41011A	Laceration without foreign body of right shoulder, initial encounter	t S85411A	Laceration of lesser saphenous vein at lower leg level, right leg, initial encounter
S41012A	Laceration without foreign body of left shoulder, initial encounter	S85412A	Laceration of lesser saphenous vein at lower leg level, left leg, initial encounter
S41019A	Laceration without foreign body of unspecified shoulder, initial encounter	S85419A	Laceration of lesser saphenous vein at lower leg level, unspecified leg, initial encounter
S41021A	Laceration with foreign body of right shoulder, initial encounter	S85491A	Other specified injury of lesser saphenous vein at lower leg level, right leg, initial encounter
S41022A	Laceration with foreign body of left shoulder, initial encounter	S85492A	Other specified injury of lesser saphenous vein at lower leg level, left leg, initial encounter
S41029A	Laceration with foreign body of unspecified shoulder, initial encounter	S85499A	Other specified injury of lesser saphenous vein at lower leg level, unspecified leg, initial encounter
S41031A	Puncture wound without foreign body or right shoulder, initial encounter	f S85501A	Unspecified injury of popliteal vein, right leg, initial encounter
S41032A	Puncture wound without foreign body of left shoulder, initial encounter	f S85502A	Unspecified injury of popliteal vein, left leg, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S41039A	Puncture wound without foreign body of unspecified shoulder, initial encounter	S85509A	Unspecified injury of popliteal vein, unspecified leg, initial encounter	
S41041A	Puncture wound with foreign body of right shoulder, initial encounter	S85511A	Laceration of popliteal vein, right leg, initial encounter	
S41042A	Puncture wound with foreign body of left shoulder, initial encounter	S85512A	Laceration of popliteal vein, left leg, initial encounter	
S41049A	Puncture wound with foreign body of unspecified shoulder, initial encounter	S85519A	Laceration of popliteal vein, unspecified leg, initial encounter	
S41051A	Open bite of right shoulder, initial encounter	S85591A	Other specified injury of popliteal vein, right leg, initial encounter	
S41052A	Open bite of left shoulder, initial encounter	S85592A	Other specified injury of popliteal vein, left leg, initial encounter	
S41059A	Open bite of unspecified shoulder, initial encounter	S85599A	Other specified injury of popliteal vein, unspecified leg, initial encounter	
S41101A	Unspecified open wound of right upper arm, initial encounter	S85801A	Unspecified injury of other blood vessels at lower leg level, right leg, initial encounter	

July 2016 240 of 434

initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		pendix G	
S41102A	Unspecified open wound of left upper arm, initial encounter	S85802A	Unspecified injury of other blood vessels at lower leg level, left leg, initial encounter
S41109A	Unspecified open wound of unspecified upper arm, initial encounter	S85809A	Unspecified injury of other blood vessels at lower leg level, unspecified leg, initial encounter
S41111A	Laceration without foreign body of right upper arm, initial encounter	S85811A	Laceration of other blood vessels at lower leg level, right leg, initial encounter
S41112A	Laceration without foreign body of left upper arm, initial encounter	S85812A	Laceration of other blood vessels at lower leg level, left leg, initial encounter
S41119A	Laceration without foreign body of unspecified upper arm, initial encounter	S85819A	Laceration of other blood vessels at lower leg level, unspecified leg, initial encounter
S41121A	Laceration with foreign body of right upper arm, initial encounter	S85891A	Other specified injury of other blood vessels at lower leg level, right leg, initial encounter
S41122A	Laceration with foreign body of left upper arm, initial encounter	S85892A	Other specified injury of other blood vessels at lower leg level, left leg, initial encounter
S41129A	Laceration with foreign body of unspecified upper arm, initial encounter	S85899A	Other specified injury of other blood vessels at lower leg level, unspecified leg, initial encounter

July 2016 241 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S41131A	Puncture wound without foreign body of right upper arm, initial encounter	S85901A	Unspecified injury of unspecified blood vessel at lower leg level, right leg, initial encounter
S41132A	Puncture wound without foreign body of left upper arm, initial encounter	S85902A	Unspecified injury of unspecified blood vessel at lower leg level, left leg, initial encounter
S41139A	Puncture wound without foreign body of unspecified upper arm, initial encounter	S85909A	Unspecified injury of unspecified blood vessel at lower leg level, unspecified leg, initial encounter
S41141A	Puncture wound with foreign body of right upper arm, initial encounter	S85911A	Laceration of unspecified blood vessel at lower leg level, right leg, initial encounter
S41142A	Puncture wound with foreign body of left upper arm, initial encounter	S85912A	Laceration of unspecified blood vessel at lower leg level, left leg, initial encounter
S41149A	Puncture wound with foreign body of unspecified upper arm, initial encounter	S85919A	Laceration of unspecified blood vessel at lower leg level, unspecified leg, initial encounter
S41151A	Open bite of right upper arm, initial encounter	S85991A	Other specified injury of unspecified blood vessel at lower leg level, right leg, initial encounter
S41152A	Open bite of left upper arm, initial encounter	S85992A	Other specified injury of unspecified blood vessel at lower leg level, left leg, initial encounter

July 2016 242 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		oendix G	
S41159A	Open bite of unspecified upper arm, initial encounter	S85999A	Other specified injury of unspecified blood vessel at lower leg level, unspecified leg, initial encounter
S42001A	Fracture of unspecified part of right clavicle, initial encounter for closed fracture	S86021A	Laceration of right Achilles tendon, initial encounter
S42001B	Fracture of unspecified part of right clavicle, initial encounter for open fracture	S86022A	Laceration of left Achilles tendon, initial encounter
S42002A	Fracture of unspecified part of left clavicle, initial encounter for closed fracture	S86029A	Laceration of unspecified Achilles tendon, initial encounter
S42002B	Fracture of unspecified part of left clavicle, initial encounter for open fracture	S86121A	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, initial encounter
S42009A	Fracture of unspecified part of unspecified clavicle, initial encounter for closed fracture	S86122A	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, initial encounter
S42009B	Fracture of unspecified part of unspecified clavicle, initial encounter for open fracture	S86129A	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, initial encounter
S42011A	Anterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture	S86221A	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, initial encounter

July 2016 243 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Ap ty Indicators Appendices yindicators.ahrq.gov	pendix G	
S42011B	Anterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture	S86222A	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, initial encounter
S42012A	Anterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture	S86229A	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, initial encounter
S42012B	Anterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture	S86321A	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, initial encounter
S42013A	Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	S86322A	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, initial encounter
S42013B	Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	S86329A	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, initial encounter
S42014A	Posterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture	S86821A	Laceration of other muscle(s) and tendon(s) at lower leg level, right leg, initial encounter
S42014B	Posterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture	S86822A	Laceration of other muscle(s) and tendon(s) at lower leg level, left leg, initial encounter
S42015A	Posterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture	S86829A	Laceration of other muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter

July 2016 244 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		l Appendix G	
S42015B	Posterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture	S86921A or	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, right leg, initial encounter
S42016A	Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	S86922A	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, left leg, initial encounter
S42016B	Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	S86929A	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter
S42017A	Nondisplaced fracture of sternal end of right clavicle, initial encounter for closed fracture	f S8700XA	Crushing injury of unspecified knee, initial encounter
S42017B	Nondisplaced fracture of sternal end of right clavicle, initial encounter for open fracture		Crushing injury of right knee, initial encounter
S42018A	Nondisplaced fracture of sternal end of left clavicle, initial encounter for closed fracture		Crushing injury of left knee, initial encounter
S42018B	Nondisplaced fracture of sternal end of left clavicle, initial encounter for open fracture		Crushing injury of unspecified lower leg, initial encounter
S42019A	Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	S8781XA	Crushing injury of right lower leg, initial encounter

July 2016 245 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PS ty Indicators Appendices yindicators.ahrq.gov	SI Appendix G	
S42019B	Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture		Crushing injury of left lower leg, initial encounter
S42021A	Displaced fracture of shaft of right clavicle, initial encounter for closed fracture	S88011A	Complete traumatic amputation at knee level, right lower leg, initial encounter
S42021B	Displaced fracture of shaft of right clavicle, initial encounter for open fracture	S88012A	Complete traumatic amputation at knee level, left lower leg, initial encounter
S42022A	Displaced fracture of shaft of left clavicle, initial encounter for closed fracture	S88019A	Complete traumatic amputation at knee level, unspecified lower leg, initial encounter
S42022B	Displaced fracture of shaft of left clavicle, initial encounter for open fracture	S88021A	Partial traumatic amputation at knee level, right lower leg, initial encounter
S42023A	Displaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture	S88022A	Partial traumatic amputation at knee level, left lower leg, initial encounter
S42023B	Displaced fracture of shaft of unspecified clavicle, initial encounter for open fracture	S88029A	Partial traumatic amputation at knee level, unspecified lower leg, initial encounter
S42024A	Nondisplaced fracture of shaft of right clavicle, initial encounter for closed fracture	st S88111A	Complete traumatic amputation at level between knee and ankle, right lower leg, initial encounter

July 2016 246 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov			
S42024B	Nondisplaced fracture of shaft of right clavicle, initial encounter for open fracture	S88112A	Complete traumatic amputation at level between knee and ankle, left lower leg, initial encounter
S42025A	Nondisplaced fracture of shaft of left clavicle, initial encounter for closed fracture	S88119A	Complete traumatic amputation at level between knee and ankle, unspecified lower leg, initial encounter
S42025B	Nondisplaced fracture of shaft of left clavicle, initial encounter for open fracture	S88121A	Partial traumatic amputation at level between knee and ankle, right lower leg, initial encounter
S42026A	Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture	S88122A	Partial traumatic amputation at level between knee and ankle, left lower leg, initial encounter
S42026B	Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for open fracture	S88129A	Partial traumatic amputation at level between knee and ankle, unspecified lower leg, initial encounter
S42031A	Displaced fracture of lateral end of right clavicle, initial encounter for closed fracture	S88911A	Complete traumatic amputation of right lower leg, level unspecified, initial encounter
S42031B	Displaced fracture of lateral end of right clavicle, initial encounter for open fracture	S88912A	Complete traumatic amputation of left lower leg, level unspecified, initial encounter
S42032A	Displaced fracture of lateral end of left clavicle, initial encounter for closed fracture	S88919A	Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter

July 2016 247 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G		
	S42032B	Displaced fracture of lateral end of clavicle, initial encounter for open fracture	left S88921A	Partial traumatic amputation of right lower leg, level unspecified, initial encounter
	S42033A	Displaced fracture of lateral end of unspecified clavicle, initial encount for closed fracture		Partial traumatic amputation of left lower leg, level unspecified, initial encounter
	S42033B	Displaced fracture of lateral end of unspecified clavicle, initial encount for open fracture	S88929A eer	Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter
	S42034A	Nondisplaced fracture of lateral end right clavicle, initial encounter for closed fracture	l of \$89001A	Unspecified physeal fracture of upper end of right tibia, initial encounter for closed fracture
	S42034B	Nondisplaced fracture of lateral end right clavicle, initial encounter for of fracture		Unspecified physeal fracture of upper end of left tibia, initial encounter for closed fracture
	S42035A	Nondisplaced fracture of lateral end left clavicle, initial encounter for cla fracture		Unspecified physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture
	S42035B	Nondisplaced fracture of lateral end left clavicle, initial encounter for op fracture		Salter-Harris Type I physeal fracture of upper end of right tibia, initial encounter for closed fracture
	S42036A	Nondisplaced fracture of lateral end unspecified clavicle, initial encount for closed fracture		Salter-Harris Type I physeal fracture of upper end of left tibia, initial encounter for closed fracture

July 2016 248 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		oendix G	
S42036B	Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture	S89019A	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture
S42101A	Fracture of unspecified part of scapula, right shoulder, initial encounter for closed fracture	S89021A	Salter-Harris Type II physeal fracture of upper end of right tibia, initial encounter for closed fracture
S42101B	Fracture of unspecified part of scapula, right shoulder, initial encounter for open fracture	S89022A	Salter-Harris Type II physeal fracture of upper end of left tibia, initial encounter for closed fracture
S42102A	Fracture of unspecified part of scapula, left shoulder, initial encounter for closed fracture	S89029A	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture
S42102B	Fracture of unspecified part of scapula, left shoulder, initial encounter for open fracture	S89031A	Salter-Harris Type III physeal fracture of upper end of right tibia, initial encounter for closed fracture
S42109A	Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for closed fracture	S89032A	Salter-Harris Type III physeal fracture of upper end of left tibia, initial encounter for closed fracture
S42109B	Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for open fracture	S89039A	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture
S42111A	Displaced fracture of body of scapula, right shoulder, initial encounter for closed fracture	S89041A	Salter-Harris Type IV physeal fracture of upper end of right tibia, initial encounter for closed fracture

July 2016 249 of 434

AHRQ QI™ I	CD-10-CM/P0	CS Specification	PSI A
Version 6.0			
Patient Safe	ty Indicators	Appendices	
www.qualit	yindicators.al	hrq.gov	
S42111B	•	fracture of body of der, initial encount	

fracture

fracture

for closed fracture

for open fracture

for closed fracture

for open fracture

for closed fracture

S42112A

S42112B

S42113A

S42113B

S42114A

S42114B

S42115A

Displaced fracture of body of scapula,

Displaced fracture of body of scapula,

Displaced fracture of body of scapula,

unspecified shoulder, initial encounter

Displaced fracture of body of scapula,

unspecified shoulder, initial encounter

Nondisplaced fracture of body of

Nondisplaced fracture of body of

Nondisplaced fracture of body of

scapula, left shoulder, initial encounter

scapula, right shoulder, initial encounter

scapula, right shoulder, initial encounter

left shoulder, initial encounter for open

left shoulder, initial encounter for closed

PSI Appendix G	PSI	Αŗ	pe	nd	ix	G
----------------	-----	----	----	----	----	---

S89042A

S89049A

S89091A

S89092A

S89099A

S89101A

S89102A

S89109A

Salter-Harris Type IV physeal fracture of upper end of left tibia, initial encounter for closed fracture	e
Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, initi encounter for closed fracture	
Other physeal fracture of upper end oright tibia, initial encounter for closed fracture	
Other physeal fracture of upper end o left tibia, initial encounter for closed fracture	f
Other physeal fracture of upper end o unspecified tibia, initial encounter for closed fracture	
Unspecified physeal fracture of lower end of right tibia, initial encounter for closed fracture	
Unspecified physeal fracture of lower end of left tibia, initial encounter for closed fracture	

Unspecified physeal fracture of lower

end of unspecified tibia, initial

encounter for closed fracture

July 2016 250 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices		PSI Appendix G				
www.qualityindicators.ahrq.gov						
S42115B	Nondisplaced fracture of body of scapula, left shoulder, initial encour for open fracture	S89111A nter	Salter-Harris Type I physeal fracture of lower end of right tibia, initial encounter for closed fracture			
S42116A	Nondisplaced fracture of body of scapula, unspecified shoulder, initia encounter for closed fracture	S89112A al	Salter-Harris Type I physeal fracture of lower end of left tibia, initial encounter for closed fracture			
S42116B	Nondisplaced fracture of body of scapula, unspecified shoulder, initia encounter for open fracture	S89119A al	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture			
S42121A	Displaced fracture of acromial proceright shoulder, initial encounter for closed fracture	ess, S89121A	Salter-Harris Type II physeal fracture of lower end of right tibia, initial encounter for closed fracture			
S42121B	Displaced fracture of acromial proceright shoulder, initial encounter for fracture		Salter-Harris Type II physeal fracture of lower end of left tibia, initial encounter for closed fracture			
S42122A	Displaced fracture of acromial procedeft shoulder, initial encounter for elfracture		Salter-Harris Type II physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture			
S42122B	Displaced fracture of acromial proceed left shoulder, initial encounter for of fracture		Salter-Harris Type III physeal fracture of lower end of right tibia, initial encounter for closed fracture			
S42123A	Displaced fracture of acromial procumspecified shoulder, initial encoun		Salter-Harris Type III physeal fracture of lower end of left tibia, initial			

for closed fracture

July 2016 251 of 434

encounter for closed fracture

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S42123B	Displaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture	S89139A	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture		
S42124A	Nondisplaced fracture of acromial process, right shoulder, initial encounter for closed fracture	S89141A	Salter-Harris Type IV physeal fracture of lower end of right tibia, initial encounter for closed fracture		
S42124B	Nondisplaced fracture of acromial process, right shoulder, initial encounter for open fracture	S89142A	Salter-Harris Type IV physeal fracture of lower end of left tibia, initial encounter for closed fracture		
S42125A	Nondisplaced fracture of acromial process, left shoulder, initial encounter for closed fracture	S89149A	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture		
S42125B	Nondisplaced fracture of acromial process, left shoulder, initial encounter for open fracture	S89191A	Other physeal fracture of lower end of right tibia, initial encounter for closed fracture		
S42126A	Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture	S89192A	Other physeal fracture of lower end of left tibia, initial encounter for closed fracture		
S42126B	Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture	S89199A	Other physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture		
S42131A	Displaced fracture of coracoid process, right shoulder, initial encounter for closed fracture	S89201A	Unspecified physeal fracture of upper end of right fibula, initial encounter for closed fracture		

July 2016 252 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42131B	Displaced fracture of coracoid process, right shoulder, initial encounter for open fracture	S89202A	Unspecified physeal fracture of upper end of left fibula, initial encounter for closed fracture		
S42132A	Displaced fracture of coracoid process, left shoulder, initial encounter for closed fracture	S89209A	Unspecified physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture		
S42132B	Displaced fracture of coracoid process, left shoulder, initial encounter for open fracture	S89211A	Salter-Harris Type I physeal fracture of upper end of right fibula, initial encounter for closed fracture		
S42133A	Displaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture	S89212A	Salter-Harris Type I physeal fracture of upper end of left fibula, initial encounter for closed fracture		
S42133B	Displaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture	S89219A	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture		
S42134A	Nondisplaced fracture of coracoid process, right shoulder, initial encounter for closed fracture	S89221A	Salter-Harris Type II physeal fracture of upper end of right fibula, initial encounter for closed fracture		
S42134B	Nondisplaced fracture of coracoid process, right shoulder, initial encounter for open fracture	S89222A	Salter-Harris Type II physeal fracture of upper end of left fibula, initial encounter for closed fracture		
S42135A	Nondisplaced fracture of coracoid process, left shoulder, initial encounter for closed fracture	S89229A	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture		

July 2016 253 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S42135B	Nondisplaced fracture of coracoid process, left shoulder, initial encounter for open fracture	S89291A	Other physeal fracture of upper end of right fibula, initial encounter for closed fracture		
S42136A	Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture	S89292A	Other physeal fracture of upper end of left fibula, initial encounter for closed fracture		
S42136B	Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture	S89299A	Other physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture		
S42141A	Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture	S89301A	Unspecified physeal fracture of lower end of right fibula, initial encounter for closed fracture		
S42141B	Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture	S89302A	Unspecified physeal fracture of lower end of left fibula, initial encounter for closed fracture		
S42142A	Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture	S89309A	Unspecified physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture		
S42142B	Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture	S89311A	Salter-Harris Type I physeal fracture of lower end of right fibula, initial encounter for closed fracture		
S42143A	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture	S89312A	Salter-Harris Type I physeal fracture of lower end of left fibula, initial encounter for closed fracture		

July 2016 254 of 434

Version 6.0 Patient Safet	D-10-CM/PCS Specification y Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S42143B	Displaced fracture of glenoid cavity scapula, unspecified shoulder, initial encounter for open fracture		Salter-Harris Type I physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture
S42144A	Nondisplaced fracture of glenoid ca of scapula, right shoulder, initial encounter for closed fracture	avity S89321A	Salter-Harris Type II physeal fracture of lower end of right fibula, initial encounter for closed fracture
S42144B	Nondisplaced fracture of glenoid ca of scapula, right shoulder, initial encounter for open fracture	avity S89322A	Salter-Harris Type II physeal fracture of lower end of left fibula, initial encounter for closed fracture
S42145A	Nondisplaced fracture of glenoid ca of scapula, left shoulder, initial encounter for closed fracture	avity S89329A	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture
S42145B	Nondisplaced fracture of glenoid ca of scapula, left shoulder, initial encounter for open fracture	avity S89391A	Other physeal fracture of lower end of right fibula, initial encounter for closed fracture
S42146A	Nondisplaced fracture of glenoid ca of scapula, unspecified shoulder, in encounter for closed fracture	•	Other physeal fracture of lower end of left fibula, initial encounter for closed fracture
S42146B	Nondisplaced fracture of glenoid ca of scapula, unspecified shoulder, in encounter for open fracture	•	Other physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture
S42151A	Displaced fracture of neck of scapuright shoulder, initial encounter for closed fracture		Unspecified open wound, right ankle, initial encounter

July 2016 255 of 434

Version 6.0	CD-10-CM/PCS Specification PSI App ty Indicators Appendices	oendix G	
	yindicators.ahrq.gov		
S42151B	Displaced fracture of neck of scapula, right shoulder, initial encounter for open fracture	S91002A	Unspecified open wound, left ankle, initial encounter
S42152A	Displaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture	S91009A	Unspecified open wound, unspecified ankle, initial encounter
S42152B	Displaced fracture of neck of scapula, left shoulder, initial encounter for open fracture	S91011A	Laceration without foreign body, right ankle, initial encounter
S42153A	Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture	S91012A	Laceration without foreign body, left ankle, initial encounter
S42153B	Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture	S91019A	Laceration without foreign body, unspecified ankle, initial encounter
S42154A	Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture	S91021A	Laceration with foreign body, right ankle, initial encounter
S42154B	Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for open fracture	S91022A	Laceration with foreign body, left ankle, initial encounter
S42155A	Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture	S91029A	Laceration with foreign body, unspecified ankle, initial encounter

July 2016 256 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices bindicators.ahrq.gov	PSI Appendix G	
S42155B	Nondisplaced fracture of neck of scapula, left shoulder, initial encour for open fracture	S91031A nter	Puncture wound without foreign body, right ankle, initial encounter
S42156A	Nondisplaced fracture of neck of scapula, unspecified shoulder, initia encounter for closed fracture	S91032A al	Puncture wound without foreign body, left ankle, initial encounter
S42156B	Nondisplaced fracture of neck of scapula, unspecified shoulder, initia encounter for open fracture	S91039A al	Puncture wound without foreign body, unspecified ankle, initial encounter
S42191A	Fracture of other part of scapula, rig shoulder, initial encounter for close fracture		Puncture wound with foreign body, right ankle, initial encounter
S42191B	Fracture of other part of scapula, rig shoulder, initial encounter for open fracture	ght S91042A	Puncture wound with foreign body, left ankle, initial encounter
S42192A	Fracture of other part of scapula, let shoulder, initial encounter for close fracture		Puncture wound with foreign body, unspecified ankle, initial encounter
S42192B	Fracture of other part of scapula, let shoulder, initial encounter for open fracture	ft S91051A	Open bite, right ankle, initial encounter
S42199A	Fracture of other part of scapula, unspecified shoulder, initial encoun for closed fracture	S91052A ter	Open bite, left ankle, initial encounter

July 2016 257 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42199B	Fracture of other part of scapula, unspecified shoulder, initial encounter for open fracture	S91059A	Open bite, unspecified ankle, initial encounter	
S42201A	Unspecified fracture of upper end of right humerus, initial encounter for closed fracture	S91109A	Unspecified open wound of unspecified toe(s) without damage to nail, initial encounter	
S42201B	Unspecified fracture of upper end of right humerus, initial encounter for open fracture	S91301A	Unspecified open wound, right foot, initial encounter	
S42202A	Unspecified fracture of upper end of left humerus, initial encounter for closed fracture	S91302A	Unspecified open wound, left foot, initial encounter	
S42202B	Unspecified fracture of upper end of left humerus, initial encounter for open fracture	S91309A	Unspecified open wound, unspecified foot, initial encounter	
S42209A	Unspecified fracture of upper end of unspecified humerus, initial encounter for closed fracture	S91311A	Laceration without foreign body, right foot, initial encounter	
S42209B	Unspecified fracture of upper end of unspecified humerus, initial encounter for open fracture	S91312A	Laceration without foreign body, left foot, initial encounter	
S42211A	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for closed fracture	S91319A	Laceration without foreign body, unspecified foot, initial encounter	

July 2016 258 of 434

Version 6.0	CD-10-CM/PCS Specification  ty Indicators Appendices	PSI Appendix G	
www.quality	rindicators.ahrq.gov		
S42211B	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for open fracture	S91321A al	Laceration with foreign body, right foot, initial encounter
S42212A	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for closed fracture	S91322A	Laceration with foreign body, left foot, initial encounter
S42212B	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for open fracture	S91329A	Laceration with foreign body, unspecified foot, initial encounter
S42213A	Unspecified displaced fracture of surgical neck of unspecified humeru initial encounter for closed fracture	S91331A s,	Puncture wound without foreign body, right foot, initial encounter
S42213B	Unspecified displaced fracture of surgical neck of unspecified humeru initial encounter for open fracture	S91332A s,	Puncture wound without foreign body, left foot, initial encounter
S42214A	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture		Puncture wound without foreign body, unspecified foot, initial encounter
S42214B	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture		Puncture wound with foreign body, right foot, initial encounter
S42215A	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture		Puncture wound with foreign body, left foot, initial encounter

July 2016 259 of 434

Version 6.0 Patient Safet	ry Indicators Appendices	oendix G	
www.quality	indicators.ahrq.gov		
S42215B	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	S91349A	Puncture wound with foreign body, unspecified foot, initial encounter
S42216A	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	S91351A	Open bite, right foot, initial encounter
S42216B	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	S91352A	Open bite, left foot, initial encounter
S42221A	2-part displaced fracture of surgical neck of right humerus, initial encounter for closed fracture	S91359A	Open bite, unspecified foot, initial encounter
S42221B	2-part displaced fracture of surgical neck of right humerus, initial encounter for open fracture	S92001A	Unspecified fracture of right calcaneus, initial encounter for closed fracture
S42222A	2-part displaced fracture of surgical neck of left humerus, initial encounter for closed fracture	S92001B	Unspecified fracture of right calcaneus, initial encounter for open fracture
S42222B	2-part displaced fracture of surgical neck of left humerus, initial encounter for open fracture	S92002A	Unspecified fracture of left calcaneus, initial encounter for closed fracture
S42223A	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	S92002B	Unspecified fracture of left calcaneus, initial encounter for open fracture

July 2016 260 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42223B	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	S92009A	Unspecified fracture of unspecified calcaneus, initial encounter for closed fracture		
S42224A	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture	S92009B	Unspecified fracture of unspecified calcaneus, initial encounter for open fracture		
S42224B	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	S92011A	Displaced fracture of body of right calcaneus, initial encounter for closed fracture		
S42225A	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture	S92011B	Displaced fracture of body of right calcaneus, initial encounter for open fracture		
S42225B	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	S92012A	Displaced fracture of body of left calcaneus, initial encounter for closed fracture		
S42226A	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	S92012B	Displaced fracture of body of left calcaneus, initial encounter for open fracture		
S42226B	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	S92013A	Displaced fracture of body of unspecified calcaneus, initial encounter for closed fracture		
S42231A	3-part fracture of surgical neck of right humerus, initial encounter for closed fracture	S92013B	Displaced fracture of body of unspecified calcaneus, initial encounter for open fracture		

July 2016 261 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42231B	3-part fracture of surgical neck of right humerus, initial encounter for open fracture	S92014A	Nondisplaced fracture of body of right calcaneus, initial encounter for closed fracture	
S42232A	3-part fracture of surgical neck of left humerus, initial encounter for closed fracture	S92014B	Nondisplaced fracture of body of right calcaneus, initial encounter for open fracture	
S42232B	3-part fracture of surgical neck of left humerus, initial encounter for open fracture	S92015A	Nondisplaced fracture of body of left calcaneus, initial encounter for closed fracture	
S42239A	3-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	S92015B	Nondisplaced fracture of body of left calcaneus, initial encounter for open fracture	
S42239B	3-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	S92016A	Nondisplaced fracture of body of unspecified calcaneus, initial encounter for closed fracture	
S42241A	4-part fracture of surgical neck of right humerus, initial encounter for closed fracture	S92016B	Nondisplaced fracture of body of unspecified calcaneus, initial encounter for open fracture	
S42241B	4-part fracture of surgical neck of right humerus, initial encounter for open fracture	S92021A	Displaced fracture of anterior process of right calcaneus, initial encounter for closed fracture	
S42242A	4-part fracture of surgical neck of left humerus, initial encounter for closed fracture	S92021B	Displaced fracture of anterior process of right calcaneus, initial encounter for open fracture	

July 2016 262 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42242B	4-part fracture of surgical neck of left humerus, initial encounter for open fracture	S92022A	Displaced fracture of anterior process of left calcaneus, initial encounter for closed fracture	
S42249A	4-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	S92022B	Displaced fracture of anterior process of left calcaneus, initial encounter for open fracture	
S42249B	4-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	S92023A	Displaced fracture of anterior process of unspecified calcaneus, initial encounter for closed fracture	
S42251A	Displaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture	S92023B	Displaced fracture of anterior process of unspecified calcaneus, initial encounter for open fracture	
S42251B	Displaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	S92024A	Nondisplaced fracture of anterior process of right calcaneus, initial encounter for closed fracture	
S42252A	Displaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture	S92024B	Nondisplaced fracture of anterior process of right calcaneus, initial encounter for open fracture	
S42252B	Displaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	S92025A	Nondisplaced fracture of anterior process of left calcaneus, initial encounter for closed fracture	
S42253A	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture	S92025B	Nondisplaced fracture of anterior process of left calcaneus, initial encounter for open fracture	

July 2016 263 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		l Appendix G	
S42253B	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	y S92026A	Nondisplaced fracture of anterior process of unspecified calcaneus, initial encounter for closed fracture
S42254A	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture	S92026B	Nondisplaced fracture of anterior process of unspecified calcaneus, initial encounter for open fracture
S42254B	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	S92031A	Displaced avulsion fracture of tuberosity of right calcaneus, initial encounter for closed fracture
S42255A	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture	S92031B	Displaced avulsion fracture of tuberosity of right calcaneus, initial encounter for open fracture
S42255B	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	S92032A	Displaced avulsion fracture of tuberosity of left calcaneus, initial encounter for closed fracture
S42256A	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture	S92032B	Displaced avulsion fracture of tuberosity of left calcaneus, initial encounter for open fracture
S42256B	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	S92033A	Displaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture
S42261A	Displaced fracture of lesser tuberosity or right humerus, initial encounter for closed fracture	of S92033B	Displaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture

July 2016 264 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ety Indicators Appendices yindicators.ahrq.gov	oendix G	
S42261B	Displaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	S92034A	Nondisplaced avulsion fracture of tuberosity of right calcaneus, initial encounter for closed fracture
S42262A	Displaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture	S92034B	Nondisplaced avulsion fracture of tuberosity of right calcaneus, initial encounter for open fracture
S42262B	Displaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	S92035A	Nondisplaced avulsion fracture of tuberosity of left calcaneus, initial encounter for closed fracture
S42263A	Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter	S92035B	Nondisplaced avulsion fracture of tuberosity of left calcaneus, initial

for open fracture ed avulsion fracture of of left calcaneus, initial for closed fracture ed avulsion fracture of ty of left calcaneus, initial for closed fracture encounter for open fracture S42263B S92036A Displaced fracture of lesser tuberosity of Nondisplaced avulsion fracture of unspecified humerus, initial encounter tuberosity of unspecified calcaneus, initial encounter for closed fracture for open fracture S42264A Nondisplaced fracture of lesser S92036B Nondisplaced avulsion fracture of tuberosity of right humerus, initial tuberosity of unspecified calcaneus, encounter for closed fracture initial encounter for open fracture S42264B Nondisplaced fracture of lesser S92041A Displaced other fracture of tuberosity of tuberosity of right humerus, initial right calcaneus, initial encounter for encounter for open fracture closed fracture S42265A Nondisplaced fracture of lesser S92041B Displaced other fracture of tuberosity of tuberosity of left humerus, initial right calcaneus, initial encounter for encounter for closed fracture open fracture

July 2016 265 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S42265B	Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	S92042A	Displaced other fracture of tuberosity of left calcaneus, initial encounter for closed fracture
S42266A	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture	S92042B	Displaced other fracture of tuberosity of left calcaneus, initial encounter for open fracture
S42266B	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	S92043A	Displaced other fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture
S42271A	Torus fracture of upper end of right humerus, initial encounter for closed fracture		Displaced other fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture
S42272A	Torus fracture of upper end of left humerus, initial encounter for closed fracture	S92044A d	Nondisplaced other fracture of tuberosity of right calcaneus, initial encounter for closed fracture
S42279A	Torus fracture of upper end of unspecified humerus, initial encoun for closed fracture	S92044B ter	Nondisplaced other fracture of tuberosity of right calcaneus, initial encounter for open fracture
S42291A	Other displaced fracture of upper erright humerus, initial encounter for closed fracture	nd of S92045A	Nondisplaced other fracture of tuberosity of left calcaneus, initial encounter for closed fracture
S42291B	Other displaced fracture of upper erright humerus, initial encounter for fracture		Nondisplaced other fracture of tuberosity of left calcaneus, initial encounter for open fracture

July 2016 266 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0 Patient Safety Indicators Appendices					
www.quality	rindicators.ahrq.gov				
S42292A	Other displaced fracture of upper end of left humerus, initial encounter for closed fracture	S92046A	Nondisplaced other fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture		
S42292B	Other displaced fracture of upper end of left humerus, initial encounter for open fracture	S92046B	Nondisplaced other fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture		
S42293A	Other displaced fracture of upper end of unspecified humerus, initial encounter for closed fracture	S92051A	Displaced other extraarticular fracture of right calcaneus, initial encounter for closed fracture		
S42293B	Other displaced fracture of upper end of unspecified humerus, initial encounter for open fracture	S92051B	Displaced other extraarticular fracture of right calcaneus, initial encounter for open fracture		
S42294A	Other nondisplaced fracture of upper end of right humerus, initial encounter for closed fracture	S92052A	Displaced other extraarticular fracture of left calcaneus, initial encounter for closed fracture		
S42294B	Other nondisplaced fracture of upper end of right humerus, initial encounter for open fracture	S92052B	Displaced other extraarticular fracture of left calcaneus, initial encounter for open fracture		
S42295A	Other nondisplaced fracture of upper end of left humerus, initial encounter for closed fracture	S92053A	Displaced other extraarticular fracture of unspecified calcaneus, initial encounter for closed fracture		

S92053B

Other nondisplaced fracture of upper

open fracture

end of left humerus, initial encounter for

S42295B

July 2016 267 of 434

Displaced other extraarticular fracture

of unspecified calcaneus, initial encounter for open fracture

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S42296A	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for closed fracture	S92054A	Nondisplaced other extraarticular fracture of right calcaneus, initial encounter for closed fracture		
S42296B	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for open fracture	S92054B	Nondisplaced other extraarticular fracture of right calcaneus, initial encounter for open fracture		
S42301A	Unspecified fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92055A	Nondisplaced other extraarticular fracture of left calcaneus, initial encounter for closed fracture		
S42301B	Unspecified fracture of shaft of humerus, right arm, initial encounter for open fracture	S92055B	Nondisplaced other extraarticular fracture of left calcaneus, initial encounter for open fracture		
S42302A	Unspecified fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92056A	Nondisplaced other extraarticular fracture of unspecified calcaneus, initial encounter for closed fracture		
S42302B	Unspecified fracture of shaft of humerus, left arm, initial encounter for open fracture	S92056B	Nondisplaced other extraarticular fracture of unspecified calcaneus, initial encounter for open fracture		
S42309A	Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	S92061A	Displaced intraarticular fracture of right calcaneus, initial encounter for closed fracture		

S92061B

Unspecified fracture of shaft of

encounter for open fracture

humerus, unspecified arm, initial

S42309B

July 2016 268 of 434

fracture

Displaced intraarticular fracture of right

calcaneus, initial encounter for open

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42311A	Greenstick fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92062A	Displaced intraarticular fracture of left calcaneus, initial encounter for closed fracture	
S42312A	Greenstick fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92062B	Displaced intraarticular fracture of left calcaneus, initial encounter for open fracture	
S42319A	Greenstick fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	S92063A	Displaced intraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	
S42321A	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92063B	Displaced intraarticular fracture of unspecified calcaneus, initial encounter for open fracture	
S42321B	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	S92064A	Nondisplaced intraarticular fracture of right calcaneus, initial encounter for closed fracture	
S42322A	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92064B	Nondisplaced intraarticular fracture of right calcaneus, initial encounter for open fracture	
S42322B	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	S92065A	Nondisplaced intraarticular fracture of left calcaneus, initial encounter for closed fracture	
S42323A	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	S92065B	Nondisplaced intraarticular fracture of left calcaneus, initial encounter for open fracture	

July 2016 269 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42323B	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	S92066A	Nondisplaced intraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	
S42324A	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92066B	Nondisplaced intraarticular fracture of unspecified calcaneus, initial encounter for open fracture	
S42324B	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	S92101A	Unspecified fracture of right talus, initial encounter for closed fracture	
S42325A	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92101B	Unspecified fracture of right talus, initial encounter for open fracture	
S42325B	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	S92102A	Unspecified fracture of left talus, initial encounter for closed fracture	
S42326A	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	S92102B	Unspecified fracture of left talus, initial encounter for open fracture	
S42326B	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	S92109A	Unspecified fracture of unspecified talus, initial encounter for closed fracture	
S42331A	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92109B	Unspecified fracture of unspecified talus, initial encounter for open fracture	

July 2016 270 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices vindicators.ahrq.gov	oendix G	
S42331B	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	S92111A	Displaced fracture of neck of right talus, initial encounter for closed fracture
S42332A	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92111B	Displaced fracture of neck of right talus, initial encounter for open fracture
S42332B	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	S92112A	Displaced fracture of neck of left talus, initial encounter for closed fracture
S42333A	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	S92112B	Displaced fracture of neck of left talus, initial encounter for open fracture
S42333B	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	S92113A	Displaced fracture of neck of unspecified talus, initial encounter for closed fracture
S42334A	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92113B	Displaced fracture of neck of unspecified talus, initial encounter for open fracture
S42334B	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	S92114A	Nondisplaced fracture of neck of right talus, initial encounter for closed fracture
S42335A	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92114B	Nondisplaced fracture of neck of right talus, initial encounter for open fracture

July 2016 271 of 434

Version 6.0 Patient Safety Indicators Appendices		pendix G	
S42335B	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	S92115A	Nondisplaced fracture of neck of left talus, initial encounter for closed fracture
S42336A	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	S92115B	Nondisplaced fracture of neck of left talus, initial encounter for open fracture
S42336B	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	S92116A	Nondisplaced fracture of neck of unspecified talus, initial encounter for closed fracture
S42341A	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92116B	Nondisplaced fracture of neck of unspecified talus, initial encounter for open fracture
S42341B	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	S92121A	Displaced fracture of body of right talus, initial encounter for closed fracture
S42342A	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92121B	Displaced fracture of body of right talus, initial encounter for open fracture
S42342B	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	S92122A	Displaced fracture of body of left talus, initial encounter for closed fracture
S42343A	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	S92122B	Displaced fracture of body of left talus, initial encounter for open fracture

July 2016 272 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices				
www.quality	yindicators.ahrq.gov			
S42343B	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	S92123A	Displaced fracture of body of unspecified talus, initial encounter for closed fracture	
S42344A	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92123B	Displaced fracture of body of unspecified talus, initial encounter for open fracture	
S42344B	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	S92124A	Nondisplaced fracture of body of right talus, initial encounter for closed fracture	
S42345A	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92124B	Nondisplaced fracture of body of right talus, initial encounter for open fracture	
S42345B	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	S92125A	Nondisplaced fracture of body of left talus, initial encounter for closed fracture	
S42346A	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	S92125B	Nondisplaced fracture of body of left talus, initial encounter for open fracture	
S42346B	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	S92126A	Nondisplaced fracture of body of unspecified talus, initial encounter for closed fracture	
S42351A	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92126B	Nondisplaced fracture of body of unspecified talus, initial encounter for open fracture	

July 2016 273 of 434

AHRQ QI™ IC Version 6.0 Patient Safet www.quality			
S42351B	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	S92131A	Displaced fracture of posterior process of right talus, initial encounter for closed fracture
S42352A	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92131B	Displaced fracture of posterior process of right talus, initial encounter for open fracture
S42352B	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	S92132A	Displaced fracture of posterior process of left talus, initial encounter for closed fracture
S42353A	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	S92132B	Displaced fracture of posterior process of left talus, initial encounter for open fracture
S42353B	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	S92133A	Displaced fracture of posterior process of unspecified talus, initial encounter for closed fracture
S42354A	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92133B	Displaced fracture of posterior process of unspecified talus, initial encounter for open fracture
S42354B	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	S92134A	Nondisplaced fracture of posterior process of right talus, initial encounter for closed fracture
S42355A	Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92134B	Nondisplaced fracture of posterior process of right talus, initial encounter for open fracture

July 2016 274 of 434

AHRQ QI™ IO Version 6.0	CD-10-CM/PCS Specification	PSI Appendix G	
	ty Indicators Appendices rindicators.ahrq.gov		
S42355B	Nondisplaced comminuted fracture shaft of humerus, left arm, initial encounter for open fracture	of S92135A	Nondisplaced fracture of posterior process of left talus, initial encounter for closed fracture
S42356A	Nondisplaced comminuted fracture shaft of humerus, unspecified arm, initial encounter for closed fracture		Nondisplaced fracture of posterior process of left talus, initial encounter for open fracture
S42356B	Nondisplaced comminuted fracture shaft of humerus, unspecified arm, initial encounter for open fracture	of S92136A	Nondisplaced fracture of posterior process of unspecified talus, initial encounter for closed fracture
S42361A	Displaced segmental fracture of sha humerus, right arm, initial encounte closed fracture		Nondisplaced fracture of posterior process of unspecified talus, initial encounter for open fracture
S42361B	Displaced segmental fracture of sha humerus, right arm, initial encounte open fracture		Displaced dome fracture of right talus, initial encounter for closed fracture
S42362A	Displaced segmental fracture of sha humerus, left arm, initial encounter closed fracture		Displaced dome fracture of right talus, initial encounter for open fracture
S42362B	Displaced segmental fracture of sha humerus, left arm, initial encounter open fracture		Displaced dome fracture of left talus, initial encounter for closed fracture
S42363A	Displaced segmental fracture of sha humerus, unspecified arm, initial encounter for closed fracture	aft of S92142B	Displaced dome fracture of left talus, initial encounter for open fracture

July 2016 275 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42363B	Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	S92143A	Displaced dome fracture of unspecified talus, initial encounter for closed fracture	
S42364A	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture	S92143B	Displaced dome fracture of unspecified talus, initial encounter for open fracture	
S42364B	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	S92144A	Nondisplaced dome fracture of right talus, initial encounter for closed fracture	
S42365A	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture	S92144B	Nondisplaced dome fracture of right talus, initial encounter for open fracture	
S42365B	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	S92145A	Nondisplaced dome fracture of left talus, initial encounter for closed fracture	
S42366A	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	S92145B	Nondisplaced dome fracture of left talus, initial encounter for open fracture	
S42366B	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	S92146A	Nondisplaced dome fracture of unspecified talus, initial encounter for closed fracture	
S42391A	Other fracture of shaft of right humerus, initial encounter for closed fracture	S92146B	Nondisplaced dome fracture of unspecified talus, initial encounter for open fracture	

July 2016 276 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42391B	Other fracture of shaft of right humerus, initial encounter for open fracture	S92151A	Displaced avulsion fracture (chip fracture) of right talus, initial encounter for closed fracture	
S42392A	Other fracture of shaft of left humerus, initial encounter for closed fracture	S92151B	Displaced avulsion fracture (chip fracture) of right talus, initial encounter for open fracture	
S42392B	Other fracture of shaft of left humerus, initial encounter for open fracture	S92152A	Displaced avulsion fracture (chip fracture) of left talus, initial encounter for closed fracture	
S42399A	Other fracture of shaft of unspecified humerus, initial encounter for closed fracture	S92152B	Displaced avulsion fracture (chip fracture) of left talus, initial encounter for open fracture	
S42399B	Other fracture of shaft of unspecified humerus, initial encounter for open fracture	S92153A	Displaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for closed fracture	
S42401A	Unspecified fracture of lower end of right humerus, initial encounter for closed fracture	S92153B	Displaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for open fracture	
S42401B	Unspecified fracture of lower end of right humerus, initial encounter for open fracture	S92154A	Nondisplaced avulsion fracture (chip fracture) of right talus, initial encounter for closed fracture	
S42402A	Unspecified fracture of lower end of left humerus, initial encounter for closed fracture	S92154B	Nondisplaced avulsion fracture (chip fracture) of right talus, initial encounter for open fracture	

July 2016 277 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S42402B	Unspecified fracture of lower end of left humerus, initial encounter for open fracture	S92155A	Nondisplaced avulsion fracture (chip fracture) of left talus, initial encounter for closed fracture			
S42409A	Unspecified fracture of lower end of unspecified humerus, initial encounter for closed fracture	S92155B	Nondisplaced avulsion fracture (chip fracture) of left talus, initial encounter for open fracture			
S42409B	Unspecified fracture of lower end of unspecified humerus, initial encounter for open fracture	S92156A	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for closed fracture			
S42411A	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	S92156B	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for open fracture			
S42411B	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	S92191A	Other fracture of right talus, initial encounter for closed fracture			
S42412A	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	S92191B	Other fracture of right talus, initial encounter for open fracture			
S42412B	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	S92192A	Other fracture of left talus, initial encounter for closed fracture			
S42413A	Displaced simple supracondylar fracture without intercondylar fracture of	S92192B	Other fracture of left talus, initial encounter for open fracture			

unspecified humerus, initial encounter

for closed fracture

July 2016 278 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Apply ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S42413B	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	S92199A	Other fracture of unspecified talus, initial encounter for closed fracture
S42414A	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	S92199B	Other fracture of unspecified talus, initial encounter for open fracture
S42414B	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	S92201A	Fracture of unspecified tarsal bone(s) of right foot, initial encounter for closed fracture
S42415A	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	S92201B	Fracture of unspecified tarsal bone(s) of right foot, initial encounter for open fracture
S42415B	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	S92202A	Fracture of unspecified tarsal bone(s) of left foot, initial encounter for closed fracture
S42416A	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	S92202B	Fracture of unspecified tarsal bone(s) of left foot, initial encounter for open fracture
S42416B	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	S92209A	Fracture of unspecified tarsal bone(s) of unspecified foot, initial encounter for closed fracture
S42421A	Displaced comminuted supracondylar	S92209B	Fracture of unspecified tarsal bone(s) of

fracture without intercondylar fracture

of right humerus, initial encounter for

closed fracture

July 2016 279 of 434

open fracture

unspecified foot, initial encounter for

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Apply	oendix G	
	· · · · · · · · · · · · · · · · · · ·		
S42421B	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	S92211A	Displaced fracture of cuboid bone of right foot, initial encounter for closed fracture
S42422A	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	S92211B	Displaced fracture of cuboid bone of right foot, initial encounter for open fracture
S42422B	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	S92212A	Displaced fracture of cuboid bone of left foot, initial encounter for closed fracture
S42423A	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	S92212B	Displaced fracture of cuboid bone of left foot, initial encounter for open fracture
S42423B	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	S92213A	Displaced fracture of cuboid bone of unspecified foot, initial encounter for closed fracture
S42424A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	S92213B	Displaced fracture of cuboid bone of unspecified foot, initial encounter for open fracture
S42424B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus,	S92214A	Nondisplaced fracture of cuboid bone of right foot, initial encounter for closed fracture

S92214B

initial encounter for open fracture

Nondisplaced comminuted

supracondylar fracture without

intercondylar fracture of left humerus,

initial encounter for closed fracture

S42425A

July 2016 280 of 434

fracture

Nondisplaced fracture of cuboid bone of

right foot, initial encounter for open

Version 6.0						
	Patient Safety Indicators Appendices					
www.quanty	rindicators.ahrq.gov					
S42425B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	S92215A	Nondisplaced fracture of cuboid bone of left foot, initial encounter for closed fracture			
S42426A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	S92215B	Nondisplaced fracture of cuboid bone of left foot, initial encounter for open fracture			
S42426B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	S92216A	Nondisplaced fracture of cuboid bone of unspecified foot, initial encounter for closed fracture			
S42431A	Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture	S92216B	Nondisplaced fracture of cuboid bone of unspecified foot, initial encounter for open fracture			
S42431B	Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture	S92221A	Displaced fracture of lateral cuneiform of right foot, initial encounter for closed fracture			
S42432A	Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture	S92221B	Displaced fracture of lateral cuneiform of right foot, initial encounter for open fracture			
S42432B	Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture	S92222A	Displaced fracture of lateral cuneiform of left foot, initial encounter for closed fracture			
S42433A	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture	S92222B	Displaced fracture of lateral cuneiform of left foot, initial encounter for open fracture			

PSI Appendix G

AHRQ QI™ ICD-10-CM/PCS Specification

July 2016 281 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0		PSI Appendix G	
	ty Indicators Appendices		
www.quality	vindicators.ahrq.gov		
S42433B	Displaced fracture (avulsion) of later epicondyle of unspecified humerus, initial encounter for open fracture	ral S92223A	Displaced fracture of lateral cuneiform of unspecified foot, initial encounter for closed fracture
S42434A	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture	S92223B	Displaced fracture of lateral cuneiform of unspecified foot, initial encounter for open fracture
S42434B	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture	S92224A	Nondisplaced fracture of lateral cuneiform of right foot, initial encounter for closed fracture
S42435A	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture	S92224B	Nondisplaced fracture of lateral cuneiform of right foot, initial encounter for open fracture
S42435B	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture	S92225A	Nondisplaced fracture of lateral cuneiform of left foot, initial encounter for closed fracture
S42436A	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture	S92225B	Nondisplaced fracture of lateral cuneiform of left foot, initial encounter for open fracture
S42436B	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture	S92226A	Nondisplaced fracture of lateral cuneiform of unspecified foot, initial encounter for closed fracture
S42441A	Displaced fracture (avulsion) of med epicondyle of right humerus, initial encounter for closed fracture	ial S92226B	Nondisplaced fracture of lateral cuneiform of unspecified foot, initial encounter for open fracture

July 2016 282 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI A ty Indicators Appendices yindicators.ahrq.gov		
S42441B	Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	S92231A	Displaced fracture of intermediate cuneiform of right foot, initial encounter for closed fracture
S42442A	Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	S92231B	Displaced fracture of intermediate cuneiform of right foot, initial encounter for open fracture
S42442B	Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	S92232A	Displaced fracture of intermediate cuneiform of left foot, initial encounter for closed fracture
S42443A	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	S92232B	Displaced fracture of intermediate cuneiform of left foot, initial encounter for open fracture
S42443B	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	S92233A	Displaced fracture of intermediate cuneiform of unspecified foot, initial encounter for closed fracture
S42444A	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	S92233B	Displaced fracture of intermediate cuneiform of unspecified foot, initial encounter for open fracture
S42444B	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	S92234A	Nondisplaced fracture of intermediate cuneiform of right foot, initial encounter for closed fracture
S42445A	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	S92234B	Nondisplaced fracture of intermediate cuneiform of right foot, initial encounter for open fracture

July 2016 283 of 434

Version 6.0	CD-10-CM/PCS Specification PSI Apty Indicators Appendices	pendix G	
	yindicators.ahrq.gov		
S42445B	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	S92235A	Nondisplaced fracture of intermediate cuneiform of left foot, initial encounter for closed fracture
S42446A	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	S92235B	Nondisplaced fracture of intermediate cuneiform of left foot, initial encounter for open fracture
S42446B	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	S92236A	Nondisplaced fracture of intermediate cuneiform of unspecified foot, initial encounter for closed fracture
S42447A	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	S92236B	Nondisplaced fracture of intermediate cuneiform of unspecified foot, initial encounter for open fracture
S42447B	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	S92241A	Displaced fracture of medial cuneiform of right foot, initial encounter for closed fracture
S42448A	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	S92241B	Displaced fracture of medial cuneiform of right foot, initial encounter for open fracture
S42448B	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	S92242A	Displaced fracture of medial cuneiform of left foot, initial encounter for closed fracture
S42449A	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	S92242B	Displaced fracture of medial cuneiform of left foot, initial encounter for open fracture

July 2016 284 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42449B	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	S92243A	Displaced fracture of medial cuneiform of unspecified foot, initial encounter for closed fracture	
S42451A	Displaced fracture of lateral condyl right humerus, initial encounter for closed fracture		Displaced fracture of medial cuneiform of unspecified foot, initial encounter for open fracture	
S42451B	Displaced fracture of lateral condyl right humerus, initial encounter for fracture		Nondisplaced fracture of medial cuneiform of right foot, initial encounter for closed fracture	
S42452A	Displaced fracture of lateral condyl left humerus, initial encounter for c fracture		Nondisplaced fracture of medial cuneiform of right foot, initial encounter for open fracture	
S42452B	Displaced fracture of lateral condyl left humerus, initial encounter for of fracture		Nondisplaced fracture of medial cuneiform of left foot, initial encounter for closed fracture	
S42453A	Displaced fracture of lateral condyl unspecified humerus, initial encoun for closed fracture		Nondisplaced fracture of medial cuneiform of left foot, initial encounter for open fracture	
S42453B	Displaced fracture of lateral condyl unspecified humerus, initial encoun for open fracture		Nondisplaced fracture of medial cuneiform of unspecified foot, initial encounter for closed fracture	
S42454A	Nondisplaced fracture of lateral cor of right humerus, initial encounter f closed fracture	•	Nondisplaced fracture of medial cuneiform of unspecified foot, initial encounter for open fracture	

July 2016 285 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42454B	Nondisplaced fracture of lateral condyle of right humerus, initial encounter for open fracture	S92251A	Displaced fracture of navicular [scaphoid] of right foot, initial encounter for closed fracture	
S42455A	Nondisplaced fracture of lateral condyle of left humerus, initial encounter for closed fracture	S92251B	Displaced fracture of navicular [scaphoid] of right foot, initial encounter for open fracture	
S42455B	Nondisplaced fracture of lateral condyle of left humerus, initial encounter for open fracture	S92252A	Displaced fracture of navicular [scaphoid] of left foot, initial encounter for closed fracture	
S42456A	Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture	S92252B	Displaced fracture of navicular [scaphoid] of left foot, initial encounter for open fracture	
S42456B	Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture	S92253A	Displaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for closed fracture	
S42461A	Displaced fracture of medial condyle of right humerus, initial encounter for closed fracture	S92253B	Displaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for open fracture	
S42461B	Displaced fracture of medial condyle of right humerus, initial encounter for open fracture	S92254A	Nondisplaced fracture of navicular [scaphoid] of right foot, initial encounter for closed fracture	
S42462A	Displaced fracture of medial condyle of left humerus, initial encounter for closed fracture	S92254B	Nondisplaced fracture of navicular [scaphoid] of right foot, initial encounter for open fracture	

July 2016 286 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S42462B	Displaced fracture of medial condyle of left humerus, initial encounter for open fracture	S92255A	Nondisplaced fracture of navicular [scaphoid] of left foot, initial encounter for closed fracture		
S42463A	Displaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture	S92255B	Nondisplaced fracture of navicular [scaphoid] of left foot, initial encounter for open fracture		
S42463B	Displaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture	S92256A	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for closed fracture		
S42464A	Nondisplaced fracture of medial condyle of right humerus, initial encounter for closed fracture	S92256B	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for open fracture		
S42464B	Nondisplaced fracture of medial condyle of right humerus, initial encounter for open fracture	S92301A	Fracture of unspecified metatarsal bone(s), right foot, initial encounter for closed fracture		
S42465A	Nondisplaced fracture of medial condyle of left humerus, initial encounter for closed fracture	S92301B	Fracture of unspecified metatarsal bone(s), right foot, initial encounter for open fracture		
S42465B	Nondisplaced fracture of medial condyle of left humerus, initial encounter for open fracture	S92302A	Fracture of unspecified metatarsal bone(s), left foot, initial encounter for closed fracture		
S42466A	Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture	S92302B	Fracture of unspecified metatarsal bone(s), left foot, initial encounter for open fracture		

July 2016 287 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42466B	Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture	S92309A	Fracture of unspecified metatarsal bone(s), unspecified foot, initial encounter for closed fracture	
S42471A	Displaced transcondylar fracture of right humerus, initial encounter for closed fracture	S92309B	Fracture of unspecified metatarsal bone(s), unspecified foot, initial encounter for open fracture	
S42471B	Displaced transcondylar fracture of right humerus, initial encounter for open fracture	S92311A	Displaced fracture of first metatarsal bone, right foot, initial encounter for closed fracture	
S42472A	Displaced transcondylar fracture of left humerus, initial encounter for closed fracture	S92311B	Displaced fracture of first metatarsal bone, right foot, initial encounter for open fracture	
S42472B	Displaced transcondylar fracture of left humerus, initial encounter for open fracture	S92312A	Displaced fracture of first metatarsal bone, left foot, initial encounter for closed fracture	
S42473A	Displaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture	S92312B	Displaced fracture of first metatarsal bone, left foot, initial encounter for open fracture	
S42473B	Displaced transcondylar fracture of unspecified humerus, initial encounter for open fracture	S92313A	Displaced fracture of first metatarsal bone, unspecified foot, initial encounter for closed fracture	
S42474A	Nondisplaced transcondylar fracture of right humerus, initial encounter for closed fracture	S92313B	Displaced fracture of first metatarsal bone, unspecified foot, initial encounter for open fracture	

July 2016 288 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42474B	Nondisplaced transcondylar fracture of right humerus, initial encounter for open fracture	S92314A	Nondisplaced fracture of first metatarsal bone, right foot, initial encounter for closed fracture		
S42475A	Nondisplaced transcondylar fracture of left humerus, initial encounter for closed fracture	S92314B	Nondisplaced fracture of first metatarsal bone, right foot, initial encounter for open fracture		
S42475B	Nondisplaced transcondylar fracture of left humerus, initial encounter for open fracture	S92315A	Nondisplaced fracture of first metatarsal bone, left foot, initial encounter for closed fracture		
S42476A	Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture	S92315B	Nondisplaced fracture of first metatarsal bone, left foot, initial encounter for open fracture		
S42476B	Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for open fracture	S92316A	Nondisplaced fracture of first metatarsal bone, unspecified foot, initial encounter for closed fracture		
S42481A	Torus fracture of lower end of right humerus, initial encounter for closed fracture	S92316B	Nondisplaced fracture of first metatarsal bone, unspecified foot, initial encounter for open fracture		
S42482A	Torus fracture of lower end of left humerus, initial encounter for closed fracture	S92321A	Displaced fracture of second metatarsal bone, right foot, initial encounter for closed fracture		
S42489A	Torus fracture of lower end of unspecified humerus, initial encounter for closed fracture	S92321B	Displaced fracture of second metatarsal bone, right foot, initial encounter for open fracture		

July 2016 289 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S42491A	Other displaced fracture of lower end of right humerus, initial encounter for closed fracture	S92322A	Displaced fracture of second metatarsal bone, left foot, initial encounter for closed fracture	
S42491B	Other displaced fracture of lower end of right humerus, initial encounter for open fracture	S92322B	Displaced fracture of second metatarsal bone, left foot, initial encounter for open fracture	
S42492A	Other displaced fracture of lower end of left humerus, initial encounter for closed fracture	S92323A	Displaced fracture of second metatarsal bone, unspecified foot, initial encounter for closed fracture	
S42492B	Other displaced fracture of lower end of left humerus, initial encounter for open fracture	S92323B	Displaced fracture of second metatarsal bone, unspecified foot, initial encounter for open fracture	
S42493A	Other displaced fracture of lower end of unspecified humerus, initial encounter for closed fracture	S92324A	Nondisplaced fracture of second metatarsal bone, right foot, initial encounter for closed fracture	
S42493B	Other displaced fracture of lower end of unspecified humerus, initial encounter for open fracture	S92324B	Nondisplaced fracture of second metatarsal bone, right foot, initial encounter for open fracture	
S42494A	Other nondisplaced fracture of lower end of right humerus, initial encounter for closed fracture	S92325A	Nondisplaced fracture of second metatarsal bone, left foot, initial encounter for closed fracture	
S42494B	Other nondisplaced fracture of lower end of right humerus, initial encounter for open fracture	S92325B	Nondisplaced fracture of second metatarsal bone, left foot, initial encounter for open fracture	

July 2016 290 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S42495A	Other nondisplaced fracture of lower end of left humerus, initial encounter for closed fracture	S92326A	Nondisplaced fracture of second metatarsal bone, unspecified foot, initial encounter for closed fracture		
S42495B	Other nondisplaced fracture of lower end of left humerus, initial encounter for open fracture	S92326B	Nondisplaced fracture of second metatarsal bone, unspecified foot, initial encounter for open fracture		
S42496A	Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for closed fracture	S92331A	Displaced fracture of third metatarsal bone, right foot, initial encounter for closed fracture		
S42496B	Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for open fracture	S92331B	Displaced fracture of third metatarsal bone, right foot, initial encounter for open fracture		
S4290XA	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for closed fracture	S92332A	Displaced fracture of third metatarsal bone, left foot, initial encounter for closed fracture		
S4290XB	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for open fracture	S92332B	Displaced fracture of third metatarsal bone, left foot, initial encounter for open fracture		
S4291XA	Fracture of right shoulder girdle, part unspecified, initial encounter for closed fracture	S92333A	Displaced fracture of third metatarsal bone, unspecified foot, initial encounter for closed fracture		

S92333B

Fracture of right shoulder girdle, part

unspecified, initial encounter for open

S4291XB

fracture

July 2016 291 of 434

for open fracture

Displaced fracture of third metatarsal

bone, unspecified foot, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S4292XA	Fracture of left shoulder girdle, part unspecified, initial encounter for closed fracture	S92334A	Nondisplaced fracture of third metatarsal bone, right foot, initial encounter for closed fracture	
S4292XB	Fracture of left shoulder girdle, part unspecified, initial encounter for open fracture	S92334B	Nondisplaced fracture of third metatarsal bone, right foot, initial encounter for open fracture	
S43001A	Unspecified subluxation of right shoulder joint, initial encounter	S92335A	Nondisplaced fracture of third metatarsal bone, left foot, initial encounter for closed fracture	
S43002A	Unspecified subluxation of left shoulder joint, initial encounter	S92335B	Nondisplaced fracture of third metatarsal bone, left foot, initial encounter for open fracture	
S43003A	Unspecified subluxation of unspecified shoulder joint, initial encounter	S92336A	Nondisplaced fracture of third metatarsal bone, unspecified foot, initial encounter for closed fracture	
S43004A	Unspecified dislocation of right shoulder joint, initial encounter	S92336B	Nondisplaced fracture of third metatarsal bone, unspecified foot, initial encounter for open fracture	
S43005A	Unspecified dislocation of left shoulder joint, initial encounter	S92341A	Displaced fracture of fourth metatarsal bone, right foot, initial encounter for closed fracture	
S43006A	Unspecified dislocation of unspecified shoulder joint, initial encounter	S92341B	Displaced fracture of fourth metatarsal bone, right foot, initial encounter for open fracture	

AHRQ QI™ IC Version 6.0	D-10-CM/PCS Specification PSI Ap	pendix G	
Patient Safet	y Indicators Appendices		
www.quality	indicators.ahrq.gov		
S43011A	Anterior subluxation of right humerus, initial encounter	S92342A	Displaced fracture of fourth metatarsal bone, left foot, initial encounter for closed fracture
S43012A	Anterior subluxation of left humerus, initial encounter	S92342B	Displaced fracture of fourth metatarsal bone, left foot, initial encounter for open fracture
S43013A	Anterior subluxation of unspecified humerus, initial encounter	S92343A	Displaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for closed fracture
S43014A	Anterior dislocation of right humerus, initial encounter	S92343B	Displaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for open fracture
S43015A	Anterior dislocation of left humerus, initial encounter	S92344A	Nondisplaced fracture of fourth metatarsal bone, right foot, initial encounter for closed fracture
S43016A	Anterior dislocation of unspecified humerus, initial encounter	S92344B	Nondisplaced fracture of fourth metatarsal bone, right foot, initial encounter for open fracture
S43021A	Posterior subluxation of right humerus, initial encounter	S92345A	Nondisplaced fracture of fourth metatarsal bone, left foot, initial encounter for closed fracture
S43022A	Posterior subluxation of left humerus, initial encounter	S92345B	Nondisplaced fracture of fourth metatarsal bone, left foot, initial encounter for open fracture

July 2016 293 of 434

AHRQ QI™ IC Version 6.0	CD-10-CM/PCS Specification PSI	I Appendix G	
	y Indicators Appendices indicators.ahrq.gov		
S43023A	Posterior subluxation of unspecified humerus, initial encounter	S92346A	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for closed fracture
S43024A	Posterior dislocation of right humerus, initial encounter	S92346B	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for open fracture
S43025A	Posterior dislocation of left humerus, initial encounter	S92351A	Displaced fracture of fifth metatarsal bone, right foot, initial encounter for closed fracture
S43026A	Posterior dislocation of unspecified humerus, initial encounter	S92351B	Displaced fracture of fifth metatarsal bone, right foot, initial encounter for open fracture
S43031A	Inferior subluxation of right humerus, initial encounter	S92352A	Displaced fracture of fifth metatarsal bone, left foot, initial encounter for closed fracture
S43032A	Inferior subluxation of left humerus, initial encounter	S92352B	Displaced fracture of fifth metatarsal bone, left foot, initial encounter for open fracture
S43033A	Inferior subluxation of unspecified humerus, initial encounter	S92353A	Displaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for closed fracture
S43034A	Inferior dislocation of right humerus, initial encounter	S92353B	Displaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for open fracture

Version 6.0 Patient Safet	D-10-CM/PCS Specification y Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S43035A	Inferior dislocation of left humerus, initial encounter	S92354A	Nondisplaced fracture of fifth metatarsal bone, right foot, initial encounter for closed fracture
S43036A	Inferior dislocation of unspecified humerus, initial encounter	S92354B	Nondisplaced fracture of fifth metatarsal bone, right foot, initial encounter for open fracture
S43081A	Other subluxation of right shoulder joint, initial encounter	S92355A	Nondisplaced fracture of fifth metatarsal bone, left foot, initial encounter for closed fracture
S43082A	Other subluxation of left shoulder joinitial encounter	oint, S92355B	Nondisplaced fracture of fifth metatarsal bone, left foot, initial encounter for open fracture
S43083A	Other subluxation of unspecified shoulder joint, initial encounter	S92356A	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for closed fracture
S43084A	Other dislocation of right shoulder j initial encounter	oint, S92356B	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for open fracture
S43085A	Other dislocation of left shoulder joinitial encounter	int, S92901A	Unspecified fracture of right foot, initial encounter for closed fracture
S43086A	Other dislocation of unspecified shoulder joint, initial encounter	S92901B	Unspecified fracture of right foot, initial encounter for open fracture

July 2016 295 of 434

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices  indicators.ahrq.gov	PSI Appendix G	
S43101A	Unspecified dislocation of right acromioclavicular joint, initial encounter	S92902A	Unspecified fracture of left foot, initial encounter for closed fracture
S43102A	Unspecified dislocation of left acromioclavicular joint, initial encounter	S92902B	Unspecified fracture of left foot, initial encounter for open fracture
S43109A	Unspecified dislocation of unspecified acromioclavicular joint, initial encounter	fied S92909A	Unspecified fracture of unspecified foot, initial encounter for closed fracture
S43111A	Subluxation of right acromioclavic joint, initial encounter	ular S92909B	Unspecified fracture of unspecified foot, initial encounter for open fracture
S43112A	Subluxation of left acromioclaviculi joint, initial encounter	lar S9301XA	Subluxation of right ankle joint, initial encounter
S43119A	Subluxation of unspecified acromioclavicular joint, initial encounter	S9302XA	Subluxation of left ankle joint, initial encounter
S43121A	Dislocation of right acromioclavicu joint, 100%-200% displacement, in encounter		Subluxation of unspecified ankle joint, initial encounter
S43122A	Dislocation of left acromioclavicul joint, 100%-200% displacement, in encounter		Dislocation of right ankle joint, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S43129A	Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, initial encounter	S9305XA	Dislocation of left ankle joint, initial encounter	
S43131A	Dislocation of right acromioclavicular joint, greater than 200% displacement, initial encounter	S9306XA	Dislocation of unspecified ankle joint, initial encounter	
S43132A	Dislocation of left acromioclavicular joint, greater than 200% displacement, initial encounter	S93101A	Unspecified subluxation of right toe(s), initial encounter	
S43139A	Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, initial encounter	S93102A	Unspecified subluxation of left toe(s), initial encounter	
S43141A	Inferior dislocation of right acromioclavicular joint, initial encounter	S93103A	Unspecified subluxation of unspecified toe(s), initial encounter	
S43142A	Inferior dislocation of left acromioclavicular joint, initial encounter	S93104A	Unspecified dislocation of right toe(s), initial encounter	
S43149A	Inferior dislocation of unspecified acromioclavicular joint, initial encounter	S93105A	Unspecified dislocation of left toe(s), initial encounter	
S43151A	Posterior dislocation of right acromioclavicular joint, initial encounter	S93106A	Unspecified dislocation of unspecified toe(s), initial encounter	

July 2016 297 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S43152A	Posterior dislocation of left acromioclavicular joint, initial encounter	S93111A	Dislocation of interphalangeal joint of right great toe, initial encounter
S43159A	Posterior dislocation of unspecified acromioclavicular joint, initial encounter	S93112A	Dislocation of interphalangeal joint of left great toe, initial encounter
S43201A	Unspecified subluxation of right sternoclavicular joint, initial encount	S93113A ter	Dislocation of interphalangeal joint of unspecified great toe, initial encounter
S43202A	Unspecified subluxation of left sternoclavicular joint, initial encount	S93114A ter	Dislocation of interphalangeal joint of right lesser toe(s), initial encounter
S43203A	Unspecified subluxation of unspecifi sternoclavicular joint, initial encount		Dislocation of interphalangeal joint of left lesser toe(s), initial encounter
S43204A	Unspecified dislocation of right sternoclavicular joint, initial encount	S93116A ter	Dislocation of interphalangeal joint of unspecified lesser toe(s), initial encounter
S43205A	Unspecified dislocation of left sternoclavicular joint, initial encount	S93119A ter	Dislocation of interphalangeal joint of unspecified toe(s), initial encounter
S43206A	Unspecified dislocation of unspecific sternoclavicular joint, initial encount		Dislocation of metatarsophalangeal joint of right great toe, initial encounter

July 2016 298 of 434

Version 6.0	D-10-CM/PCS Specification	PSI Appendix G	
	y Indicators Appendices indicators.ahrq.gov		
S43211A	Anterior subluxation of right sternoclavicular joint, initial encour	S93122A nter	Dislocation of metatarsophalangeal joint of left great toe, initial encounter
S43212A	Anterior subluxation of left sternoclavicular joint, initial encour	S93123A nter	Dislocation of metatarsophalangeal joint of unspecified great toe, initial encounter
S43213A	Anterior subluxation of unspecified sternoclavicular joint, initial encour		Dislocation of metatarsophalangeal joint of right lesser toe(s), initial encounter
S43214A	Anterior dislocation of right sternoclavicular joint, initial encour	S93125A nter	Dislocation of metatarsophalangeal joint of left lesser toe(s), initial encounter
S43215A	Anterior dislocation of left sternoclavicular joint, initial encour	S93126A nter	Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter
S43216A	Anterior dislocation of unspecified sternoclavicular joint, initial encour	S93129A nter	Dislocation of metatarsophalangeal joint of unspecified toe(s), initial encounter
S43221A	Posterior subluxation of right sternoclavicular joint, initial encour	S93131A nter	Subluxation of interphalangeal joint of right great toe, initial encounter
S43222A	Posterior subluxation of left sternoclavicular joint, initial encour	S93132A	Subluxation of interphalangeal joint of left great toe, initial encounter

July 2016 299 of 434

Version 6.0 Patient Safet	y Indicators Appendices indicators.ahrq.gov	Appendix G	
S43223A	Posterior subluxation of unspecified sternoclavicular joint, initial encounter	S93133A	Subluxation of interphalangeal joint of unspecified great toe, initial encounter
S43224A	Posterior dislocation of right sternoclavicular joint, initial encounter	S93134A	Subluxation of interphalangeal joint of right lesser toe(s), initial encounter
S43225A	Posterior dislocation of left sternoclavicular joint, initial encounter	S93135A	Subluxation of interphalangeal joint of left lesser toe(s), initial encounter
S43226A	Posterior dislocation of unspecified sternoclavicular joint, initial encounter	S93136A	Subluxation of interphalangeal joint of unspecified lesser toe(s), initial encounter
S43301A	Subluxation of unspecified parts of right shoulder girdle, initial encounter	s S93139A	Subluxation of interphalangeal joint of unspecified toe(s), initial encounter
S43302A	Subluxation of unspecified parts of left shoulder girdle, initial encounter	S93141A	Subluxation of metatarsophalangeal joint of right great toe, initial encounter
S43303A	Subluxation of unspecified parts of unspecified shoulder girdle, initial encounter	S93142A	Subluxation of metatarsophalangeal joint of left great toe, initial encounter
S43304A	Dislocation of unspecified parts of right shoulder girdle, initial encounter	S93143A	Subluxation of metatarsophalangeal joint of unspecified great toe, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		SI Appendix G	
S43305A	Dislocation of unspecified parts of let shoulder girdle, initial encounter	ft S93144A	Subluxation of metatarsophalangeal joint of right lesser toe(s), initial encounter
S43306A	Dislocation of unspecified parts of unspecified shoulder girdle, initial encounter	S93145A	Subluxation of metatarsophalangeal joint of left lesser toe(s), initial encounter
S43311A	Subluxation of right scapula, initial encounter	S93146A	Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter
S43312A	Subluxation of left scapula, initial encounter	S93149A	Subluxation of metatarsophalangeal joint of unspecified toe(s), initial encounter
S43313A	Subluxation of unspecified scapula, initial encounter	S93301A	Unspecified subluxation of right foot, initial encounter
S43314A	Dislocation of right scapula, initial encounter	S93302A	Unspecified subluxation of left foot, initial encounter
S43315A	Dislocation of left scapula, initial encounter	S93303A	Unspecified subluxation of unspecified foot, initial encounter
S43316A	Dislocation of unspecified scapula, initial encounter	S93304A	Unspecified dislocation of right foot, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S43391A	Subluxation of other parts of right shoulder girdle, initial encounter	S93305A	Unspecified dislocation of left foot, initial encounter
S43392A	Subluxation of other parts of left shoulder girdle, initial encounter	S93306A	Unspecified dislocation of unspecified foot, initial encounter
S43393A	Subluxation of other parts of unspecified shoulder girdle, initial encounter	S93311A	Subluxation of tarsal joint of right foot, initial encounter
S43394A	Dislocation of other parts of right shoulder girdle, initial encounter	S93312A	Subluxation of tarsal joint of left foot, initial encounter
S43395A	Dislocation of other parts of left shoulder girdle, initial encounter	S93313A	Subluxation of tarsal joint of unspecified foot, initial encounter
S43396A	Dislocation of other parts of unspectations shoulder girdle, initial encounter	cified S93314A	Dislocation of tarsal joint of right foot, initial encounter
S45001A	Unspecified injury of axillary arter right side, initial encounter	y, S93315A	Dislocation of tarsal joint of left foot, initial encounter
S45002A	Unspecified injury of axillary arterside, initial encounter	y, left S93316A	Dislocation of tarsal joint of unspecified foot, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov					
S45009A	Unspecified injury of axillary artery, unspecified side, initial encounter	S93321A	Subluxation of tarsometatarsal joint of right foot, initial encounter		
S45011A	Laceration of axillary artery, right side, initial encounter	S93322A	Subluxation of tarsometatarsal joint of left foot, initial encounter		
S45012A	Laceration of axillary artery, left side, initial encounter	S93323A	Subluxation of tarsometatarsal joint of unspecified foot, initial encounter		
S45019A	Laceration of axillary artery, unspecified side, initial encounter	S93324A	Dislocation of tarsometatarsal joint of right foot, initial encounter		
S45091A	Other specified injury of axillary artery, right side, initial encounter	S93325A	Dislocation of tarsometatarsal joint of left foot, initial encounter		
S45092A	Other specified injury of axillary artery, left side, initial encounter	S93326A	Dislocation of tarsometatarsal joint of unspecified foot, initial encounter		
S45099A	Other specified injury of axillary artery, unspecified side, initial encounter	S93331A	Other subluxation of right foot, initial encounter		
S45101A	Unspecified injury of brachial artery, right side, initial encounter	S93332A	Other subluxation of left foot, initial encounter		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S45102A	Unspecified injury of brachial artery, left side, initial encounter	S93333A	Other subluxation of unspecified foot, initial encounter	
S45109A	Unspecified injury of brachial artery, unspecified side, initial encounter	S93334A	Other dislocation of right foot, initial encounter	
S45111A	Laceration of brachial artery, right side, initial encounter	S93335A	Other dislocation of left foot, initial encounter	
S45112A	Laceration of brachial artery, left side, initial encounter	S93336A	Other dislocation of unspecified foot, initial encounter	
S45119A	Laceration of brachial artery, unspecified side, initial encounter	S95001A	Unspecified injury of dorsal artery of right foot, initial encounter	
S45191A	Other specified injury of brachial artery, right side, initial encounter	S95002A	Unspecified injury of dorsal artery of left foot, initial encounter	
S45192A	Other specified injury of brachial artery, left side, initial encounter	S95009A	Unspecified injury of dorsal artery of unspecified foot, initial encounter	
S45199A	Other specified injury of brachial artery, unspecified side, initial encounter	S95011A	Laceration of dorsal artery of right foot, initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S45201A	Unspecified injury of axillary or brachial vein, right side, initial encounter	S95012A	Laceration of dorsal artery of left foot, initial encounter
S45202A	Unspecified injury of axillary or brachial vein, left side, initial encountries	S95019A unter	Laceration of dorsal artery of unspecified foot, initial encounter
S45209A	Unspecified injury of axillary or brachial vein, unspecified side, init encounter	S95091A ial	Other specified injury of dorsal artery of right foot, initial encounter
S45211A	Laceration of axillary or brachial veright side, initial encounter	ein, S95092A	Other specified injury of dorsal artery of left foot, initial encounter
S45212A	Laceration of axillary or brachial voleft side, initial encounter	ein, S95099A	Other specified injury of dorsal artery of unspecified foot, initial encounter
S45219A	Laceration of axillary or brachial vunspecified side, initial encounter	ein, S95101A	Unspecified injury of plantar artery of right foot, initial encounter
S45291A	Other specified injury of axillary of brachial vein, right side, initial encounter	r S95102A	Unspecified injury of plantar artery of left foot, initial encounter
S45292A	Other specified injury of axillary of brachial vein, left side, initial encountries		Unspecified injury of plantar artery of unspecified foot, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S45299A	Other specified injury of axillary or brachial vein, unspecified side, initial encounter	S95111A	Laceration of plantar artery of right foot, initial encounter	
S45301A	Unspecified injury of superficial vein at shoulder and upper arm level, right arm, initial encounter	S95112A	Laceration of plantar artery of left foot, initial encounter	
S45302A	Unspecified injury of superficial vein at shoulder and upper arm level, left arm, initial encounter	S95119A	Laceration of plantar artery of unspecified foot, initial encounter	
S45309A	Unspecified injury of superficial vein at shoulder and upper arm level, unspecified arm, initial encounter	S95191A	Other specified injury of plantar artery of right foot, initial encounter	
S45311A	Laceration of superficial vein at shoulder and upper arm level, right arm, initial encounter	S95192A	Other specified injury of plantar artery of left foot, initial encounter	
S45312A	Laceration of superficial vein at shoulder and upper arm level, left arm, initial encounter	S95199A	Other specified injury of plantar artery of unspecified foot, initial encounter	
S45319A	Laceration of superficial vein at shoulder and upper arm level, unspecified arm, initial encounter	S95201A	Unspecified injury of dorsal vein of right foot, initial encounter	
S45391A	Other specified injury of superficial vein at shoulder and upper arm level, right arm, initial encounter	S95202A	Unspecified injury of dorsal vein of left foot, initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		ppendix G	
S45392A	Other specified injury of superficial vein at shoulder and upper arm level, left arm, initial encounter	S95209A	Unspecified injury of dorsal vein of unspecified foot, initial encounter
S45399A	Other specified injury of superficial vein at shoulder and upper arm level, unspecified arm, initial encounter	S95211A	Laceration of dorsal vein of right foot, initial encounter
S45801A	Unspecified injury of other specified blood vessels at shoulder and upper arm level, right arm, initial encounter	S95212A	Laceration of dorsal vein of left foot, initial encounter
S45802A	Unspecified injury of other specified blood vessels at shoulder and upper arm level, left arm, initial encounter	S95219A	Laceration of dorsal vein of unspecified foot, initial encounter
S45809A	Unspecified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, initial encounter	S95291A	Other specified injury of dorsal vein of right foot, initial encounter
S45811A	Laceration of other specified blood vessels at shoulder and upper arm level, right arm, initial encounter	S95292A	Other specified injury of dorsal vein of left foot, initial encounter
S45812A	Laceration of other specified blood vessels at shoulder and upper arm level, left arm, initial encounter	S95299A	Other specified injury of dorsal vein of unspecified foot, initial encounter
S45819A	Laceration of other specified blood vessels at shoulder and upper arm level, unspecified arm, initial encounter	S95801A	Unspecified injury of other blood vessels at ankle and foot level, right leg, initial encounter

July 2016 307 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S45891A	Other specified injury of other specified blood vessels at shoulder and upper arm level, right arm, initial encounter	S95802A	Unspecified injury of other blood vessels at ankle and foot level, left leg, initial encounter		
S45892A	Other specified injury of other specified blood vessels at shoulder and upper arm level, left arm, initial encounter	S95809A	Unspecified injury of other blood vessels at ankle and foot level, unspecified leg, initial encounter		
S45899A	Other specified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, initial encounter	S95811A	Laceration of other blood vessels at ankle and foot level, right leg, initial encounter		
S45901A	Unspecified injury of unspecified blood vessel at shoulder and upper arm level, right arm, initial encounter	S95812A	Laceration of other blood vessels at ankle and foot level, left leg, initial encounter		
S45902A	Unspecified injury of unspecified blood vessel at shoulder and upper arm level, left arm, initial encounter	S95819A	Laceration of other blood vessels at ankle and foot level, unspecified leg, initial encounter		
S45909A	Unspecified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, initial encounter	S95891A	Other specified injury of other blood vessels at ankle and foot level, right leg, initial encounter		
S45911A	Laceration of unspecified blood vessel at shoulder and upper arm level, right	S95892A	Other specified injury of other blood vessels at ankle and foot level, left leg,		

arm, initial encounter

arm, initial encounter

S45912A

Laceration of unspecified blood vessel

at shoulder and upper arm level, left

July 2016 308 of 434

initial encounter

S95899A

Other specified injury of other blood

vessels at ankle and foot level,

unspecified leg, initial encounter

AHRQ QI™ Version 6.0 Patient Sal www.qual			
S45919A	Laceration of unspecified blood vessel at shoulder and upper arm level, unspecified arm, initial encounter	S95901A	Unspecified injury of unspecified blood vessel at ankle and foot level, right leg, initial encounter
S45991A	Other specified injury of unspecified blood vessel at shoulder and upper arm level, right arm, initial encounter	S95902A	Unspecified injury of unspecified blood vessel at ankle and foot level, left leg, initial encounter
S45992A	Other specified injury of unspecified blood vessel at shoulder and upper arm level, left arm, initial encounter	S95909A	Unspecified injury of unspecified blood vessel at ankle and foot level, unspecified leg, initial encounter
S45999A	Other specified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, initial encounter	S95911A	Laceration of unspecified blood vessel at ankle and foot level, right leg, initial encounter
S46021A	Laceration of muscle(s) and tendon(s) of the rotator cuff of right shoulder, initial encounter	S95912A	Laceration of unspecified blood vessel at ankle and foot level, left leg, initial encounter
S46022A	Laceration of muscle(s) and tendon(s) of the rotator cuff of left shoulder, initial encounter	S95919A	Laceration of unspecified blood vessel at ankle and foot level, unspecified leg, initial encounter
S46029A	Laceration of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, initial encounter	S95991A	Other specified injury of unspecified blood vessel at ankle and foot level, right leg, initial encounter
S46121A	Laceration of muscle, fascia and tendon of long head of biceps, right arm, initial	S95992A	Other specified injury of unspecified blood vessel at ankle and foot level, left

encounter

leg, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G					
	ry Indicators Appendices rindicators.ahrq.gov				
S46122A	Laceration of muscle, fascia and tendon of long head of biceps, left arm, initial encounter	S95999A	Other specified injury of unspecified blood vessel at ankle and foot level, unspecified leg, initial encounter		
S46129A	Laceration of muscle, fascia and tendon of long head of biceps, unspecified arm, initial encounter	S96021A	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, initial encounter		
S46221A	Laceration of muscle, fascia and tendon of other parts of biceps, right arm, initial encounter	S96022A	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, initial encounter		
S46222A	Laceration of muscle, fascia and tendon of other parts of biceps, left arm, initial encounter	S96029A	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, initial encounter		
S46229A	Laceration of muscle, fascia and tendon of other parts of biceps, unspecified arm, initial encounter	S96121A	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, initial encounter		
S46321A	Laceration of muscle, fascia and tendon of triceps, right arm, initial encounter	S96122A	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, initial encounter		

S46321A Laceration of muscle, fascia and tendon of triceps, right arm, initial encounter

S46322A Laceration of muscle, fascia and tendon of triceps, left arm, initial encounter

S46322A Laceration of muscle, fascia and tendon of triceps, left arm, initial encounter

S46322A Laceration of muscle, fascia and tendon of triceps, left arm, initial encounter

S46322A Laceration of muscle, fascia and tendon of triceps, left arm, initial encounter

S46329A Laceration of muscle, fascia and tendon of triceps, unspecified arm, initial encounter

S46329A Laceration of muscle, fascia and tendon of triceps, unspecified arm, initial encounter

S46329A Laceration of muscle, fascia and tendon of triceps, unspecified arm, initial encounter

S46329A Laceration of muscle, fascia and tendon of triceps, unspecified arm, initial encounter

S46329A Laceration of muscle, fascia and tendon of triceps, unspecified arm, initial encounter

S46329A Laceration of muscle, fascia and tendon of triceps, unspecified arm, initial encounter

S46329A Laceration of muscle, fascia and tendon of triceps, unspecified arm, initial encounter

S46329A Laceration of muscle, fascia and tendon of triceps, unspecified arm, initial encounter

S46329A Laceration of muscle, fascia and tendon of triceps, unspecified arm, initial encounter

July 2016 310 of 434

Version 6. Patient Sa	•	pendix G	
S46821A	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter	S96222A	Laceration of intrinsic muscle and tendon at ankle and foot level, left foot, initial encounter
S46822A	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter	S96229A	Laceration of intrinsic muscle and tendon at ankle and foot level, unspecified foot, initial encounter
S46829A	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, initial encounter	S96821A	Laceration of other specified muscles and tendons at ankle and foot level, right foot, initial encounter
S46921A	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, initial encounter	S96822A	Laceration of other specified muscles and tendons at ankle and foot level, left foot, initial encounter
S46922A	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, initial encounter	S96829A	Laceration of other specified muscles and tendons at ankle and foot level, unspecified foot, initial encounter
S46929A	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, initial encounter	S96921A	Laceration of unspecified muscle and tendon at ankle and foot level, right foot, initial encounter
S471XX	A Crushing injury of right shoulder and upper arm, initial encounter	S96922A	Laceration of unspecified muscle and tendon at ankle and foot level, left foot, initial encounter
S472XX	A Crushing injury of left shoulder and upper arm, initial encounter	S96929A	Laceration of unspecified muscle and tendon at ankle and foot level,

unspecified foot, initial encounter

Version 6.0 Patient Safet	CD-10-CM/PCS Specification ty Indicators Appendices vindicators.ahrq.gov	PSI App
S479XXA	Crushing injury of shoulder and up arm, unspecified arm, initial encou	•
S48011A	Complete traumatic amputation at shoulder joint, initial encounter	right
S48012A	Complete traumatic amputation at	left

shoulder joint, initial encounter

Complete traumatic amputation at

unspecified shoulder joint, initial

Partial traumatic amputation at right

Partial traumatic amputation at left

shoulder joint, initial encounter

Partial traumatic amputation at

unspecified shoulder joint, initial

Complete traumatic amputation at level

between right shoulder and elbow,

shoulder joint, initial encounter

encounter

encounter

initial encounter

S48019A

S48021A

S48022A

S48029A

S48111A

## PSI Appendix G

S9700XA

S9701XA

S9702XA

S97101A

S97102A

S97109A

S97111A

S97112A

July 2016

Crushing injury of unspecified ankle,

Crushing injury of right ankle, initial

Crushing injury of left ankle, initial

Crushing injury of unspecified right

Crushing injury of unspecified left

Crushing injury of unspecified toe(s),

Crushing injury of right great toe, initial

Crushing injury of left great toe, initial

toe(s), initial encounter

toe(s), initial encounter

initial encounter

encounter

encounter

initial encounter

encounter

encounter

312 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S48112A	Complete traumatic amputation at level between left shoulder and elbow, initial encounter	S97119A	Crushing injury of unspecified great toe, initial encounter	
S48119A	Complete traumatic amputation at level between unspecified shoulder and elbow, initial encounter	S97121A	Crushing injury of right lesser toe(s), initial encounter	
S48121A	Partial traumatic amputation at level between right shoulder and elbow, initial encounter	S97122A	Crushing injury of left lesser toe(s), initial encounter	
S48122A	Partial traumatic amputation at level between left shoulder and elbow, initial encounter	S97129A	Crushing injury of unspecified lesser toe(s), initial encounter	
S48129A	Partial traumatic amputation at level between unspecified shoulder and elbow, initial encounter	S9780XA	Crushing injury of unspecified foot, initial encounter	
S48911A	Complete traumatic amputation of right shoulder and upper arm, level unspecified, initial encounter	S9781XA	Crushing injury of right foot, initial encounter	
S48912A	Complete traumatic amputation of left shoulder and upper arm, level unspecified, initial encounter	S9782XA	Crushing injury of left foot, initial encounter	
S48919A	Complete traumatic amputation of unspecified shoulder and upper arm, level unspecified, initial encounter	S98011A	Complete traumatic amputation of right foot at ankle level, initial encounter	

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Ap ty Indicators Appendices yindicators.ahrq.gov		
S48921A	Partial traumatic amputation of right shoulder and upper arm, level unspecified, initial encounter	S98012A	Complete traumatic amputation of left foot at ankle level, initial encounter
S48922A	Partial traumatic amputation of left shoulder and upper arm, level unspecified, initial encounter	S98019A	Complete traumatic amputation of unspecified foot at ankle level, initial encounter
S48929A	Partial traumatic amputation of unspecified shoulder and upper arm, level unspecified, initial encounter	S98021A	Partial traumatic amputation of right foot at ankle level, initial encounter
S49001A	Unspecified physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	S98022A	Partial traumatic amputation of left foot at ankle level, initial encounter
S49002A	Unspecified physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	S98029A	Partial traumatic amputation of unspecified foot at ankle level, initial encounter
S49009A	Unspecified physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	S98311A	Complete traumatic amputation of right midfoot, initial encounter
S49011A	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	S98312A	Complete traumatic amputation of left midfoot, initial encounter
S49012A	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	S98319A	Complete traumatic amputation of unspecified midfoot, initial encounter

July 2016 314 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S49019A	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	S98321A	Partial traumatic amputation of right midfoot, initial encounter		
S49021A	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	S98322A	Partial traumatic amputation of left midfoot, initial encounter		
S49022A	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	S98329A	Partial traumatic amputation of unspecified midfoot, initial encounter		
S49029A	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	S98911A	Complete traumatic amputation of right foot, level unspecified, initial encounter		
S49031A	Salter Harris Type III physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	S98912A	Complete traumatic amputation of left foot, level unspecified, initial encounter		
S49032A	Salter Harris Type III physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	S98919A	Complete traumatic amputation of unspecified foot, level unspecified, initial encounter		
S49039A	Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	S98921A	Partial traumatic amputation of right foot, level unspecified, initial encounter		
S49041A	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	S98922A	Partial traumatic amputation of left foot, level unspecified, initial encounter		

July 2016 315 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S49042A	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	S98929A	Partial traumatic amputation of unspecified foot, level unspecified, initial encounter		
S49049A	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	Т07	Unspecified multiple injuries		
S49091A	Other physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	T148	Other injury of unspecified body region		
S49092A	Other physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	T1490	Injury, unspecified		
S49099A	Other physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	T2000XA	Burn of unspecified degree of head, face, and neck, unspecified site, initial encounter		
S49101A	Unspecified physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	T20011A	Burn of unspecified degree of right ear [any part, except ear drum], initial encounter		
S49102A	Unspecified physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	T20012A	Burn of unspecified degree of left ear [any part, except ear drum], initial encounter		
S49109A	Unspecified physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	T20019A	Burn of unspecified degree of unspecified ear [any part, except ear drum], initial encounter		

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S49111A	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	T2002XA	Burn of unspecified degree of lip(s), initial encounter		
S49112A	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	T2003XA	Burn of unspecified degree of chin, initial encounter		
S49119A	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	T2004XA	Burn of unspecified degree of nose (septum), initial encounter		
S49121A	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	T2005XA	Burn of unspecified degree of scalp [any part], initial encounter		
S49122A	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	T2006XA	Burn of unspecified degree of forehead and cheek, initial encounter		
S49129A	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	T2007XA	Burn of unspecified degree of neck, initial encounter		
S49131A	Salter Harris Type III physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	T2009XA	Burn of unspecified degree of multiple sites of head, face, and neck, initial encounter		
S49132A	Salter Harris Type III physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	T2010XA	Burn of first degree of head, face, and neck, unspecified site, initial encounter		

July 2016 317 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S49139A	Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	T20111A	Burn of first degree of right ear [any part, except ear drum], initial encounter		
S49141A	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	T20112A	Burn of first degree of left ear [any part, except ear drum], initial encounter		
S49142A	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	T20119A	Burn of first degree of unspecified ear [any part, except ear drum], initial encounter		
S49149A	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	T2012XA	Burn of first degree of lip(s), initial encounter		
S49191A	Other physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	T2013XA	Burn of first degree of chin, initial encounter		
S49192A	Other physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	T2014XA	Burn of first degree of nose (septum), initial encounter		
S49199A	Other physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	T2015XA	Burn of first degree of scalp [any part], initial encounter		
S51001A	Unspecified open wound of right elbow, initial encounter	T2016XA	Burn of first degree of forehead and cheek, initial encounter		

July 2016 318 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S51002A	Unspecified open wound of left elbow, initial encounter	T2017XA	Burn of first degree of neck, initial encounter	
S51009A	Unspecified open wound of unspecified elbow, initial encounter	T2019XA	Burn of first degree of multiple sites of head, face, and neck, initial encounter	
S51011A	Laceration without foreign body of right elbow, initial encounter	T2020XA	Burn of second degree of head, face, and neck, unspecified site, initial encounter	
S51012A	Laceration without foreign body of left elbow, initial encounter	T20211A	Burn of second degree of right ear [any part, except ear drum], initial encounter	
S51019A	Laceration without foreign body of unspecified elbow, initial encounter	T20212A	Burn of second degree of left ear [any part, except ear drum], initial encounter	
S51021A	Laceration with foreign body of right elbow, initial encounter	T20219A	Burn of second degree of unspecified ear [any part, except ear drum], initial encounter	
S51022A	Laceration with foreign body of left elbow, initial encounter	T2022XA	Burn of second degree of lip(s), initial encounter	
S51029A	Laceration with foreign body of unspecified elbow, initial encounter	T2023XA	Burn of second degree of chin, initial encounter	

Version 6.0	·	PSI Appendix G	
	ry Indicators Appendices indicators.ahrq.gov		
S51031A	Puncture wound without foreign booright elbow, initial encounter	dy of T2024XA	Burn of second degree of nose (septum), initial encounter
S51032A	Puncture wound without foreign booleft elbow, initial encounter	dy of T2025XA	Burn of second degree of scalp [any part], initial encounter
S51039A	Puncture wound without foreign boo unspecified elbow, initial encounter	•	Burn of second degree of forehead and cheek, initial encounter
S51041A	Puncture wound with foreign body or right elbow, initial encounter	of T2027XA	Burn of second degree of neck, initial encounter
S51042A	Puncture wound with foreign body of left elbow, initial encounter	of T2029XA	Burn of second degree of multiple sites of head, face, and neck, initial encounter
S51049A	Puncture wound with foreign body ounspecified elbow, initial encounter		Burn of third degree of head, face, and neck, unspecified site, initial encounter
S51051A	Open bite, right elbow, initial encou	unter T20311A	Burn of third degree of right ear [any part, except ear drum], initial encounter
S51052A	Open bite, left elbow, initial encoun	ter T20312A	Burn of third degree of left ear [any part, except ear drum], initial encounter

Version 6.0 Patient Safet	D-10-CM/PCS Specification PS y Indicators Appendices indicators.ahrq.gov	l Appendix G	
S51059A	Open bite, unspecified elbow, initial encounter	T20319A	Burn of third degree of unspecified ear [any part, except ear drum], initial encounter
S51801A	Unspecified open wound of right forearm, initial encounter	T2032XA	Burn of third degree of lip(s), initial encounter
S51802A	Unspecified open wound of left forearrinitial encounter	m, T2033XA	Burn of third degree of chin, initial encounter
S51809A	Unspecified open wound of unspecifie forearm, initial encounter	d T2034XA	Burn of third degree of nose (septum), initial encounter
S51811A	Laceration without foreign body of rig	ht T2035XA	Burn of third degree of scalp [any part], initial encounter
S51812A	Laceration without foreign body of left forearm, initial encounter	t T2036XA	Burn of third degree of forehead and cheek, initial encounter
S51819A	Laceration without foreign body of unspecified forearm, initial encounter	T2037XA	Burn of third degree of neck, initial encounter
S51821A	Laceration with foreign body of right forearm, initial encounter	T2039XA	Burn of third degree of multiple sites of head, face, and neck, initial encounter

Version 6.0 Patient Safet	cD-10-CM/PCS Specification PSI A cy Indicators Appendices indicators.ahrq.gov	opendix G	
S51822A	Laceration with foreign body of left forearm, initial encounter	T2040XA	Corrosion of unspecified degree of head, face, and neck, unspecified site, initial encounter
S51829A	Laceration with foreign body of unspecified forearm, initial encounter	T20411A	Corrosion of unspecified degree of right ear [any part, except ear drum], initial encounter
S51831A	Puncture wound without foreign body of right forearm, initial encounter	T20412A	Corrosion of unspecified degree of left ear [any part, except ear drum], initial encounter
S51832A	Puncture wound without foreign body of left forearm, initial encounter	T20419A	Corrosion of unspecified degree of unspecified ear [any part, except ear drum], initial encounter
S51839A	Puncture wound without foreign body of unspecified forearm, initial encounter	T2042XA	Corrosion of unspecified degree of lip(s), initial encounter
S51841A	Puncture wound with foreign body of right forearm, initial encounter	T2043XA	Corrosion of unspecified degree of chin, initial encounter
S51842A	Puncture wound with foreign body of left forearm, initial encounter	T2044XA	Corrosion of unspecified degree of nose (septum), initial encounter
S51849A	Puncture wound with foreign body of unspecified forearm, initial encounter	T2045XA	Corrosion of unspecified degree of scalp [any part], initial encounter

July 2016 322 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S51851A	Open bite of right forearm, initial encounter	T2046XA	Corrosion of unspecified degree of forehead and cheek, initial encounter
S51852A	Open bite of left forearm, initial encounter	T2047XA	Corrosion of unspecified degree of neck, initial encounter
S51859A	Open bite of unspecified forearm, is encounter	nitial T2049XA	Corrosion of unspecified degree of multiple sites of head, face, and neck, initial encounter
S52001A	Unspecified fracture of upper end or right ulna, initial encounter for clos fracture		Corrosion of first degree of head, face, and neck, unspecified site, initial encounter
S52001B	Unspecified fracture of upper end or right ulna, initial encounter for open fracture type I or II		Corrosion of first degree of right ear [any part, except ear drum], initial encounter
S52001C	Unspecified fracture of upper end or right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC		Corrosion of first degree of left ear [any part, except ear drum], initial encounter
S52002A	Unspecified fracture of upper end oulna, initial encounter for closed fracture	of left T20519A	Corrosion of first degree of unspecified ear [any part, except ear drum], initial encounter
S52002B	Unspecified fracture of upper end of ulna, initial encounter for open fractype I or II		Corrosion of first degree of lip(s), initial encounter

July 2016 323 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S52002C	Unspecified fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2053XA	Corrosion of first degree of chin, initial encounter		
S52009A	Unspecified fracture of upper end of unspecified ulna, initial encounter for closed fracture	T2054XA	Corrosion of first degree of nose (septum), initial encounter		
S52009B	Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II	T2055XA	Corrosion of first degree of scalp [any part], initial encounter		
S52009C	Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2056XA	Corrosion of first degree of cheek, initial encounter		
S52011A	Torus fracture of upper end of right ulna, initial encounter for closed fracture	T2057XA	Corrosion of first degree of neck, initial encounter		
S52012A	Torus fracture of upper end of left ulna, initial encounter for closed fracture	T2059XA	Corrosion of first degree of multiple sites of head, face, and neck, initial encounter		
S52019A	Torus fracture of upper end of unspecified ulna, initial encounter for closed fracture	T2060XA	Corrosion of second degree of head, face, and neck, unspecified site, initial encounter		

T20611A

Displaced fracture of olecranon process

without intraarticular extension of right

ulna, initial encounter for closed

fracture

S52021A

July 2016 324 of 434

encounter

Corrosion of second degree of right ear

[any part, except ear drum], initial

AHRQ QI™ ICD-10-CM/PCS Specification
Version 6.0
Patient Safety Indicators Appendices
www.qualityindicators.ahrq.gov

S52021B	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II	T20612A	Corrosion of second degree of left ear [any part, except ear drum], initial encounter
S52021C	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T20619A	Corrosion of second degree of unspecified ear [any part, except ear drum], initial encounter
S52022A	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for closed fracture	T2062XA	Corrosion of second degree of lip(s), initial encounter
S52022B	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II	T2063XA	Corrosion of second degree of chin, initial encounter
S52022C	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2064XA	Corrosion of second degree of nose (septum), initial encounter
S52023A	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for closed fracture	T2065XA	Corrosion of second degree of scalp [any part], initial encounter
S52023B	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	T2066XA	Corrosion of second degree of forehead and cheek, initial encounter
S52023C	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2067XA	Corrosion of second degree of neck, initial encounter

July 2016 325 of 434

AHRQ QI™ ICD-10-CM/PCS Specification
Version 6.0
Patient Safety Indicators Appendices

www. quality indicators. a hrq. gov

## PSI Appendix G

S52024A	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for closed fracture	T2069XA	Corrosion of second degree of multiple sites of head, face, and neck, initial encounter
S52024B	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II	T2070XA	Corrosion of third degree of head, face, and neck, unspecified site, initial encounter
S52024C	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T20711A	Corrosion of third degree of right ear [any part, except ear drum], initial encounter
S52025A	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for closed fracture	T20712A	Corrosion of third degree of left ear [any part, except ear drum], initial encounter
S52025B	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II	T20719A	Corrosion of third degree of unspecified ear [any part, except ear drum], initial encounter
S52025C	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2072XA	Corrosion of third degree of lip(s), initial encounter
S52026A	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for closed fracture	T2073XA	Corrosion of third degree of chin, initial encounter
S52026B	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	T2074XA	Corrosion of third degree of nose (septum), initial encounter

July 2016 326 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Apety Indicators Appendices yindicators.ahrq.gov	pendix G	
S52026C	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2075XA	Corrosion of third degree of scalp [any part], initial encounter
S52031A	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for closed fracture	T2076XA	Corrosion of third degree of forehead and cheek, initial encounter
S52031B	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II	T2077XA	Corrosion of third degree of neck, initial encounter
S52031C	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2079XA	Corrosion of third degree of multiple sites of head, face, and neck, initial encounter
S52032A	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for closed fracture	T2100XA	Burn of unspecified degree of trunk, unspecified site, initial encounter
S52032B	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II	T2101XA	Burn of unspecified degree of chest wall, initial encounter
S52032C	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2102XA	Burn of unspecified degree of abdominal wall, initial encounter
S52033A	Displaced fracture of olecranon process with intraarticular extension of	T2103XA	Burn of unspecified degree of upper back, initial encounter

unspecified ulna, initial encounter for

closed fracture

July 2016 327 of 434

	ty Indicators Appendices yindicators.ahrq.gov	репиіх о	
S52033B	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	T2104XA	Burn of unspecified degree of lower back, initial encounter
S52033C	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2105XA	Burn of unspecified degree of buttock, initial encounter
S52034A	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for closed fracture	T2106XA	Burn of unspecified degree of male genital region, initial encounter
S52034B	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II	T2107XA	Burn of unspecified degree of female genital region, initial encounter
S52034C	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2109XA	Burn of unspecified degree of other site of trunk, initial encounter
S52035A	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for closed fracture	T2110XA	Burn of first degree of trunk, unspecified site, initial encounter
S52035B	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II	T2111XA	Burn of first degree of chest wall, initial encounter
S52035C	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2112XA	Burn of first degree of abdominal wall, initial encounter

PSI Appendix G

AHRQ QI™ ICD-10-CM/PCS Specification

July 2016 328 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S52036A	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for closed fracture	T2113XA	Burn of first degree of upper back, initial encounter
S52036B	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	T2114XA	Burn of first degree of lower back, initial encounter
S52036C	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2115XA	Burn of first degree of buttock, initial encounter
S52041A	Displaced fracture of coronoid process of right ulna, initial encounter for closed fracture	T2116XA	Burn of first degree of male genital region, initial encounter
S52041B	Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II	T2117XA	Burn of first degree of female genital region, initial encounter
S52041C	Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2119XA	Burn of first degree of other site of trunk, initial encounter
S52042A	Displaced fracture of coronoid process of left ulna, initial encounter for closed fracture	T2120XA	Burn of second degree of trunk, unspecified site, initial encounter
S52042B	Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II	T2121XA	Burn of second degree of chest wall, initial encounter

July 2016 329 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52042C	Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2122XA	Burn of second degree of abdominal wall, initial encounter	
S52043A	Displaced fracture of coronoid process of unspecified ulna, initial encounter for closed fracture	T2123XA	Burn of second degree of upper back, initial encounter	
S52043B	Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II	T2124XA	Burn of second degree of lower back, initial encounter	
S52043C	Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2125XA	Burn of second degree of buttock, initial encounter	
S52044A	Nondisplaced fracture of coronoid process of right ulna, initial encounter for closed fracture	T2126XA	Burn of second degree of male genital region, initial encounter	
S52044B	Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II	T2127XA	Burn of second degree of female genital region, initial encounter	
S52044C	Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2129XA	Burn of second degree of other site of trunk, initial encounter	
S52045A	Nondisplaced fracture of coronoid process of left ulna, initial encounter for closed fracture	T2130XA	Burn of third degree of trunk, unspecified site, initial encounter	

July 2016 330 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	pendix G	
S52045B	Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II	T2131XA	Burn of third degree of chest wall, initial encounter
S52045C	Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2132XA	Burn of third degree of abdominal wall, initial encounter
S52046A	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for closed fracture	T2133XA	Burn of third degree of upper back, initial encounter
S52046B	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II	T2134XA	Burn of third degree of lower back, initial encounter
S52046C	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2135XA	Burn of third degree of buttock, initial encounter
S52091A	Other fracture of upper end of right ulna, initial encounter for closed fracture	T2136XA	Burn of third degree of male genital region, initial encounter
S52091B	Other fracture of upper end of right ulna, initial encounter for open fracture type I or II	T2137XA	Burn of third degree of female genital region, initial encounter
S52091C	Other fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2139XA	Burn of third degree of other site of trunk, initial encounter

July 2016 331 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52092A	Other fracture of upper end of left ulna, initial encounter for closed fracture	T2140XA	Corrosion of unspecified degree of trunk, unspecified site, initial encounter	
S52092B	Other fracture of upper end of left ulna, initial encounter for open fracture type I or II	T2141XA	Corrosion of unspecified degree of chest wall, initial encounter	
S52092C	Other fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2142XA	Corrosion of unspecified degree of abdominal wall, initial encounter	
S52099A	Other fracture of upper end of unspecified ulna, initial encounter for closed fracture	T2143XA	Corrosion of unspecified degree of upper back, initial encounter	
S52099B	Other fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II	T2144XA	Corrosion of unspecified degree of lower back, initial encounter	
S52099C	Other fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2145XA	Corrosion of unspecified degree of buttock, initial encounter	
S52101A	Unspecified fracture of upper end of right radius, initial encounter for closed fracture	T2146XA	Corrosion of unspecified degree of male genital region, initial encounter	
S52101B	Unspecified fracture of upper end of right radius, initial encounter for open fracture type I or II	T2147XA	Corrosion of unspecified degree of female genital region, initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S52101C	Unspecified fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2149XA	Corrosion of unspecified degree of other site of trunk, initial encounter
S52102A	Unspecified fracture of upper end of left radius, initial encounter for closed fracture	T2150XA	Corrosion of first degree of trunk, unspecified site, initial encounter
S52102B	Unspecified fracture of upper end of left radius, initial encounter for open fracture type I or II	T2151XA	Corrosion of first degree of chest wall, initial encounter
S52102C	Unspecified fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2152XA	Corrosion of first degree of abdominal wall, initial encounter
S52109A	Unspecified fracture of upper end of unspecified radius, initial encounter for closed fracture	T2153XA	Corrosion of first degree of upper back, initial encounter
S52109B	Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type I or II	T2154XA	Corrosion of first degree of lower back, initial encounter
S52109C	Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2155XA	Corrosion of first degree of buttock, initial encounter
S52111A	Torus fracture of upper end of right radius, initial encounter for closed fracture	T2156XA	Corrosion of first degree of male genital region, initial encounter

July 2016 333 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S52112A	Torus fracture of upper end of left radius, initial encounter for closed fracture	T2157XA	Corrosion of first degree of female genital region, initial encounter
S52119A	Torus fracture of upper end of unspecified radius, initial encounter closed fracture	T2159XA for	Corrosion of first degree of other site of trunk, initial encounter
S52121A	Displaced fracture of head of right radius, initial encounter for closed fracture	T2160XA	Corrosion of second degree of trunk, unspecified site, initial encounter
S52121B	Displaced fracture of head of right radius, initial encounter for open fracture type I or II	T2161XA	Corrosion of second degree of chest wall, initial encounter
S52121C	Displaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2162XA	Corrosion of second degree of abdominal wall, initial encounter
S52122A	Displaced fracture of head of left radinitial encounter for closed fracture	lius, T2163XA	Corrosion of second degree of upper back, initial encounter
S52122B	Displaced fracture of head of left radinitial encounter for open fracture typor II		Corrosion of second degree of lower back, initial encounter
S52122C	Displaced fracture of head of left radinitial encounter for open fracture ty IIIA, IIIB, or IIIC		Corrosion of second degree of buttock, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52123A	Displaced fracture of head of unspecified radius, initial encounter for closed fracture	T2166XA	Corrosion of second degree of male genital region, initial encounter	
S52123B	Displaced fracture of head of unspecified radius, initial encounter for open fracture type I or II	T2167XA	Corrosion of second degree of female genital region, initial encounter	
S52123C	Displaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2169XA	Corrosion of second degree of other site of trunk, initial encounter	
S52124A	Nondisplaced fracture of head of right radius, initial encounter for closed fracture	T2170XA	Corrosion of third degree of trunk, unspecified site, initial encounter	
S52124B	Nondisplaced fracture of head of right radius, initial encounter for open fracture type I or II	T2171XA	Corrosion of third degree of chest wall, initial encounter	
S52124C	Nondisplaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2172XA	Corrosion of third degree of abdominal wall, initial encounter	
S52125A	Nondisplaced fracture of head of left radius, initial encounter for closed fracture	T2173XA	Corrosion of third degree of upper back, initial encounter	
S52125B	Nondisplaced fracture of head of left radius, initial encounter for open fracture type I or II	T2174XA	Corrosion of third degree of lower back, initial encounter	

July 2016 335 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification ty Indicators Appendices vindicators.ahrq.gov	PSI Appendix G	
S52125C	Nondisplaced fracture of head of lef radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ft T2175XA	Corrosion of third degree of buttock, initial encounter
S52126A	Nondisplaced fracture of head of unspecified radius, initial encounter closed fracture	T2176XA for	Corrosion of third degree of male genital region, initial encounter
S52126B	Nondisplaced fracture of head of unspecified radius, initial encounter open fracture type I or II	T2177XA	Corrosion of third degree of female genital region, initial encounter
S52126C	Nondisplaced fracture of head of unspecified radius, initial encounter open fracture type IIIA, IIIB, or IIIC		Corrosion of third degree of other site of trunk, initial encounter
S52131A	Displaced fracture of neck of right radius, initial encounter for closed fracture	T2200XA	Burn of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter
S52131B	Displaced fracture of neck of right radius, initial encounter for open fracture type I or II	T22011A	Burn of unspecified degree of right forearm, initial encounter
S52131C	Displaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22012A	Burn of unspecified degree of left forearm, initial encounter
S52132A	Displaced fracture of neck of left ra- initial encounter for closed fracture	dius, T22019A	Burn of unspecified degree of unspecified forearm, initial encounter

July 2016 336 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52132B	Displaced fracture of neck of left radius, initial encounter for open fracture type I or II		Burn of unspecified degree of right elbow, initial encounter	
S52132C	Displaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	, T22022A	Burn of unspecified degree of left elbow, initial encounter	
S52133A	Displaced fracture of neck of unspecified radius, initial encounter for closed fracture	T22029A	Burn of unspecified degree of unspecified elbow, initial encounter	
S52133B	Displaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II	T22031A	Burn of unspecified degree of right upper arm, initial encounter	
S52133C	Displaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22032A	Burn of unspecified degree of left upper arm, initial encounter	
S52134A	Nondisplaced fracture of neck of right radius, initial encounter for closed fracture	T22039A	Burn of unspecified degree of unspecified upper arm, initial encounter	
S52134B	Nondisplaced fracture of neck of right radius, initial encounter for open fracture type I or II	T22041A	Burn of unspecified degree of right axilla, initial encounter	
S52134C	Nondisplaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22042A	Burn of unspecified degree of left axilla, initial encounter	

July 2016 337 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52135A	Nondisplaced fracture of neck of left radius, initial encounter for closed fracture	T22049A	Burn of unspecified degree of unspecified axilla, initial encounter		
S52135B	Nondisplaced fracture of neck of left radius, initial encounter for open fracture type I or II	T22051A	Burn of unspecified degree of right shoulder, initial encounter		
S52135C	Nondisplaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22052A	Burn of unspecified degree of left shoulder, initial encounter		
S52136A	Nondisplaced fracture of neck of unspecified radius, initial encounter for closed fracture	T22059A	Burn of unspecified degree of unspecified shoulder, initial encounter		
S52136B	Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II	T22061A	Burn of unspecified degree of right scapular region, initial encounter		
S52136C	Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22062A	Burn of unspecified degree of left scapular region, initial encounter		
S52181A	Other fracture of upper end of right radius, initial encounter for closed fracture	T22069A	Burn of unspecified degree of unspecified scapular region, initial encounter		
S52181B	Other fracture of upper end of right radius, initial encounter for open fracture type I or II	T22091A	Burn of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter		

July 2016 338 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Apt ty Indicators Appendices yindicators.ahrq.gov	ppendix G	
S52181C	Other fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22092A	Burn of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter
S52182A	Other fracture of upper end of left radius, initial encounter for closed fracture	T22099A	Burn of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter
S52182B	Other fracture of upper end of left radius, initial encounter for open fracture type I or II	T2210XA	Burn of first degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter
S52182C	Other fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22111A	Burn of first degree of right forearm, initial encounter
S52189A	Other fracture of upper end of unspecified radius, initial encounter for closed fracture	T22112A	Burn of first degree of left forearm, initial encounter
S52189B	Other fracture of upper end of unspecified radius, initial encounter for open fracture type I or II	T22119A	Burn of first degree of unspecified forearm, initial encounter
S52189C	Other fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22121A	Burn of first degree of right elbow, initial encounter
S52201A	Unspecified fracture of shaft of right ulna, initial encounter for closed fracture	T22122A	Burn of first degree of left elbow, initial encounter

July 2016 339 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52201B	Unspecified fracture of shaft of right ulna, initial encounter for open fracture type I or II	T22129A	Burn of first degree of unspecified elbow, initial encounter		
S52201C	Unspecified fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22131A	Burn of first degree of right upper arm, initial encounter		
S52202A	Unspecified fracture of shaft of left ulna, initial encounter for closed fracture	T22132A	Burn of first degree of left upper arm, initial encounter		
S52202B	Unspecified fracture of shaft of left ulna, initial encounter for open fracture type I or II	T22139A	Burn of first degree of unspecified upper arm, initial encounter		
S52202C	Unspecified fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22141A	Burn of first degree of right axilla, initial encounter		
S52209A	Unspecified fracture of shaft of unspecified ulna, initial encounter for closed fracture	T22142A	Burn of first degree of left axilla, initial encounter		
S52209B	Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	T22149A	Burn of first degree of unspecified axilla, initial encounter		
S52209C	Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22151A	Burn of first degree of right shoulder, initial encounter		

July 2016 340 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52211A	Greenstick fracture of shaft of right ulna, initial encounter for closed fracture	T22152A	Burn of first degree of left shoulder, initial encounter	
S52212A	Greenstick fracture of shaft of left ulna, initial encounter for closed fracture	T22159A	Burn of first degree of unspecified shoulder, initial encounter	
S52219A	Greenstick fracture of shaft of unspecified ulna, initial encounter for closed fracture	T22161A	Burn of first degree of right scapular region, initial encounter	
S52221A	Displaced transverse fracture of shaft of right ulna, initial encounter for closed fracture	T22162A	Burn of first degree of left scapular region, initial encounter	
S52221B	Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II	T22169A	Burn of first degree of unspecified scapular region, initial encounter	
S52221C	Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22191A	Burn of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	
S52222A	Displaced transverse fracture of shaft of left ulna, initial encounter for closed fracture	T22192A	Burn of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	
S52222B	Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II	T22199A	Burn of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52222C	Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2220XA	Burn of second degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	
S52223A	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for closed fracture	T22211A	Burn of second degree of right forearm, initial encounter	
S52223B	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	T22212A	Burn of second degree of left forearm, initial encounter	
S52223C	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22219A	Burn of second degree of unspecified forearm, initial encounter	
S52224A	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for closed fracture	T22221A	Burn of second degree of right elbow, initial encounter	
S52224B	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II	T22222A	Burn of second degree of left elbow, initial encounter	
S52224C	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22229A	Burn of second degree of unspecified elbow, initial encounter	
S52225A	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for closed fracture	T22231A	Burn of second degree of right upper arm, initial encounter	

July 2016 342 of 434

AHRQ QI™ IO Version 6.0	CD-10-CM/PCS Specification	PSI Appendix G	
	ty Indicators Appendices rindicators.ahrq.gov		
S52225B	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II		Burn of second degree of left upper arm, initial encounter
S52225C	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	or	Burn of second degree of unspecified upper arm, initial encounter
S52226A	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for closed fracture	T22241A	Burn of second degree of right axilla, initial encounter
S52226B	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or		Burn of second degree of left axilla, initial encounter
S52226C	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type III. IIIB, or IIIC		Burn of second degree of unspecified axilla, initial encounter
S52231A	Displaced oblique fracture of shaft or right ulna, initial encounter for close fracture		Burn of second degree of right shoulder, initial encounter
S52231B	Displaced oblique fracture of shaft or right ulna, initial encounter for oper fracture type I or II		Burn of second degree of left shoulder, initial encounter
S52231C	Displaced oblique fracture of shaft or right ulna, initial encounter for oper fracture type IIIA, IIIB, or IIIC		Burn of second degree of unspecified shoulder, initial encounter

AHRQ QI™ IO Version 6.0	CD-10-CM/PCS Specification PSI	Appendix G	
	y Indicators Appendices		
	indicators.ahrq.gov		
S52232A	Displaced oblique fracture of shaft of left ulna, initial encounter for closed fracture	T22261A	Burn of second degree of right scapular region, initial encounter
S52232B	Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II	T22262A	Burn of second degree of left scapular region, initial encounter
S52232C	Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22269A	Burn of second degree of unspecified scapular region, initial encounter
S52233A	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for closed fracture	T22291A	Burn of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter
S52233B	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	T22292A	Burn of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter
S52233C	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22299A	Burn of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter
S52234A	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for closed fracture	T2230XA d	Burn of third degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter
S52234B	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II	T22311A	Burn of third degree of right forearm, initial encounter

July 2016 344 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52234C	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22312A	Burn of third degree of left forearm, initial encounter	
S52235A	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for closed fracture	T22319A	Burn of third degree of unspecified forearm, initial encounter	
S52235B	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II	T22321A	Burn of third degree of right elbow, initial encounter	
S52235C	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22322A	Burn of third degree of left elbow, initial encounter	
S52236A	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for closed fracture	T22329A	Burn of third degree of unspecified elbow, initial encounter	
S52236B	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	T22331A	Burn of third degree of right upper arm, initial encounter	
S52236C	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22332A	Burn of third degree of left upper arm, initial encounter	
S52241A	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for closed fracture	T22339A	Burn of third degree of unspecified upper arm, initial encounter	

July 2016 345 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification  ty Indicators Appendices  vindicators.ahrq.gov	PSI Appendix G	
S52241B	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	T22341A	Burn of third degree of right axilla, initial encounter
S52241C	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22342A	Burn of third degree of left axilla, initial encounter
S52242A	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for closed fracture	T22349A	Burn of third degree of unspecified axilla, initial encounter
S52242B	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for of fracture type I or II	T22351A pen	Burn of third degree of right shoulder, initial encounter
S52242C	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for of fracture type IIIA, IIIB, or IIIC	T22352A pen	Burn of third degree of left shoulder, initial encounter
S52243A	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encount for closed fracture	T22359A ter	Burn of third degree of unspecified shoulder, initial encounter
S52243B	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounfor open fracture type I or II	T22361A ter	Burn of third degree of right scapular region, initial encounter
S52243C	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encount for open fracture type IIIA, IIIB, or I		Burn of third degree of left scapular region, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52244A	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for closed fracture	T22369A	Burn of third degree of unspecified scapular region, initial encounter	
S52244B	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	T22391A	Burn of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	
S52244C	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22392A	Burn of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	
S52245A	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for closed fracture	T22399A	Burn of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	
S52245B	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	T2240XA	Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	
S52245C	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22411A	Corrosion of unspecified degree of right forearm, initial encounter	
S52246A	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	T22412A	Corrosion of unspecified degree of left forearm, initial encounter	
S52246B	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	T22419A	Corrosion of unspecified degree of unspecified forearm, initial encounter	

July 2016 347 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52246C	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC		Corrosion of unspecified degree of right elbow, initial encounter	
S52251A	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for closed fracture	t T22422A	Corrosion of unspecified degree of left elbow, initial encounter	
S52251B	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	t T22429A	Corrosion of unspecified degree of unspecified elbow, initial encounter	
S52251C	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	t T22431A	Corrosion of unspecified degree of right upper arm, initial encounter	
S52252A	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for closed fracture	t T22432A	Corrosion of unspecified degree of left upper arm, initial encounter	
S52252B	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	t T22439A	Corrosion of unspecified degree of unspecified upper arm, initial encounter	
S52252C	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	t T22441A	Corrosion of unspecified degree of right axilla, initial encounter	
S52253A	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	t T22442A	Corrosion of unspecified degree of left axilla, initial encounter	

July 2016 348 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52253B	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	T22449A	Corrosion of unspecified degree of unspecified axilla, initial encounter	
S52253C	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22451A	Corrosion of unspecified degree of right shoulder, initial encounter	
S52254A	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for closed fracture	T22452A	Corrosion of unspecified degree of left shoulder, initial encounter	
S52254B	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	T22459A	Corrosion of unspecified degree of unspecified shoulder, initial encounter	
S52254C	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22461A	Corrosion of unspecified degree of right scapular region, initial encounter	
S52255A	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for closed fracture	T22462A	Corrosion of unspecified degree of left scapular region, initial encounter	
S52255B	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	T22469A	Corrosion of unspecified degree of unspecified scapular region, initial encounter	
S52255C	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22491A	Corrosion of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	

July 2016 349 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52256A	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	T22492A	Corrosion of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	
S52256B	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	T22499A	Corrosion of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	
S52256C	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T2250XA	Corrosion of first degree of shoulder and upper limb, except wrist and hand unspecified site, initial encounter	
S52261A	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for closed fracture	T22511A	Corrosion of first degree of right forearm, initial encounter	
S52261B	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	T22512A	Corrosion of first degree of left forearm, initial encounter	
S52261C	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22519A	Corrosion of first degree of unspecified forearm, initial encounter	
S52262A	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for closed fracture	T22521A	Corrosion of first degree of right elbow, initial encounter	
S52262B	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	T22522A	Corrosion of first degree of left elbow, initial encounter	

July 2016 350 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52262C	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22529A	Corrosion of first degree of unspecified elbow, initial encounter	
S52263A	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	T22531A	Corrosion of first degree of right upper arm, initial encounter	
S52263B	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	T22532A	Corrosion of first degree of left upper arm, initial encounter	
S52263C	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22539A	Corrosion of first degree of unspecified upper arm, initial encounter	
S52264A	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for closed fracture	T22541A	Corrosion of first degree of right axilla, initial encounter	
S52264B	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	T22542A	Corrosion of first degree of left axilla, initial encounter	
S52264C	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22549A	Corrosion of first degree of unspecified axilla, initial encounter	
S52265A	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for closed fracture	T22551A	Corrosion of first degree of right shoulder, initial encounter	

July 2016 351 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52265B	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	T22552A	Corrosion of first degree of left shoulder, initial encounter		
S52265C	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22559A	Corrosion of first degree of unspecified shoulder, initial encounter		
S52266A	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	T22561A	Corrosion of first degree of right scapular region, initial encounter		
S52266B	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	T22562A	Corrosion of first degree of left scapular region, initial encounter		
S52266C	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22569A	Corrosion of first degree of unspecified scapular region, initial encounter		
S52271A	Monteggias fracture of right ulna, initial encounter for closed fracture	T22591A	Corrosion of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter		
S52271B	Monteggias fracture of right ulna, initial encounter for open fracture type I or II	T22592A	Corrosion of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter		
S52271C	Monteggias fracture of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22599A	Corrosion of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter		

July 2016 352 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52272A	Monteggias fracture of left ulna, initial encounter for closed fracture	T2260XA	Corrosion of second degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	
S52272B	Monteggias fracture of left ulna, initial encounter for open fracture type I or II	T22611A	Corrosion of second degree of right forearm, initial encounter	
S52272C	Monteggias fracture of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22612A	Corrosion of second degree of left forearm, initial encounter	
S52279A	Monteggias fracture of unspecified ulna, initial encounter for closed fracture	T22619A	Corrosion of second degree of unspecified forearm, initial encounter	
S52279B	Monteggias fracture of unspecified ulna, initial encounter for open fracture type I or II	T22621A	Corrosion of second degree of right elbow, initial encounter	
S52279C	Monteggias fracture of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22622A	Corrosion of second degree of left elbow, initial encounter	
S52281A	Bent bone of right ulna, initial encounter for closed fracture	T22629A	Corrosion of second degree of unspecified elbow, initial encounter	
S52281B	Bent bone of right ulna, initial encounter for open fracture type I or II	T22631A	Corrosion of second degree of right upper arm, initial encounter	

July 2016 353 of 434

www. quality indicators. a hrq. gov

	13		
S52281C	Bent bone of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22632A	Corrosion of second degree of left upper arm, initial encounter
S52282A	Bent bone of left ulna, initial encounter for closed fracture	T22639A	Corrosion of second degree of unspecified upper arm, initial encounter
S52282B	Bent bone of left ulna, initial encounter for open fracture type I or II	T22641A	Corrosion of second degree of right axilla, initial encounter
S52282C	Bent bone of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22642A	Corrosion of second degree of left axilla, initial encounter
S52283A	Bent bone of unspecified ulna, initial encounter for closed fracture	T22649A	Corrosion of second degree of unspecified axilla, initial encounter
S52283B	Bent bone of unspecified ulna, initial encounter for open fracture type I or II	T22651A	Corrosion of second degree of right shoulder, initial encounter
S52283C	Bent bone of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22652A	Corrosion of second degree of left shoulder, initial encounter
S52291A	Other fracture of shaft of right ulna, initial encounter for closed fracture	T22659A	Corrosion of second degree of unspecified shoulder, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52291B	Other fracture of shaft of right ulna, initial encounter for open fracture type I or II	T22661A	Corrosion of second degree of right scapular region, initial encounter	
S52291C	Other fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22662A	Corrosion of second degree of left scapular region, initial encounter	
S52292A	Other fracture of shaft of left ulna, initial encounter for closed fracture	T22669A	Corrosion of second degree of unspecified scapular region, initial encounter	
S52292B	Other fracture of shaft of left ulna, initial encounter for open fracture type I or II	T22691A	Corrosion of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	
S52292C	Other fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22692A	Corrosion of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	
S52299A	Other fracture of shaft of unspecified ulna, initial encounter for closed fracture	T22699A	Corrosion of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	
S52299B	Other fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	T2270XA	Corrosion of third degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	
S52299C	Other fracture of shaft of unspecified	T22711A	Corrosion of third degree of right	

ulna, initial encounter for open fracture

type IIIA, IIIB, or IIIC

July 2016 355 of 434

forearm, initial encounter

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52301A	Unspecified fracture of shaft of right radius, initial encounter for closed fracture	T22712A	Corrosion of third degree of left forearm, initial encounter		
S52301B	Unspecified fracture of shaft of right radius, initial encounter for open fracture type I or II	T22719A	Corrosion of third degree of unspecified forearm, initial encounter		
S52301C	Unspecified fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22721A	Corrosion of third degree of right elbow, initial encounter		
S52302A	Unspecified fracture of shaft of left radius, initial encounter for closed fracture	T22722A	Corrosion of third degree of left elbow, initial encounter		
S52302B	Unspecified fracture of shaft of left radius, initial encounter for open fracture type I or II	T22729A	Corrosion of third degree of unspecified elbow, initial encounter		
\$52302C	Unspecified fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22731A	Corrosion of third degree of right upper arm, initial encounter		
S52309A	Unspecified fracture of shaft of unspecified radius, initial encounter for closed fracture	T22732A	Corrosion of third degree of left upper arm, initial encounter		
S52309B	Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	T22739A	Corrosion of third degree of unspecified upper arm, initial encounter		

July 2016 356 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52309C	Unspecified fracture of shaft of unspecified radius, initial encounter open fracture type IIIA, IIIB, or IIIC		Corrosion of third degree of right axilla, initial encounter	
S52311A	Greenstick fracture of shaft of radius right arm, initial encounter for closed fracture		Corrosion of third degree of left axilla, initial encounter	
S52312A	Greenstick fracture of shaft of radius left arm, initial encounter for closed fracture	s, T22749A	Corrosion of third degree of unspecified axilla, initial encounter	
S52319A	Greenstick fracture of shaft of radius unspecified arm, initial encounter for closed fracture	·	Corrosion of third degree of right shoulder, initial encounter	
S52321A	Displaced transverse fracture of shaf right radius, initial encounter for clos fracture		Corrosion of third degree of left shoulder, initial encounter	
S52321B	Displaced transverse fracture of shaf right radius, initial encounter for ope fracture type I or II		Corrosion of third degree of unspecified shoulder, initial encounter	
S52321C	Displaced transverse fracture of shaf right radius, initial encounter for ope fracture type IIIA, IIIB, or IIIC		Corrosion of third degree of right scapular region, initial encounter	
S52322A	Displaced transverse fracture of shaf- left radius, initial encounter for close fracture		Corrosion of third degree of left scapular region, initial encounter	

July 2016 357 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov						
S52322B	Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II	T22769A	Corrosion of third degree of unspecified scapular region, initial encounter			
S52322C	Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T22791A	Corrosion of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter			
S52323A	Displaced transverse fracture of shaft of unspecified radius, initial encounter for closed fracture	T22792A	Corrosion of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter			
S52323B	Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	T22799A	Corrosion of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter			
S52323C	Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23001A	Burn of unspecified degree of right hand, unspecified site, initial encounter			
S52324A	Nondisplaced transverse fracture of shaft of right radius, initial encounter for closed fracture	T23002A	Burn of unspecified degree of left hand, unspecified site, initial encounter			
S52324B	Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II	T23009A	Burn of unspecified degree of unspecified hand, unspecified site, initial encounter			
S52324C	Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23011A	Burn of unspecified degree of right thumb (nail), initial encounter			

July 2016 358 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PS ty Indicators Appendices yindicators.ahrq.gov	SI Appendix G	
S52325A	Nondisplaced transverse fracture of shaft of left radius, initial encounter fo closed fracture	T23012A	Burn of unspecified degree of left thumb (nail), initial encounter
S52325B	Nondisplaced transverse fracture of shaft of left radius, initial encounter fo open fracture type I or II	T23019A or	Burn of unspecified degree of unspecified thumb (nail), initial encounter
S52325C	Nondisplaced transverse fracture of shaft of left radius, initial encounter fo open fracture type IIIA, IIIB, or IIIC	T23021A	Burn of unspecified degree of single right finger (nail) except thumb, initial encounter
S52326A	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for closed fracture	T23022A	Burn of unspecified degree of single left finger (nail) except thumb, initial encounter
S52326B	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	T23029A I	Burn of unspecified degree of unspecified single finger (nail) except thumb, initial encounter
S52326C	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23031A	Burn of unspecified degree of multiple right fingers (nail), not including thumb, initial encounter
S52331A	Displaced oblique fracture of shaft of right radius, initial encounter for close fracture		Burn of unspecified degree of multiple left fingers (nail), not including thumb, initial encounter
S52331B	Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II		Burn of unspecified degree of unspecified multiple fingers (nail), not including thumb, initial encounter

July 2016 359 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S52331C	Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23041A	Burn of unspecified degree of multiple right fingers (nail), including thumb, initial encounter		
S52332A	Displaced oblique fracture of shaft of left radius, initial encounter for closed fracture	T23042A	Burn of unspecified degree of multiple left fingers (nail), including thumb, initial encounter		
S52332B	Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II	T23049A	Burn of unspecified degree of unspecified multiple fingers (nail), including thumb, initial encounter		
S52332C	Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23051A	Burn of unspecified degree of right palm, initial encounter		
S52333A	Displaced oblique fracture of shaft of unspecified radius, initial encounter for closed fracture	T23052A	Burn of unspecified degree of left palm, initial encounter		
S52333B	Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	T23059A	Burn of unspecified degree of unspecified palm, initial encounter		
S52333C	Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23061A	Burn of unspecified degree of back of right hand, initial encounter		
S52334A	Nondisplaced oblique fracture of shaft of right radius, initial encounter for closed fracture	T23062A	Burn of unspecified degree of back of left hand, initial encounter		

July 2016 360 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52334B	Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II	T23069A	Burn of unspecified degree of back of unspecified hand, initial encounter	
S52334C	Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23071A	Burn of unspecified degree of right wrist, initial encounter	
S52335A	Nondisplaced oblique fracture of shaft of left radius, initial encounter for closed fracture	T23072A	Burn of unspecified degree of left wrist, initial encounter	
S52335B	Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II	T23079A	Burn of unspecified degree of unspecified wrist, initial encounter	
S52335C	Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23091A	Burn of unspecified degree of multiple sites of right wrist and hand, initial encounter	
S52336A	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for closed fracture	T23092A	Burn of unspecified degree of multiple sites of left wrist and hand, initial encounter	
S52336B	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	T23099A	Burn of unspecified degree of multiple sites of unspecified wrist and hand, initial encounter	
S52336C	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23101A	Burn of first degree of right hand, unspecified site, initial encounter	

July 2016 361 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52341A	Displaced spiral fracture of shaft of radius, right arm, initial encounter for closed fracture	T23102A	Burn of first degree of left hand, unspecified site, initial encounter	
S52341B	Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	T23109A	Burn of first degree of unspecified hand, unspecified site, initial encounter	
S52341C	Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23111A	Burn of first degree of right thumb (nail), initial encounter	
S52342A	Displaced spiral fracture of shaft of radius, left arm, initial encounter for closed fracture	T23112A	Burn of first degree of left thumb (nail), initial encounter	
S52342B	Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	T23119A	Burn of first degree of unspecified thumb (nail), initial encounter	
S52342C	Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23121A	Burn of first degree of single right finger (nail) except thumb, initial encounter	
S52343A	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	T23122A	Burn of first degree of single left finger (nail) except thumb, initial encounter	
S52343B	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	T23129A	Burn of first degree of unspecified single finger (nail) except thumb, initial encounter	

July 2016 362 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S52343C	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23131A	Burn of first degree of multiple right fingers (nail), not including thumb, initial encounter
S52344A	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for closed fracture	T23132A	Burn of first degree of multiple left fingers (nail), not including thumb, initial encounter
S52344B	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	T23139A	Burn of first degree of unspecified multiple fingers (nail), not including thumb, initial encounter
S52344C	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23141A	Burn of first degree of multiple right fingers (nail), including thumb, initial encounter
S52345A	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for closed fracture	T23142A	Burn of first degree of multiple left fingers (nail), including thumb, initial encounter
S52345B	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	T23149A	Burn of first degree of unspecified multiple fingers (nail), including thumb, initial encounter
S52345C	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23151A	Burn of first degree of right palm, initial encounter
S52346A	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	T23152A	Burn of first degree of left palm, initial encounter

July 2016 363 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S52346B	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	T23159A	Burn of first degree of unspecified palm, initial encounter
S52346C	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23161A	Burn of first degree of back of right hand, initial encounter
S52351A	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for closed fracture		Burn of first degree of back of left hand, initial encounter
S52351B	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II		Burn of first degree of back of unspecified hand, initial encounter
S52351C	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC		Burn of first degree of right wrist, initial encounter
S52352A	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for closed fracture	T23172A	Burn of first degree of left wrist, initial encounter
S52352B	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	T23179A	Burn of first degree of unspecified wrist, initial encounter
S52352C	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	t T23191A	Burn of first degree of multiple sites of right wrist and hand, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov			
S52353A	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	T23192A	Burn of first degree of multiple sites of left wrist and hand, initial encounter
S52353B	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	T23199A	Burn of first degree of multiple sites of unspecified wrist and hand, initial encounter
S52353C	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23201A	Burn of second degree of right hand, unspecified site, initial encounter
S52354A	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for closed fracture	T23202A	Burn of second degree of left hand, unspecified site, initial encounter
S52354B	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	T23209A	Burn of second degree of unspecified hand, unspecified site, initial encounter
S52354C	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23211A	Burn of second degree of right thumb (nail), initial encounter
S52355A	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for closed fracture	T23212A	Burn of second degree of left thumb (nail), initial encounter
S52355B	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	T23219A	Burn of second degree of unspecified thumb (nail), initial encounter

July 2016 365 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52355C	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23221A	Burn of second degree of single right finger (nail) except thumb, initial encounter	
S52356A	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	T23222A	Burn of second degree of single left finger (nail) except thumb, initial encounter	
S52356B	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	T23229A	Burn of second degree of unspecified single finger (nail) except thumb, initial encounter	
S52356C	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23231A	Burn of second degree of multiple right fingers (nail), not including thumb, initial encounter	
S52361A	Displaced segmental fracture of shaft of radius, right arm, initial encounter for closed fracture	T23232A	Burn of second degree of multiple left fingers (nail), not including thumb, initial encounter	
S52361B	Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	T23239A	Burn of second degree of unspecified multiple fingers (nail), not including thumb, initial encounter	
S52361C	Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23241A	Burn of second degree of multiple right fingers (nail), including thumb, initial encounter	
S52362A	Displaced segmental fracture of shaft of radius, left arm, initial encounter for closed fracture	T23242A	Burn of second degree of multiple left fingers (nail), including thumb, initial encounter	

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov		
S52362B	Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	T23249A	Burn of second degree of unspecified multiple fingers (nail), including thumb, initial encounter
S52362C	Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23251A	Burn of second degree of right palm, initial encounter
S52363A	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	T23252A	Burn of second degree of left palm, initial encounter
S52363B	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	T23259A	Burn of second degree of unspecified palm, initial encounter
S52363C	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23261A	Burn of second degree of back of right hand, initial encounter
S52364A	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for closed fracture	T23262A	Burn of second degree of back of left hand, initial encounter
S52364B	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	T23269A	Burn of second degree of back of unspecified hand, initial encounter
S52364C	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23271A	Burn of second degree of right wrist, initial encounter

July 2016 367 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification ty Indicators Appendices vindicators.ahrq.gov	PSI Appendix G	
S52365A	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for closed fracture	f T23272A	Burn of second degree of left wrist, initial encounter
S52365B	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I o		Burn of second degree of unspecified wrist, initial encounter
S52365C	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type III. IIIB, or IIIC		Burn of second degree of multiple sites of right wrist and hand, initial encounter
S52366A	Nondisplaced segmental fracture of shaft of radius, unspecified arm, ini encounter for closed fracture		Burn of second degree of multiple sites of left wrist and hand, initial encounter
S52366B	Nondisplaced segmental fracture of shaft of radius, unspecified arm, ini encounter for open fracture type I o	itial	Burn of second degree of multiple sites of unspecified wrist and hand, initial encounter
S52366C	Nondisplaced segmental fracture of shaft of radius, unspecified arm, ini encounter for open fracture type III. IIIB, or IIIC	itial	Burn of third degree of right hand, unspecified site, initial encounter
S52371A	Galeazzis fracture of right radius, in encounter for closed fracture	nitial T23302A	Burn of third degree of left hand, unspecified site, initial encounter
S52371B	Galeazzis fracture of right radius, in encounter for open fracture type I o		Burn of third degree of unspecified hand, unspecified site, initial encounter

July 2016 368 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52371C	Galeazzis fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23311A	Burn of third degree of right thumb (nail), initial encounter	
S52372A	Galeazzis fracture of left radius, initial encounter for closed fracture	T23312A	Burn of third degree of left thumb (nail), initial encounter	
S52372B	Galeazzis fracture of left radius, initial encounter for open fracture type I or II	T23319A	Burn of third degree of unspecified thumb (nail), initial encounter	
S52372C	Galeazzis fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23321A	Burn of third degree of single right finger (nail) except thumb, initial encounter	
S52379A	Galeazzis fracture of unspecified radius, initial encounter for closed fracture	T23322A	Burn of third degree of single left finger (nail) except thumb, initial encounter	
S52379B	Galeazzis fracture of unspecified radius, initial encounter for open fracture type I or II	T23329A	Burn of third degree of unspecified single finger (nail) except thumb, initial encounter	
S52379C	Galeazzis fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23331A	Burn of third degree of multiple right fingers (nail), not including thumb, initial encounter	
S52381A	Bent bone of right radius, initial encounter for closed fracture	T23332A	Burn of third degree of multiple left fingers (nail), not including thumb, initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification PS Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov			PSI Appendix G	
	S52381B	Bent bone of right radius, initial encounter for open fracture type I o	T23339A or II	Burn of third degree of unspecified multiple fingers (nail), not including thumb, initial encounter
	S52381C	Bent bone of right radius, initial encounter for open fracture type III IIIB, or IIIC	T23341A A,	Burn of third degree of multiple right fingers (nail), including thumb, initial encounter
	S52382A	Bent bone of left radius, initial encounter for closed fracture	T23342A	Burn of third degree of multiple left fingers (nail), including thumb, initial encounter
	S52382B	Bent bone of left radius, initial encounter for open fracture type I o	T23349A or II	Burn of third degree of unspecified multiple fingers (nail), including thumb, initial encounter
	S52382C	Bent bone of left radius, initial encounter for open fracture type III IIIB, or IIIC	T23351A A,	Burn of third degree of right palm, initial encounter
	S52389A	Bent bone of unspecified radius, in encounter for closed fracture	itial T23352A	Burn of third degree of left palm, initial encounter
	S52389B	Bent bone of unspecified radius, in encounter for open fracture type I o		Burn of third degree of unspecified palm, initial encounter
	S52389C	Bent bone of unspecified radius, in encounter for open fracture type III IIIB, or IIIC		Burn of third degree of back of right hand, initial encounter

July 2016 370 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52391A	Other fracture of shaft of radius, right arm, initial encounter for closed fracture	T23362A	Burn of third degree of back of left hand, initial encounter	
S52391B	Other fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	T23369A	Burn of third degree of back of unspecified hand, initial encounter	
S52391C	Other fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23371A	Burn of third degree of right wrist, initial encounter	
S52392A	Other fracture of shaft of radius, left arm, initial encounter for closed fracture	T23372A	Burn of third degree of left wrist, initial encounter	
S52392B	Other fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	T23379A	Burn of third degree of unspecified wrist, initial encounter	
S52392C	Other fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23391A	Burn of third degree of multiple sites of right wrist and hand, initial encounter	
S52399A	Other fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	T23392A	Burn of third degree of multiple sites of left wrist and hand, initial encounter	
S52399B	Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	T23399A	Burn of third degree of multiple sites of unspecified wrist and hand, initial encounter	

July 2016 371 of 434

Version 6.0 Patient Safe	ty Indicators Appendices vindicators.ahrq.gov	CHUIX G	
S52399C	Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23401A	Corrosion of unspecified degree of right hand, unspecified site, initial encounter
S52501A	Unspecified fracture of the lower end of right radius, initial encounter for closed fracture	T23402A	Corrosion of unspecified degree of left hand, unspecified site, initial encounter
S52501B	Unspecified fracture of the lower end of right radius, initial encounter for open fracture type I or II	T23409A	Corrosion of unspecified degree of unspecified hand, unspecified site, initial encounter
S52501C	Unspecified fracture of the lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23411A	Corrosion of unspecified degree of right thumb (nail), initial encounter
S52502A	Unspecified fracture of the lower end of left radius, initial encounter for closed fracture	T23412A	Corrosion of unspecified degree of left thumb (nail), initial encounter
S52502B	Unspecified fracture of the lower end of left radius, initial encounter for open fracture type I or II	T23419A	Corrosion of unspecified degree of unspecified thumb (nail), initial encounter
S52502C	Unspecified fracture of the lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23421A	Corrosion of unspecified degree of single right finger (nail) except thumb, initial encounter
S52509A	Unspecified fracture of the lower end of unspecified radius, initial encounter for closed fracture	T23422A	Corrosion of unspecified degree of single left finger (nail) except thumb, initial encounter

PSI Appendix G

AHRQ QI™ ICD-10-CM/PCS Specification

July 2016 372 of 434

Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov					
S52509B	Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type I or II	T23429A	Corrosion of unspecified degree of unspecified single finger (nail) except thumb, initial encounter		
S52509C	Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23431A	Corrosion of unspecified degree of multiple right fingers (nail), not including thumb, initial encounter		
S52511A	Displaced fracture of right radial styloid process, initial encounter for closed fracture	T23432A	Corrosion of unspecified degree of multiple left fingers (nail), not including thumb, initial encounter		
S52511B	Displaced fracture of right radial styloid process, initial encounter for open fracture type I or II	T23439A	Corrosion of unspecified degree of unspecified multiple fingers (nail), not including thumb, initial encounter		
S52511C	Displaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23441A	Corrosion of unspecified degree of multiple right fingers (nail), including thumb, initial encounter		
S52512A	Displaced fracture of left radial styloid process, initial encounter for closed fracture	T23442A	Corrosion of unspecified degree of multiple left fingers (nail), including thumb, initial encounter		
S52512B	Displaced fracture of left radial styloid process, initial encounter for open fracture type I or II	T23449A	Corrosion of unspecified degree of unspecified multiple fingers (nail), including thumb, initial encounter		
S52512C	Displaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23451A	Corrosion of unspecified degree of right palm, initial encounter		

PSI Appendix G

AHRQ QI™ ICD-10-CM/PCS Specification

July 2016 373 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52513A	Displaced fracture of unspecified radial styloid process, initial encounter for closed fracture	T23452A	Corrosion of unspecified degree of left palm, initial encounter	
S52513B	Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II	T23459A	Corrosion of unspecified degree of unspecified palm, initial encounter	
S52513C	Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23461A	Corrosion of unspecified degree of back of right hand, initial encounter	
S52514A	Nondisplaced fracture of right radial styloid process, initial encounter for closed fracture	T23462A	Corrosion of unspecified degree of back of left hand, initial encounter	
S52514B	Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type I or II	T23469A	Corrosion of unspecified degree of back of unspecified hand, initial encounter	
S52514C	Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23471A	Corrosion of unspecified degree of right wrist, initial encounter	
S52515A	Nondisplaced fracture of left radial styloid process, initial encounter for closed fracture	T23472A	Corrosion of unspecified degree of left wrist, initial encounter	
S52515B	Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type I or II	T23479A	Corrosion of unspecified degree of unspecified wrist, initial encounter	

July 2016 374 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52515C	Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23491A	Corrosion of unspecified degree of multiple sites of right wrist and hand, initial encounter	
S52516A	Nondisplaced fracture of unspecified radial styloid process, initial encounter for closed fracture	T23492A	Corrosion of unspecified degree of multiple sites of left wrist and hand, initial encounter	
S52516B	Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II	T23499A	Corrosion of unspecified degree of multiple sites of unspecified wrist and hand, initial encounter	
S52516C	Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23501A	Corrosion of first degree of right hand, unspecified site, initial encounter	
S52521A	Torus fracture of lower end of right radius, initial encounter for closed fracture	T23502A	Corrosion of first degree of left hand, unspecified site, initial encounter	
S52522A	Torus fracture of lower end of left radius, initial encounter for closed fracture	T23509A	Corrosion of first degree of unspecified hand, unspecified site, initial encounter	
S52529A	Torus fracture of lower end of unspecified radius, initial encounter for closed fracture	T23511A	Corrosion of first degree of right thumb (nail), initial encounter	
S52531A	Colles fracture of right radius, initial encounter for closed fracture	T23512A	Corrosion of first degree of left thumb (nail), initial encounter	

July 2016 375 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S52531B	Colles fracture of right radius, initial encounter for open fracture type I or		Corrosion of first degree of unspecified thumb (nail), initial encounter
S52531C	Colles fracture of right radius, initial encounter for open fracture type IIIA IIIB, or IIIC		Corrosion of first degree of single right finger (nail) except thumb, initial encounter
S52532A	Colles fracture of left radius, initial encounter for closed fracture	T23522A	Corrosion of first degree of single left finger (nail) except thumb, initial encounter
S52532B	Colles fracture of left radius, initial encounter for open fracture type I or	T23529A II	Corrosion of first degree of unspecified single finger (nail) except thumb, initial encounter
S52532C	Colles fracture of left radius, initial encounter for open fracture type IIIA IIIB, or IIIC	T23531A	Corrosion of first degree of multiple right fingers (nail), not including thumb, initial encounter
S52539A	Colles fracture of unspecified radius, initial encounter for closed fracture	T23532A	Corrosion of first degree of multiple left fingers (nail), not including thumb, initial encounter
S52539B	Colles fracture of unspecified radius, initial encounter for open fracture typor II		Corrosion of first degree of unspecified multiple fingers (nail), not including thumb, initial encounter
S52539C	Colles fracture of unspecified radius, initial encounter for open fracture typ IIIA, IIIB, or IIIC		Corrosion of first degree of multiple right fingers (nail), including thumb, initial encounter

July 2016 376 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S52541A	Smiths fracture of right radius, initi encounter for closed fracture	al T23542A	Corrosion of first degree of multiple left fingers (nail), including thumb, initial encounter
S52541B	Smiths fracture of right radius, initi encounter for open fracture type I o		Corrosion of first degree of unspecified multiple fingers (nail), including thumb, initial encounter
S52541C	Smiths fracture of right radius, initi encounter for open fracture type IIL IIIB, or IIIC		Corrosion of first degree of right palm, initial encounter
S52542A	Smiths fracture of left radius, initial encounter for closed fracture	T23552A	Corrosion of first degree of left palm, initial encounter
S52542B	Smiths fracture of left radius, initial encounter for open fracture type I o		Corrosion of first degree of unspecified palm, initial encounter
S52542C	Smiths fracture of left radius, initial encounter for open fracture type III. IIIB, or IIIC		Corrosion of first degree of back of right hand, initial encounter
S52549A	Smiths fracture of unspecified radiu initial encounter for closed fracture	rs, T23562A	Corrosion of first degree of back of left hand, initial encounter
S52549B	Smiths fracture of unspecified radiu initial encounter for open fracture ty or II		Corrosion of first degree of back of unspecified hand, initial encounter

July 2016 377 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
\$52549C	Smiths fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23571A	Corrosion of first degree of right wrist, initial encounter	
S52551A	Other extraarticular fracture of lower end of right radius, initial encounter for closed fracture	T23572A	Corrosion of first degree of left wrist, initial encounter	
S52551B	Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II	T23579A	Corrosion of first degree of unspecified wrist, initial encounter	
\$52551C	Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23591A	Corrosion of first degree of multiple sites of right wrist and hand, initial encounter	
S52552A	Other extraarticular fracture of lower end of left radius, initial encounter for closed fracture	T23592A	Corrosion of first degree of multiple sites of left wrist and hand, initial encounter	
S52552B	Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II	T23599A	Corrosion of first degree of multiple sites of unspecified wrist and hand, initial encounter	
S52552C	Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23601A	Corrosion of second degree of right hand, unspecified site, initial encounter	
S52559A	Other extraarticular fracture of lower end of unspecified radius, initial encounter for closed fracture	T23602A	Corrosion of second degree of left hand, unspecified site, initial encounter	

July 2016 378 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52559B	Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II	T23609A	Corrosion of second degree of unspecified hand, unspecified site, initial encounter	
S52559C	Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23611A	Corrosion of second degree of right thumb (nail), initial encounter	
S52561A	Bartons fracture of right radius, initial encounter for closed fracture	T23612A	Corrosion of second degree of left thumb (nail), initial encounter	
S52561B	Bartons fracture of right radius, initial encounter for open fracture type I or II	T23619A	Corrosion of second degree of unspecified thumb (nail), initial encounter	
S52561C	Bartons fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23621A	Corrosion of second degree of single right finger (nail) except thumb, initial encounter	
S52562A	Bartons fracture of left radius, initial encounter for closed fracture	T23622A	Corrosion of second degree of single left finger (nail) except thumb, initial encounter	
S52562B	Bartons fracture of left radius, initial encounter for open fracture type I or II	T23629A	Corrosion of second degree of unspecified single finger (nail) except thumb, initial encounter	
S52562C	Bartons fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23631A	Corrosion of second degree of multiple right fingers (nail), not including thumb, initial encounter	

July 2016 379 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S52569A	Bartons fracture of unspecified radius, initial encounter for closed fracture	T23632A	Corrosion of second degree of multiple left fingers (nail), not including thumb, initial encounter		
S52569B	Bartons fracture of unspecified radius, initial encounter for open fracture type I or II	T23639A	Corrosion of second degree of unspecified multiple fingers (nail), not including thumb, initial encounter		
S52569C	Bartons fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23641A	Corrosion of second degree of multiple right fingers (nail), including thumb, initial encounter		
S52571A	Other intraarticular fracture of lower end of right radius, initial encounter for closed fracture	T23642A	Corrosion of second degree of multiple left fingers (nail), including thumb, initial encounter		
S52571B	Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II	T23649A	Corrosion of second degree of unspecified multiple fingers (nail), including thumb, initial encounter		
S52571C	Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23651A	Corrosion of second degree of right palm, initial encounter		
S52572A	Other intraarticular fracture of lower end of left radius, initial encounter for closed fracture	T23652A	Corrosion of second degree of left palm, initial encounter		

T23659A

S52572B

Other intraarticular fracture of lower

open fracture type I or II

end of left radius, initial encounter for

July 2016 380 of 434

Corrosion of second degree of

unspecified palm, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52572C	Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23661A	Corrosion of second degree back of right hand, initial encounter	
S52579A	Other intraarticular fracture of lower end of unspecified radius, initial encounter for closed fracture	T23662A	Corrosion of second degree back of left hand, initial encounter	
S52579B	Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II	T23669A	Corrosion of second degree back of unspecified hand, initial encounter	
S52579C	Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23671A	Corrosion of second degree of right wrist, initial encounter	
S52591A	Other fractures of lower end of right radius, initial encounter for closed fracture	T23672A	Corrosion of second degree of left wrist, initial encounter	
S52591B	Other fractures of lower end of right radius, initial encounter for open fracture type I or II	T23679A	Corrosion of second degree of unspecified wrist, initial encounter	
S52591C	Other fractures of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23691A	Corrosion of second degree of multiple sites of right wrist and hand, initial encounter	
S52592A	Other fractures of lower end of left radius, initial encounter for closed fracture	T23692A	Corrosion of second degree of multiple sites of left wrist and hand, initial encounter	

July 2016 381 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S52592B	Other fractures of lower end of left radius, initial encounter for open fracture type I or II	T23699A	Corrosion of second degree of multiple sites of unspecified wrist and hand, initial encounter
S52592C	Other fractures of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23701A	Corrosion of third degree of right hand, unspecified site, initial encounter
S52599A	Other fractures of lower end of unspecified radius, initial encounte closed fracture	T23702A	Corrosion of third degree of left hand, unspecified site, initial encounter
S52599B	Other fractures of lower end of unspecified radius, initial encounte open fracture type I or II	T23709A or for	Corrosion of third degree of unspecified hand, unspecified site, initial encounter
S52599C	Other fractures of lower end of unspecified radius, initial encounte open fracture type IIIA, IIIB, or III0		Corrosion of third degree of right thumb (nail), initial encounter
S52601A	Unspecified fracture of lower end or right ulna, initial encounter for clos fracture		Corrosion of third degree of left thumb (nail), initial encounter
S52601B	Unspecified fracture of lower end or right ulna, initial encounter for ope fracture type I or II		Corrosion of third degree of unspecified thumb (nail), initial encounter
S52601C	Unspecified fracture of lower end or right ulna, initial encounter for ope fracture type IIIA, IIIB, or IIIC		Corrosion of third degree of single right finger (nail) except thumb, initial encounter

July 2016 382 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52602A	Unspecified fracture of lower end of left ulna, initial encounter for closed fracture	T23722A	Corrosion of third degree of single left finger (nail) except thumb, initial encounter	
S52602B	Unspecified fracture of lower end of left ulna, initial encounter for open fracture type I or II	T23729A	Corrosion of third degree of unspecified single finger (nail) except thumb, initial encounter	
S52602C	Unspecified fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23731A	Corrosion of third degree of multiple right fingers (nail), not including thumb, initial encounter	
S52609A	Unspecified fracture of lower end of unspecified ulna, initial encounter for closed fracture	T23732A	Corrosion of third degree of multiple left fingers (nail), not including thumb, initial encounter	
S52609B	Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II	T23739A	Corrosion of third degree of unspecified multiple fingers (nail), not including thumb, initial encounter	
S52609C	Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23741A	Corrosion of third degree of multiple right fingers (nail), including thumb, initial encounter	
S52611A	Displaced fracture of right ulna styloid process, initial encounter for closed fracture	T23742A	Corrosion of third degree of multiple left fingers (nail), including thumb, initial encounter	
S52611B	Displaced fracture of right ulna styloid	T23749A	Corrosion of third degree of unspecified	

process, initial encounter for open

fracture type I or II

July 2016 383 of 434

initial encounter

multiple fingers (nail), including thumb,

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52611C	Displaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23751A	Corrosion of third degree of right palm, initial encounter	
S52612A	Displaced fracture of left ulna styloid process, initial encounter for closed fracture	T23752A	Corrosion of third degree of left palm, initial encounter	
S52612B	Displaced fracture of left ulna styloid process, initial encounter for open fracture type I or II	T23759A	Corrosion of third degree of unspecified palm, initial encounter	
S52612C	Displaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23761A	Corrosion of third degree of back of right hand, initial encounter	
S52613A	Displaced fracture of unspecified ulna styloid process, initial encounter for closed fracture	T23762A	Corrosion of third degree of back of left hand, initial encounter	
S52613B	Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II	T23769A	Corrosion of third degree back of unspecified hand, initial encounter	
S52613C	Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23771A	Corrosion of third degree of right wrist, initial encounter	
S52614A	Nondisplaced fracture of right ulna styloid process, initial encounter for closed fracture	T23772A	Corrosion of third degree of left wrist, initial encounter	

July 2016 384 of 434

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S52614B	Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type I or II	T23779A	Corrosion of third degree of unspecified wrist, initial encounter
S52614C	Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T23791A	Corrosion of third degree of multiple sites of right wrist and hand, initial encounter
S52615A	Nondisplaced fracture of left ulna styloid process, initial encounter for closed fracture	T23792A	Corrosion of third degree of multiple sites of left wrist and hand, initial encounter
S52615B	Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type I or II	T23799A	Corrosion of third degree of multiple sites of unspecified wrist and hand, initial encounter
S52615C	Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T24001A	Burn of unspecified degree of unspecified site of right lower limb, except ankle and foot, initial encounter
S52616A	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for closed fracture	T24002A	Burn of unspecified degree of unspecified site of left lower limb, except ankle and foot, initial encounter
S52616B	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II	T24009A	Burn of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter
S52616C	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	T24011A	Burn of unspecified degree of right thigh, initial encounter

July 2016 385 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S52621A	Torus fracture of lower end of right ulna, initial encounter for closed fracture	T24012A	Burn of unspecified degree of left thigh, initial encounter	
S52622A	Torus fracture of lower end of left ulna, initial encounter for closed fracture	T24019A	Burn of unspecified degree of unspecified thigh, initial encounter	
S52629A	Torus fracture of lower end of unspecified ulna, initial encounter for closed fracture	T24021A	Burn of unspecified degree of right knee, initial encounter	
S52691A	Other fracture of lower end of right ulna, initial encounter for closed fracture	T24022A	Burn of unspecified degree of left knee, initial encounter	
S52691B	Other fracture of lower end of right ulna, initial encounter for open fracture type I or II	T24029A	Burn of unspecified degree of unspecified knee, initial encounter	
S52691C	Other fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T24031A	Burn of unspecified degree of right lower leg, initial encounter	
S52692A	Other fracture of lower end of left ulna, initial encounter for closed fracture	T24032A	Burn of unspecified degree of left lower leg, initial encounter	
S52692B	Other fracture of lower end of left ulna, initial encounter for open fracture type I or II	T24039A	Burn of unspecified degree of unspecified lower leg, initial encounter	

AHRQ QI™ I	CD-10-CM/PCS Specification
Version 6.0	
Patient Safe	ty Indicators Appendices
www.quality	yindicators.ahrq.gov
S52692C	Other freetyre of levyer en
332092C	Other fracture of lower end
	initial encounter for open f

PSI	Αr	pe	nd	ix	G
	, ,b	γPC	ıи	1/	v

S52692C	Other fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T24091A	Burn of unspecified degree of multiple sites of right lower limb, except ankle and foot, initial encounter
S52699A	Other fracture of lower end of unspecified ulna, initial encounter for closed fracture	T24092A	Burn of unspecified degree of multiple sites of left lower limb, except ankle and foot, initial encounter
S52699B	Other fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II	T24099A	Burn of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter
S52699C	Other fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	T24101A	Burn of first degree of unspecified site of right lower limb, except ankle and foot, initial encounter
S5290XA	Unspecified fracture of unspecified forearm, initial encounter for closed fracture	T24102A	Burn of first degree of unspecified site of left lower limb, except ankle and foot, initial encounter
S5290XB	Unspecified fracture of unspecified forearm, initial encounter for open fracture type I or II	T24109A	Burn of first degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter
S5290XC	Unspecified fracture of unspecified forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T24111A	Burn of first degree of right thigh, initial encounter
S5291XA	Unspecified fracture of right forearm, initial encounter for closed fracture	T24112A	Burn of first degree of left thigh, initial encounter

July 2016 387 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S5291XB	Unspecified fracture of right forearm, initial encounter for open fracture type I or II	T24119A	Burn of first degree of unspecified thigh, initial encounter		
S5291XC	Unspecified fracture of right forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T24121A	Burn of first degree of right knee, initial encounter		
S5292XA	Unspecified fracture of left forearm, initial encounter for closed fracture	T24122A	Burn of first degree of left knee, initial encounter		
S5292XB	Unspecified fracture of left forearm, initial encounter for open fracture type I or II	T24129A	Burn of first degree of unspecified knee, initial encounter		
S5292XC	Unspecified fracture of left forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC	T24131A	Burn of first degree of right lower leg, initial encounter		
S53001A	Unspecified subluxation of right radial head, initial encounter	T24132A	Burn of first degree of left lower leg, initial encounter		
S53002A	Unspecified subluxation of left radial head, initial encounter	T24139A	Burn of first degree of unspecified lower leg, initial encounter		
S53003A	Unspecified subluxation of unspecified radial head, initial encounter	T24191A	Burn of first degree of multiple sites of right lower limb, except ankle and foot, initial encounter		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S53004A	Unspecified dislocation of right radial head, initial encounter	T24192A	Burn of first degree of multiple sites of left lower limb, except ankle and foot, initial encounter	
S53005A	Unspecified dislocation of left radial head, initial encounter	T24199A	Burn of first degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter	
S53006A	Unspecified dislocation of unspecified radial head, initial encounter	T24201A	Burn of second degree of unspecified site of right lower limb, except ankle and foot, initial encounter	
S53011A	Anterior subluxation of right radial head, initial encounter	T24202A	Burn of second degree of unspecified site of left lower limb, except ankle and foot, initial encounter	
S53012A	Anterior subluxation of left radial head, initial encounter	T24209A	Burn of second degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	
S53013A	Anterior subluxation of unspecified radial head, initial encounter	T24211A	Burn of second degree of right thigh, initial encounter	
S53014A	Anterior dislocation of right radial head, initial encounter	T24212A	Burn of second degree of left thigh, initial encounter	
S53015A	Anterior dislocation of left radial head, initial encounter	T24219A	Burn of second degree of unspecified thigh, initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		Appendix G	
S53016A	Anterior dislocation of unspecified radial head, initial encounter	T24221A	Burn of second degree of right knee, initial encounter
S53021A	Posterior subluxation of right radial head, initial encounter	T24222A	Burn of second degree of left knee, initial encounter
S53022A	Posterior subluxation of left radial head initial encounter	d, T24229A	Burn of second degree of unspecified knee, initial encounter
S53023A	Posterior subluxation of unspecified radial head, initial encounter	T24231A	Burn of second degree of right lower leg, initial encounter
S53024A	Posterior dislocation of right radial head, initial encounter	T24232A	Burn of second degree of left lower leg, initial encounter
S53025A	Posterior dislocation of left radial head initial encounter	, T24239A	Burn of second degree of unspecified lower leg, initial encounter
S53026A	Posterior dislocation of unspecified radial head, initial encounter	T24291A	Burn of second degree of multiple sites of right lower limb, except ankle and foot, initial encounter
S53091A	Other subluxation of right radial head, initial encounter	T24292A	Burn of second degree of multiple sites of left lower limb, except ankle and foot, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S53092A	Other subluxation of left radial head initial encounter	l, T24299A	Burn of second degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter
S53093A	Other subluxation of unspecified radhead, initial encounter	dial T24301A	Burn of third degree of unspecified site of right lower limb, except ankle and foot, initial encounter
S53094A	Other dislocation of right radial head initial encounter	d, T24302A	Burn of third degree of unspecified site of left lower limb, except ankle and foot, initial encounter
S53095A	Other dislocation of left radial head, initial encounter	T24309A	Burn of third degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter
S53096A	Other dislocation of unspecified radihead, initial encounter	ial T24311A	Burn of third degree of right thigh, initial encounter
S53101A	Unspecified subluxation of right ulnohumeral joint, initial encounter	T24312A	Burn of third degree of left thigh, initial encounter
S53102A	Unspecified subluxation of left ulnohumeral joint, initial encounter	T24319A	Burn of third degree of unspecified thigh, initial encounter
S53103A	Unspecified subluxation of unspecificulnohumeral joint, initial encounter	ïed T24321A	Burn of third degree of right knee, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S53104A	Unspecified dislocation of right ulnohumeral joint, initial encounter	T24322A	Burn of third degree of left knee, initial encounter
S53105A	Unspecified dislocation of left ulnohumeral joint, initial encounter	T24329A	Burn of third degree of unspecified knee, initial encounter
S53106A	Unspecified dislocation of unspecific ulnohumeral joint, initial encounter	ed T24331A	Burn of third degree of right lower leg, initial encounter
S53111A	Anterior subluxation of right ulnohumeral joint, initial encounter	T24332A	Burn of third degree of left lower leg, initial encounter
S53112A	Anterior subluxation of left ulnohun joint, initial encounter	neral T24339A	Burn of third degree of unspecified lower leg, initial encounter
S53113A	Anterior subluxation of unspecified ulnohumeral joint, initial encounter	T24391A	Burn of third degree of multiple sites of right lower limb, except ankle and foot, initial encounter
S53114A	Anterior dislocation of right ulnohumeral joint, initial encounter	T24392A	Burn of third degree of multiple sites of left lower limb, except ankle and foot, initial encounter
S53115A	Anterior dislocation of left ulnohum joint, initial encounter	neral T24399A	Burn of third degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter

Version 6.0 Patient Safet	y Indicators Appendices indicators.ahrq.gov	SI Appendix G	
S53116A	Anterior dislocation of unspecified ulnohumeral joint, initial encounter	T24401A	Corrosion of unspecified degree of unspecified site of right lower limb, except ankle and foot, initial encounter
S53121A	Posterior subluxation of right ulnohumeral joint, initial encounter	T24402A	Corrosion of unspecified degree of unspecified site of left lower limb, except ankle and foot, initial encounter
S53122A	Posterior subluxation of left ulnohumeral joint, initial encounter	T24409A	Corrosion of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter
S53123A	Posterior subluxation of unspecified ulnohumeral joint, initial encounter	T24411A	Corrosion of unspecified degree of right thigh, initial encounter
S53124A	Posterior dislocation of right ulnohumeral joint, initial encounter	T24412A	Corrosion of unspecified degree of left thigh, initial encounter
S53125A	Posterior dislocation of left ulnohume joint, initial encounter	eral T24419A	Corrosion of unspecified degree of unspecified thigh, initial encounter
S53126A	Posterior dislocation of unspecified ulnohumeral joint, initial encounter	T24421A	Corrosion of unspecified degree of right knee, initial encounter
S53131A	Medial subluxation of right ulnohume joint, initial encounter	eral T24422A	Corrosion of unspecified degree of left knee, initial encounter

Version 6.0 Patient Safet	CD-10-CM/PCS Specification  by Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S53132A	Medial subluxation of left ulnohum joint, initial encounter	eral T24429A	Corrosion of unspecified degree of unspecified knee, initial encounter
S53133A	Medial subluxation of unspecified ulnohumeral joint, initial encounter	T24431A	Corrosion of unspecified degree of right lower leg, initial encounter
S53134A	Medial dislocation of right ulnohum joint, initial encounter	neral T24432A	Corrosion of unspecified degree of left lower leg, initial encounter
S53135A	Medial dislocation of left ulnohume joint, initial encounter	eral T24439A	Corrosion of unspecified degree of unspecified lower leg, initial encounter
S53136A	Medial dislocation of unspecified ulnohumeral joint, initial encounter	T24491A	Corrosion of unspecified degree of multiple sites of right lower limb, except ankle and foot, initial encounter
S53141A	Lateral subluxation of right ulnohur joint, initial encounter	meral T24492A	Corrosion of unspecified degree of multiple sites of left lower limb, except ankle and foot, initial encounter
S53142A	Lateral subluxation of left ulnohum joint, initial encounter	eral T24499A	Corrosion of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter
S53143A	Lateral subluxation of unspecified ulnohumeral joint, initial encounter	T24501A	Corrosion of first degree of unspecified site of right lower limb, except ankle and foot, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S53144A	Lateral dislocation of right ulnohumeral joint, initial encounter	T24502A	Corrosion of first degree of unspecified site of left lower limb, except ankle and foot, initial encounter	
S53145A	Lateral dislocation of left ulnohumeral joint, initial encounter	T24509A	Corrosion of first degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	
S53146A	Lateral dislocation of unspecified ulnohumeral joint, initial encounter	T24511A	Corrosion of first degree of right thigh, initial encounter	
S53191A	Other subluxation of right ulnohumeral joint, initial encounter	T24512A	Corrosion of first degree of left thigh, initial encounter	
S53192A	Other subluxation of left ulnohumeral joint, initial encounter	T24519A	Corrosion of first degree of unspecified thigh, initial encounter	
S53193A	Other subluxation of unspecified ulnohumeral joint, initial encounter	T24521A	Corrosion of first degree of right knee, initial encounter	
S53194A	Other dislocation of right ulnohumeral joint, initial encounter	T24522A	Corrosion of first degree of left knee, initial encounter	
S53195A	Other dislocation of left ulnohumeral joint, initial encounter	T24529A	Corrosion of first degree of unspecified knee, initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G Version 6.0						
Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov						
S53196A	Other dislocation of unspecified ulnohumeral joint, initial encounter	T24531A	Corrosion of first degree of right lower leg, initial encounter			
S55001A	Unspecified injury of ulnar artery at forearm level, right arm, initial encounter	T24532A	Corrosion of first degree of left lower leg, initial encounter			
S55002A	Unspecified injury of ulnar artery at forearm level, left arm, initial encounter	T24539A	Corrosion of first degree of unspecified lower leg, initial encounter			
S55009A	Unspecified injury of ulnar artery at forearm level, unspecified arm, initial encounter	T24591A	Corrosion of first degree of multiple sites of right lower limb, except ankle and foot, initial encounter			
S55011A	Laceration of ulnar artery at forearm level, right arm, initial encounter	T24592A	Corrosion of first degree of multiple sites of left lower limb, except ankle and foot, initial encounter			
S55012A	Laceration of ulnar artery at forearm level, left arm, initial encounter	T24599A	Corrosion of first degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter			
S55019A	Laceration of ulnar artery at forearm level, unspecified arm, initial encounter	T24601A	Corrosion of second degree of unspecified site of right lower limb, except ankle and foot, initial encounter			
S55091A	Other specified injury of ulnar artery at forearm level, right arm, initial encounter	T24602A	Corrosion of second degree of unspecified site of left lower limb, except ankle and foot, initial encounter			

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S55092A	Other specified injury of ulnar artery at forearm level, left arm, initial encounter	T24609A	Corrosion of second degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	
S55099A	Other specified injury of ulnar artery at forearm level, unspecified arm, initial encounter	T24611A	Corrosion of second degree of right thigh, initial encounter	
S55101A	Unspecified injury of radial artery at forearm level, right arm, initial encounter	T24612A	Corrosion of second degree of left thigh, initial encounter	
S55102A	Unspecified injury of radial artery at forearm level, left arm, initial encounter	T24619A	Corrosion of second degree of unspecified thigh, initial encounter	
S55109A	Unspecified injury of radial artery at forearm level, unspecified arm, initial encounter	T24621A	Corrosion of second degree of right knee, initial encounter	
S55111A	Laceration of radial artery at forearm level, right arm, initial encounter	T24622A	Corrosion of second degree of left knee, initial encounter	
S55112A	Laceration of radial artery at forearm level, left arm, initial encounter	T24629A	Corrosion of second degree of unspecified knee, initial encounter	

T24631A

Laceration of radial artery at forearm

level, unspecified arm, initial encounter

S55119A

Corrosion of second degree of right

lower leg, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S55191A	Other specified injury of radial artery at forearm level, right arm, initial encounter	T24632A	Corrosion of second degree of left lower leg, initial encounter	
S55192A	Other specified injury of radial artery at forearm level, left arm, initial encounter	T24639A	Corrosion of second degree of unspecified lower leg, initial encounter	
S55199A	Other specified injury of radial artery at forearm level, unspecified arm, initial encounter	T24691A	Corrosion of second degree of multiple sites of right lower limb, except ankle and foot, initial encounter	
S55201A	Unspecified injury of vein at forearm level, right arm, initial encounter	T24692A	Corrosion of second degree of multiple sites of left lower limb, except ankle and foot, initial encounter	
S55202A	Unspecified injury of vein at forearm level, left arm, initial encounter	T24699A	Corrosion of second degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter	
S55209A	Unspecified injury of vein at forearm level, unspecified arm, initial encounter	T24701A	Corrosion of third degree of unspecified site of right lower limb, except ankle and foot, initial encounter	
S55211A	Laceration of vein at forearm level, right arm, initial encounter	T24702A	Corrosion of third degree of unspecified site of left lower limb, except ankle and foot, initial encounter	
S55212A	Laceration of vein at forearm level, left arm, initial encounter	T24709A	Corrosion of third degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	

Version 6.0 Patient Safet	D-10-CM/PCS Specification y Indicators Appendices indicators.ahrq.gov	PSI Appendix G	
S55219A	Laceration of vein at forearm level, unspecified arm, initial encounter	T24711A	Corrosion of third degree of right thigh, initial encounter
S55291A	Other specified injury of vein at for level, right arm, initial encounter	rearm T24712A	Corrosion of third degree of left thigh, initial encounter
S55292A	Other specified injury of vein at for level, left arm, initial encounter	rearm T24719A	Corrosion of third degree of unspecified thigh, initial encounter
S55299A	Other specified injury of vein at for level, unspecified arm, initial encou		Corrosion of third degree of right knee, initial encounter
S55801A	Unspecified injury of other blood vessels at forearm level, right arm, initial encounter	T24722A	Corrosion of third degree of left knee, initial encounter
S55802A	Unspecified injury of other blood vessels at forearm level, left arm, in encounter	T24729A nitial	Corrosion of third degree of unspecified knee, initial encounter
S55809A	Unspecified injury of other blood vessels at forearm level, unspecified arm, initial encounter	T24731A	Corrosion of third degree of right lower leg, initial encounter
S55811A	Laceration of other blood vessels at forearm level, right arm, initial encounter	T24732A	Corrosion of third degree of left lower leg, initial encounter

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S55812A	Laceration of other blood vessels at forearm level, left arm, initial encounter	T24739A	Corrosion of third degree of unspecified lower leg, initial encounter		
S55819A	Laceration of other blood vessels at forearm level, unspecified arm, initial encounter	T24791A	Corrosion of third degree of multiple sites of right lower limb, except ankle and foot, initial encounter		
S55891A	Other specified injury of other blood vessels at forearm level, right arm, initial encounter	T24792A	Corrosion of third degree of multiple sites of left lower limb, except ankle and foot, initial encounter		
S55892A	Other specified injury of other blood vessels at forearm level, left arm, initial encounter	T24799A	Corrosion of third degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter		
S55899A	Other specified injury of other blood vessels at forearm level, unspecified arm, initial encounter	T25011A	Burn of unspecified degree of right ankle, initial encounter		
S55901A	Unspecified injury of unspecified blood vessel at forearm level, right arm, initial encounter	T25012A	Burn of unspecified degree of left ankle, initial encounter		
S55902A	Unspecified injury of unspecified blood vessel at forearm level, left arm, initial encounter	T25019A	Burn of unspecified degree of unspecified ankle, initial encounter		
S55909A	Unspecified injury of unspecified blood vessel at forearm level, unspecified arm, initial encounter	T25021A	Burn of unspecified degree of right foot, initial encounter		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S55911A	Laceration of unspecified blood vessel at forearm level, right arm, initial encounter	T25022A	Burn of unspecified degree of left foot, initial encounter	
S55912A	Laceration of unspecified blood vessel at forearm level, left arm, initial encounter	T25029A	Burn of unspecified degree of unspecified foot, initial encounter	
S55919A	Laceration of unspecified blood vessel at forearm level, unspecified arm, initial encounter	T25031A	Burn of unspecified degree of right toe(s) (nail), initial encounter	
S55991A	Other specified injury of unspecified blood vessel at forearm level, right arm, initial encounter	T25032A	Burn of unspecified degree of left toe(s) (nail), initial encounter	
S55992A	Other specified injury of unspecified blood vessel at forearm level, left arm, initial encounter	T25039A	Burn of unspecified degree of unspecified toe(s) (nail), initial encounter	
S55999A	Other specified injury of unspecified blood vessel at forearm level, unspecified arm, initial encounter	T25091A	Burn of unspecified degree of multiple sites of right ankle and foot, initial encounter	
S56021A	Laceration of flexor muscle, fascia and tendon of right thumb at forearm level, initial encounter	T25092A	Burn of unspecified degree of multiple sites of left ankle and foot, initial encounter	
S56022A	Laceration of flexor muscle, fascia and tendon of left thumb at forearm level, initial encounter	T25099A	Burn of unspecified degree of multiple sites of unspecified ankle and foot, initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S56029A	Laceration of flexor muscle, fascia and tendon of unspecified thumb at forearm level, initial encounter	T25111A	Burn of first degree of right ankle, initial encounter		
S56121A	Laceration of flexor muscle, fascia and tendon of right index finger at forearm level, initial encounter	T25112A	Burn of first degree of left ankle, initial encounter		
S56122A	Laceration of flexor muscle, fascia and tendon of left index finger at forearm level, initial encounter	T25119A	Burn of first degree of unspecified ankle, initial encounter		
S56123A	Laceration of flexor muscle, fascia and tendon of right middle finger at forearm level, initial encounter	T25121A	Burn of first degree of right foot, initial encounter		
S56124A	Laceration of flexor muscle, fascia and tendon of left middle finger at forearm level, initial encounter	T25122A	Burn of first degree of left foot, initial encounter		
S56125A	Laceration of flexor muscle, fascia and tendon of right ring finger at forearm level, initial encounter	T25129A	Burn of first degree of unspecified foot, initial encounter		
S56126A	Laceration of flexor muscle, fascia and tendon of left ring finger at forearm level, initial encounter	T25131A	Burn of first degree of right toe(s) (nail), initial encounter		
S56127A	Laceration of flexor muscle, fascia and tendon of right little finger at forearm level, initial encounter	T25132A	Burn of first degree of left toe(s) (nail), initial encounter		

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S56128A	Laceration of flexor muscle, fascia and tendon of left little finger at forearm level, initial encounter	T25139A	Burn of first degree of unspecified toe(s) (nail), initial encounter			
S56129A	Laceration of flexor muscle, fascia and tendon of unspecified finger at forearm level, initial encounter	T25191A	Burn of first degree of multiple sites of right ankle and foot, initial encounter			
S56221A	Laceration of other flexor muscle, fascia and tendon at forearm level, right arm, initial encounter	T25192A	Burn of first degree of multiple sites of left ankle and foot, initial encounter			
S56222A	Laceration of other flexor muscle, fascia and tendon at forearm level, left arm, initial encounter	T25199A	Burn of first degree of multiple sites of unspecified ankle and foot, initial encounter			
S56229A	Laceration of other flexor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter	T25211A	Burn of second degree of right ankle, initial encounter			
S56321A	Laceration of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, initial encounter	T25212A	Burn of second degree of left ankle, initial encounter			
S56322A	Laceration of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, initial encounter	T25219A	Burn of second degree of unspecified ankle, initial encounter			
S56329A	Laceration of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, initial encounter	T25221A	Burn of second degree of right foot, initial encounter			

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S56421A	Laceration of extensor muscle, fascia and tendon of right index finger at forearm level, initial encounter	T25222A	Burn of second degree of left foot, initial encounter	
S56422A	Laceration of extensor muscle, fascia and tendon of left index finger at forearm level, initial encounter	T25229A	Burn of second degree of unspecified foot, initial encounter	
S56423A	Laceration of extensor muscle, fascia and tendon of right middle finger at forearm level, initial encounter	T25231A	Burn of second degree of right toe(s) (nail), initial encounter	
S56424A	Laceration of extensor muscle, fascia and tendon of left middle finger at forearm level, initial encounter	T25232A	Burn of second degree of left toe(s) (nail), initial encounter	
S56425A	Laceration of extensor muscle, fascia and tendon of right ring finger at forearm level, initial encounter	T25239A	Burn of second degree of unspecified toe(s) (nail), initial encounter	
S56426A	Laceration of extensor muscle, fascia and tendon of left ring finger at forearm level, initial encounter	T25291A	Burn of second degree of multiple sites of right ankle and foot, initial encounter	
S56427A	Laceration of extensor muscle, fascia and tendon of right little finger at forearm level, initial encounter	T25292A	Burn of second degree of multiple sites of left ankle and foot, initial encounter	
S56428A	Laceration of extensor muscle, fascia and tendon of left little finger at forearm level, initial encounter	T25299A	Burn of second degree of multiple sites of unspecified ankle and foot, initial encounter	

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S56429A	Laceration of extensor muscle, fascia and tendon of unspecified finger at forearm level, initial encounter	T25311A	Burn of third degree of right ankle, initial encounter		
S56521A	Laceration of other extensor muscle, fascia and tendon at forearm level, right arm, initial encounter	T25312A	Burn of third degree of left ankle, initial encounter		
S56522A	Laceration of other extensor muscle, fascia and tendon at forearm level, left arm, initial encounter	T25319A	Burn of third degree of unspecified ankle, initial encounter		
S56529A	Laceration of other extensor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter	T25321A	Burn of third degree of right foot, initial encounter		
S56821A	Laceration of other muscles, fascia and tendons at forearm level, right arm, initial encounter	T25322A	Burn of third degree of left foot, initial encounter		
S56822A	Laceration of other muscles, fascia and tendons at forearm level, left arm, initial encounter	T25329A	Burn of third degree of unspecified foot, initial encounter		
S56829A	Laceration of other muscles, fascia and tendons at forearm level, unspecified arm, initial encounter	T25331A	Burn of third degree of right toe(s) (nail), initial encounter		
S56921A	Laceration of unspecified muscles, fascia and tendons at forearm level, right arm, initial encounter	T25332A	Burn of third degree of left toe(s) (nail), initial encounter		

July 2016 405 of 434

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S56922A	Laceration of unspecified muscles, fascia and tendons at forearm level arm, initial encounter		Burn of third degree of unspecified toe(s) (nail), initial encounter
S56929A	Laceration of unspecified muscles, fascia and tendons at forearm level unspecified arm, initial encounter		Burn of third degree of multiple sites of right ankle and foot, initial encounter
S5700XA	Crushing injury of unspecified elbo initial encounter	ow, T25392A	Burn of third degree of multiple sites of left ankle and foot, initial encounter
S5701XA	Crushing injury of right elbow, init encounter	ial T25399A	Burn of third degree of multiple sites of unspecified ankle and foot, initial encounter
S5702XA	Crushing injury of left elbow, initiatencounter	nl T25411A	Corrosion of unspecified degree of right ankle, initial encounter
S5780XA	Crushing injury of unspecified fore initial encounter	earm, T25412A	Corrosion of unspecified degree of left ankle, initial encounter
S5781XA	Crushing injury of right forearm, in encounter	nitial T25419A	Corrosion of unspecified degree of unspecified ankle, initial encounter
S5782XA	Crushing injury of left forearm, init encounter	tial T25421A	Corrosion of unspecified degree of right foot, initial encounter

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S58011A	Complete traumatic amputation at elbow level, right arm, initial encounter	T25422A	Corrosion of unspecified degree of left foot, initial encounter		
S58012A	Complete traumatic amputation at elbow level, left arm, initial encounter	T25429A	Corrosion of unspecified degree of unspecified foot, initial encounter		
S58019A	Complete traumatic amputation at elbow level, unspecified arm, initial encounter	T25431A	Corrosion of unspecified degree of right toe(s) (nail), initial encounter		
S58021A	Partial traumatic amputation at elbow level, right arm, initial encounter	T25432A	Corrosion of unspecified degree of left toe(s) (nail), initial encounter		
S58022A	Partial traumatic amputation at elbow level, left arm, initial encounter	T25439A	Corrosion of unspecified degree of unspecified toe(s) (nail), initial encounter		
S58029A	Partial traumatic amputation at elbow level, unspecified arm, initial encounter	T25491A	Corrosion of unspecified degree of multiple sites of right ankle and foot, initial encounter		
S58111A	Complete traumatic amputation at level between elbow and wrist, right arm, initial encounter	T25492A	Corrosion of unspecified degree of multiple sites of left ankle and foot, initial encounter		

T25499A

Complete traumatic amputation at level

between elbow and wrist, left arm,

initial encounter

S58112A

foot, initial encounter

Corrosion of unspecified degree of

multiple sites of unspecified ankle and

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S58119A	Complete traumatic amputation at level between elbow and wrist, unspecified arm, initial encounter	T25511A	Corrosion of first degree of right ankle, initial encounter	
S58121A	Partial traumatic amputation at level between elbow and wrist, right arm, initial encounter	T25512A	Corrosion of first degree of left ankle, initial encounter	
S58122A	Partial traumatic amputation at level between elbow and wrist, left arm, initial encounter	T25519A	Corrosion of first degree of unspecified ankle, initial encounter	
S58129A	Partial traumatic amputation at level between elbow and wrist, unspecified arm, initial encounter	T25521A	Corrosion of first degree of right foot, initial encounter	
S58911A	Complete traumatic amputation of right forearm, level unspecified, initial encounter	T25522A	Corrosion of first degree of left foot, initial encounter	
S58912A	Complete traumatic amputation of left forearm, level unspecified, initial encounter	T25529A	Corrosion of first degree of unspecified foot, initial encounter	
S58919A	Complete traumatic amputation of unspecified forearm, level unspecified, initial encounter	T25531A	Corrosion of first degree of right toe(s) (nail), initial encounter	
S58921A	Partial traumatic amputation of right forearm, level unspecified, initial encounter	T25532A	Corrosion of first degree of left toe(s) (nail), initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S58922A	Partial traumatic amputation of left forearm, level unspecified, initial encounter	T25539A	Corrosion of first degree of unspecified toe(s) (nail), initial encounter	
S58929A	Partial traumatic amputation of unspecified forearm, level unspecified, initial encounter	T25591A	Corrosion of first degree of multiple sites of right ankle and foot, initial encounter	
S59001A	Unspecified physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	T25592A	Corrosion of first degree of multiple sites of left ankle and foot, initial encounter	
S59002A	Unspecified physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	T25599A	Corrosion of first degree of multiple sites of unspecified ankle and foot, initial encounter	
S59009A	Unspecified physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	T25611A	Corrosion of second degree of right ankle, initial encounter	
S59011A	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	T25612A	Corrosion of second degree of left ankle, initial encounter	
S59012A	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	T25619A	Corrosion of second degree of unspecified ankle, initial encounter	
S59019A	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	T25621A	Corrosion of second degree of right foot, initial encounter	

July 2016 409 of 434

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S59021A	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	T25622A	Corrosion of second degree of left foot, initial encounter		
S59022A	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	T25629A	Corrosion of second degree of unspecified foot, initial encounter		
S59029A	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	T25631A	Corrosion of second degree of right toe(s) (nail), initial encounter		
S59031A	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	T25632A	Corrosion of second degree of left toe(s) (nail), initial encounter		
S59032A	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	T25639A	Corrosion of second degree of unspecified toe(s) (nail), initial encounter		
S59039A	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	T25691A	Corrosion of second degree of right ankle and foot, initial encounter		
S59041A	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	T25692A	Corrosion of second degree of left ankle and foot, initial encounter		
S59042A	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	T25699A	Corrosion of second degree of unspecified ankle and foot, initial encounter		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S59049A	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	T25711A	Corrosion of third degree of right ankle, initial encounter	
S59091A	Other physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	T25712A	Corrosion of third degree of left ankle, initial encounter	
S59092A	Other physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	T25719A	Corrosion of third degree of unspecified ankle, initial encounter	
S59099A	Other physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	T25721A	Corrosion of third degree of right foot, initial encounter	
S59101A	Unspecified physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	T25722A	Corrosion of third degree of left foot, initial encounter	
S59102A	Unspecified physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	T25729A	Corrosion of third degree of unspecified foot, initial encounter	
S59109A	Unspecified physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	T25731A	Corrosion of third degree of right toe(s) (nail), initial encounter	
S59111A	Salter-Harris Type I physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	T25732A	Corrosion of third degree of left toe(s) (nail), initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S59112A	Salter-Harris Type I physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	T25739A	Corrosion of third degree of unspecified toe(s) (nail), initial encounter	
S59119A	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	T25791A	Corrosion of third degree of multiple sites of right ankle and foot, initial encounter	
S59121A	Salter-Harris Type II physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	T25792A	Corrosion of third degree of multiple sites of left ankle and foot, initial encounter	
S59122A	Salter-Harris Type II physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	T25799A	Corrosion of third degree of multiple sites of unspecified ankle and foot, initial encounter	
S59129A	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	T2600XA	Burn of unspecified eyelid and periocular area, initial encounter	
S59131A	Salter-Harris Type III physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	T2601XA	Burn of right eyelid and periocular area, initial encounter	
S59132A	Salter-Harris Type III physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	T2602XA	Burn of left eyelid and periocular area, initial encounter	
S59139A	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	T2610XA	Burn of cornea and conjunctival sac, unspecified eye, initial encounter	

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S59141A	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	T2611XA	Burn of cornea and conjunctival sac, right eye, initial encounter		
S59142A	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	T2612XA	Burn of cornea and conjunctival sac, left eye, initial encounter		
S59149A	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	T2620XA	Burn with resulting rupture and destruction of unspecified eyeball, initial encounter		
S59191A	Other physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	T2621XA	Burn with resulting rupture and destruction of right eyeball, initial encounter		
S59192A	Other physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	T2622XA	Burn with resulting rupture and destruction of left eyeball, initial encounter		
S59199A	Other physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	T2630XA	Burns of other specified parts of unspecified eye and adnexa, initial encounter		
S59201A	Unspecified physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	T2631XA	Burns of other specified parts of right eye and adnexa, initial encounter		
S59202A	Unspecified physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	T2632XA	Burns of other specified parts of left eye and adnexa, initial encounter		

Version 6.0 Patient Safe	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S59209A	Unspecified physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	T2640XA	Burn of unspecified eye and adnexa, part unspecified, initial encounter		
S59211A	Salter-Harris Type I physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	T2641XA	Burn of right eye and adnexa, part unspecified, initial encounter		
S59212A	Salter-Harris Type I physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	T2642XA	Burn of left eye and adnexa, part unspecified, initial encounter		
S59219A	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	T2650XA	Corrosion of unspecified eyelid and periocular area, initial encounter		
S59221A	Salter-Harris Type II physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	T2651XA	Corrosion of right eyelid and periocular area, initial encounter		
S59222A	Salter-Harris Type II physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	T2652XA	Corrosion of left eyelid and periocular area, initial encounter		
S59229A	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	T2660XA	Corrosion of cornea and conjunctival sac, unspecified eye, initial encounter		
S59231A	Salter-Harris Type III physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	T2661XA	Corrosion of cornea and conjunctival sac, right eye, initial encounter		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S59232A	Salter-Harris Type III physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	T2662XA	Corrosion of cornea and conjunctival sac, left eye, initial encounter	
S59239A	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	T2670XA	Corrosion with resulting rupture and destruction of unspecified eyeball, initial encounter	
S59241A	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	T2671XA	Corrosion with resulting rupture and destruction of right eyeball, initial encounter	
S59242A	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	T2672XA	Corrosion with resulting rupture and destruction of left eyeball, initial encounter	
S59249A	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	T2680XA	Corrosions of other specified parts of unspecified eye and adnexa, initial encounter	
S59291A	Other physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	T2681XA	Corrosions of other specified parts of right eye and adnexa, initial encounter	
S59292A	Other physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	T2682XA	Corrosions of other specified parts of left eye and adnexa, initial encounter	
S59299A	Other physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	T2690XA	Corrosion of unspecified eye and adnexa, part unspecified, initial encounter	

Version 6.0 Patient Safet	AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S61401A	Unspecified open wound of right hand, initial encounter	T2691XA	Corrosion of right eye and adnexa, part unspecified, initial encounter		
S61402A	Unspecified open wound of left hand, initial encounter	T2692XA	Corrosion of left eye and adnexa, part unspecified, initial encounter		
S61409A	Unspecified open wound of unspecified hand, initial encounter	T270XXA	Burn of larynx and trachea, initial encounter		
S61411A	Laceration without foreign body of right hand, initial encounter	T271XXA	Burn involving larynx and trachea with lung, initial encounter		
S61412A	Laceration without foreign body of left hand, initial encounter	T272XXA	Burn of other parts of respiratory tract, initial encounter		
S61419A	Laceration without foreign body of unspecified hand, initial encounter	T273XXA	Burn of respiratory tract, part unspecified, initial encounter		
S61421A	Laceration with foreign body of right hand, initial encounter	T274XXA	Corrosion of larynx and trachea, initial encounter		
S61422A	Laceration with foreign body of left hand, initial encounter	T275XXA	Corrosion involving larynx and trachea with lung, initial encounter		

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S61429A	Laceration with foreign body of unspecified hand, initial encounter	T276XXA	Corrosion of other parts of respiratory tract, initial encounter	
S61431A	Puncture wound without foreign body of right hand, initial encounter	T277XXA	Corrosion of respiratory tract, part unspecified, initial encounter	
S61432A	Puncture wound without foreign body of left hand, initial encounter	T280XXA	Burn of mouth and pharynx, initial encounter	
S61439A	Puncture wound without foreign body of unspecified hand, initial encounter	T281XXA	Burn of esophagus, initial encounter	
S61441A	Puncture wound with foreign body of right hand, initial encounter	T282XXA	Burn of other parts of alimentary tract, initial encounter	
S61442A	Puncture wound with foreign body of left hand, initial encounter	T283XXA	Burn of internal genitourinary organs, initial encounter	
S61449A	Puncture wound with foreign body of unspecified hand, initial encounter	T2840XA	Burn of unspecified internal organ, initial encounter	
S61451A	Open bite of right hand, initial encounter	T28411A	Burn of right ear drum, initial encounter	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S61452A	Open bite of left hand, initial encounter	T28412A	Burn of left ear drum, initial encounter	
S61459A	Open bite of unspecified hand, initial encounter	T28419A	Burn of unspecified ear drum, initial encounter	
S61501A	Unspecified open wound of right wrist, initial encounter	T2849XA	Burn of other internal organ, initial encounter	
S61502A	Unspecified open wound of left wrist, initial encounter	T285XXA	Corrosion of mouth and pharynx, initial encounter	
S61509A	Unspecified open wound of unspecified wrist, initial encounter	T286XXA	Corrosion of esophagus, initial encounter	
S61511A	Laceration without foreign body of right wrist, initial encounter	T287XXA	Corrosion of other parts of alimentary tract, initial encounter	
S61512A	Laceration without foreign body of left wrist, initial encounter	T288XXA	Corrosion of internal genitourinary organs, initial encounter	
S61519A	Laceration without foreign body of unspecified wrist, initial encounter	T2890XA	Corrosions of unspecified internal organs, initial encounter	

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI A ty Indicators Appendices vindicators.ahrq.gov	Appendix G	
S61521A	Laceration with foreign body of right wrist, initial encounter	T28911A	Corrosions of right ear drum, initial encounter
S61522A	Laceration with foreign body of left wrist, initial encounter	T28912A	Corrosions of left ear drum, initial encounter
S61529A	Laceration with foreign body of unspecified wrist, initial encounter	T28919A	Corrosions of unspecified ear drum, initial encounter
S61531A	Puncture wound without foreign body of right wrist, initial encounter	T2899XA	Corrosions of other internal organs, initial encounter
S61532A	Puncture wound without foreign body of left wrist, initial encounter	T300	Burn of unspecified body region, unspecified degree
S61539A	Puncture wound without foreign body of unspecified wrist, initial encounter	T304	Corrosion of unspecified body region, unspecified degree
S61541A	Puncture wound with foreign body of right wrist, initial encounter	T310	Burns involving less than 10% of body surface
S61542A	Puncture wound with foreign body of left wrist, initial encounter	T3110	Burns involving 10-19% of body surface with 0% to 9% third degree burns

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		PSI Appendix G	
S61549A	Puncture wound with foreign body unspecified wrist, initial encounter		Burns involving 10-19% of body surface with 10-19% third degree burns
S61551A	Open bite of right wrist, initial encounter	T3120	Burns involving 20-29% of body surface with 0% to 9% third degree burns
S61552A	Open bite of left wrist, initial encor	unter T3121	Burns involving 20-29% of body surface with 10-19% third degree burns
S61559A	Open bite of unspecified wrist, init encounter	ial T3122	Burns involving 20-29% of body surface with 20-29% third degree burns
S62001A	Unspecified fracture of navicular [scaphoid] bone of right wrist, initi encounter for closed fracture	T3130 al	Burns involving 30-39% of body surface with 0% to 9% third degree burns
S62001B	Unspecified fracture of navicular [scaphoid] bone of right wrist, initi encounter for open fracture	T3131 al	Burns involving 30-39% of body surface with 10-19% third degree burns
S62002A	Unspecified fracture of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	T3132	Burns involving 30-39% of body surface with 20-29% third degree burns
S62002B	Unspecified fracture of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	T3133	Burns involving 30-39% of body surface with 30-39% third degree burns

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S62009A	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	T3140	Burns involving 40-49% of body surface with 0% to 9% third degree burns	
S62009B	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	T3141	Burns involving 40-49% of body surface with 10-19% third degree burns	
S62011A	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	T3142	Burns involving 40-49% of body surface with 20-29% third degree burns	
S62011B	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	T3143	Burns involving 40-49% of body surface with 30-39% third degree burns	
S62012A	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	T3144	Burns involving 40-49% of body surface with 40-49% third degree burns	
S62012B	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	T3150	Burns involving 50-59% of body surface with 0% to 9% third degree burns	
S62013A	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	T3151	Burns involving 50-59% of body surface with 10-19% third degree burns	
S62013B	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	T3152	Burns involving 50-59% of body surface with 20-29% third degree burns	

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		'SI Appendix G	
S62014A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wr initial encounter for closed fracture		Burns involving 50-59% of body surface with 30-39% third degree burns
S62014B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wr initial encounter for open fracture		Burns involving 50-59% of body surface with 40-49% third degree burns
S62015A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist initial encounter for closed fracture		Burns involving 50-59% of body surface with 50-59% third degree burns
S62015B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist initial encounter for open fracture		Burns involving 60-69% of body surface with 0% to 9% third degree burns
S62016A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture		Burns involving 60-69% of body surface with 10-19% third degree burns
S62016B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture		Burns involving 60-69% of body surface with 20-29% third degree burns
S62021A	Displaced fracture of middle third of navicular [scaphoid] bone of right wr initial encounter for closed fracture		Burns involving 60-69% of body surface with 30-39% third degree burns
S62021B	Displaced fracture of middle third of navicular [scaphoid] bone of right wr initial encounter for open fracture	T3164 ist,	Burns involving 60-69% of body surface with 40-49% third degree burns

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S62022A	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	T3165	Burns involving 60-69% of body surface with 50-59% third degree burns	
S62022B	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	T3166	Burns involving 60-69% of body surface with 60-69% third degree burns	
S62023A	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	T3170	Burns involving 70-79% of body surface with 0% to 9% third degree burns	
S62023B	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	T3171	Burns involving 70-79% of body surface with 10-19% third degree burns	
S62024A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	T3172	Burns involving 70-79% of body surface with 20-29% third degree burns	
S62024B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	T3173	Burns involving 70-79% of body surface with 30-39% third degree burns	
S62025A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	T3174	Burns involving 70-79% of body surface with 40-49% third degree burns	
S62025B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	T3175	Burns involving 70-79% of body surface with 50-59% third degree burns	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S62026A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	T3176	Burns involving 70-79% of body surface with 60-69% third degree burns	
S62026B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	T3177	Burns involving 70-79% of body surface with 70-79% third degree burns	
S62031A	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	T3180	Burns involving 80-89% of body surface with 0% to 9% third degree burns	
S62031B	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	T3181	Burns involving 80-89% of body surface with 10-19% third degree burns	
S62032A	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	T3182	Burns involving 80-89% of body surface with 20-29% third degree burns	
S62032B	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	T3183	Burns involving 80-89% of body surface with 30-39% third degree burns	
S62033A	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	T3184	Burns involving 80-89% of body surface with 40-49% third degree burns	
S62033B	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	T3185	Burns involving 80-89% of body surface with 50-59% third degree burns	

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices yindicators.ahrq.gov	oendix G	
S62034A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	T3186	Burns involving 80-89% of body surface with 60-69% third degree burns
S62034B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	T3187	Burns involving 80-89% of body surface with 70-79% third degree burns
S62035A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	T3188	Burns involving 80-89% of body surface with 80-89% third degree burns
S62035B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	T3190	Burns involving 90% or more of body surface with 0% to 9% third degree burns
S62036A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	T3191	Burns involving 90% or more of body surface with 10-19% third degree burns
S62036B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	T3192	Burns involving 90% or more of body surface with 20-29% third degree burns
S62101A	Fracture of unspecified carpal bone, right wrist, initial encounter for closed fracture	T3193	Burns involving 90% or more of body surface with 30-39% third degree burns
S62101B	Fracture of unspecified carpal bone, right wrist, initial encounter for open fracture	T3194	Burns involving 90% or more of body surface with 40-49% third degree burns

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI App ty Indicators Appendices vindicators.ahrq.gov	oendix G	
S62102A	Fracture of unspecified carpal bone, left wrist, initial encounter for closed fracture	T3195	Burns involving 90% or more of body surface with 50-59% third degree burns
S62102B	Fracture of unspecified carpal bone, left wrist, initial encounter for open fracture	T3196	Burns involving 90% or more of body surface with 60-69% third degree burns
S62109A	Fracture of unspecified carpal bone, unspecified wrist, initial encounter for closed fracture	T3197	Burns involving 90% or more of body surface with 70-79% third degree burns
S62109B	Fracture of unspecified carpal bone, unspecified wrist, initial encounter for open fracture	T3198	Burns involving 90% or more of body surface with 80-89% third degree burns
S62111A	Displaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for closed fracture	T3199	Burns involving 90% or more of body surface with 90% or more third degree burns
S62111B	Displaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for open fracture	T320	Corrosions involving less than 10% of body surface
S62112A	Displaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for closed fracture	T3210	Corrosions involving 10-19% of body surface with 0% to 9% third degree corrosion
S62112B	Displaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for open fracture	T3211	Corrosions involving 10-19% of body surface with 10-19% third degree corrosion

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PS ty Indicators Appendices vindicators.ahrq.gov		
S62113A	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for closed fracture	T3220	Corrosions involving 20-29% of body surface with 0% to 9% third degree corrosion
S62113B	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for open fracture	T3221	Corrosions involving 20-29% of body surface with 10-19% third degree corrosion
S62114A	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for closed fracture	T3222	Corrosions involving 20-29% of body surface with 20-29% third degree corrosion
S62114B	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for open fracture	T3230	Corrosions involving 30-39% of body surface with 0% to 9% third degree corrosion
S62115A	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for closed fracture	T3231	Corrosions involving 30-39% of body surface with 10-19% third degree corrosion
S62115B	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for open fracture	T3232	Corrosions involving 30-39% of body surface with 20-29% third degree corrosion
S62116A	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for closed fracture	T3233	Corrosions involving 30-39% of body surface with 30-39% third degree corrosion
S62116B	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for open fracture	T3240	Corrosions involving 40-49% of body surface with 0% to 9% third degree corrosion

July 2016 427 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S62121A	Displaced fracture of lunate [semilunar], right wrist, initial encounter for closed fracture	T3241	Corrosions involving 40-49% of body surface with 10-19% third degree corrosion	
S62121B	Displaced fracture of lunate [semilunar], right wrist, initial encounter for open fracture	T3242	Corrosions involving 40-49% of body surface with 20-29% third degree corrosion	
S62122A	Displaced fracture of lunate [semilunar], left wrist, initial encounter for closed fracture	T3243	Corrosions involving 40-49% of body surface with 30-39% third degree corrosion	
S62122B	Displaced fracture of lunate [semilunar], left wrist, initial encounter for open fracture	T3244	Corrosions involving 40-49% of body surface with 40-49% third degree corrosion	
S62123A	Displaced fracture of lunate [semilunar], unspecified wrist, initial encounter for closed fracture	T3250	Corrosions involving 50-59% of body surface with 0% to 9% third degree corrosion	
S62123B	Displaced fracture of lunate [semilunar], unspecified wrist, initial encounter for open fracture	T3251	Corrosions involving 50-59% of body surface with 10-19% third degree corrosion	
S62124A	Nondisplaced fracture of lunate [semilunar], right wrist, initial encounter for closed fracture	T3252	Corrosions involving 50-59% of body surface with 20-29% third degree corrosion	
S62124B	Nondisplaced fracture of lunate [semilunar], right wrist, initial encounter for open fracture	T3253	Corrosions involving 50-59% of body surface with 30-39% third degree corrosion	

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S62125A	Nondisplaced fracture of lunate [semilunar], left wrist, initial encounter for closed fracture	T3254	Corrosions involving 50-59% of body surface with 40-49% third degree corrosion	
S62125B	Nondisplaced fracture of lunate [semilunar], left wrist, initial encounter for open fracture	T3255	Corrosions involving 50-59% of body surface with 50-59% third degree corrosion	
S62126A	Nondisplaced fracture of lunate [semilunar], unspecified wrist, initial encounter for closed fracture	T3260	Corrosions involving 60-69% of body surface with 0% to 9% third degree corrosion	
S62126B	Nondisplaced fracture of lunate [semilunar], unspecified wrist, initial encounter for open fracture	T3261	Corrosions involving 60-69% of body surface with 10-19% third degree corrosion	
S62131A	Displaced fracture of capitate [os magnum] bone, right wrist, initial encounter for closed fracture	T3262	Corrosions involving 60-69% of body surface with 20-29% third degree corrosion	
S62131B	Displaced fracture of capitate [os magnum] bone, right wrist, initial encounter for open fracture	T3263	Corrosions involving 60-69% of body surface with 30-39% third degree corrosion	
S62132A	Displaced fracture of capitate [os magnum] bone, left wrist, initial encounter for closed fracture	T3264	Corrosions involving 60-69% of body surface with 40-49% third degree corrosion	
S62132B	Displaced fracture of capitate [os magnum] bone, left wrist, initial encounter for open fracture	T3265	Corrosions involving 60-69% of body surface with 50-59% third degree corrosion	

Version 6.0 Patient Safe	CD-10-CM/PCS Specification PSI Appointy Indicators Appendices yindicators.ahrq.gov	oendix G	
S62133A	Displaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for closed fracture	T3266	Corrosions involving 60-69% of body surface with 60-69% third degree corrosion
S62133B	Displaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for open fracture	T3270	Corrosions involving 70-79% of body surface with 0% to 9% third degree corrosion
S62134A	Nondisplaced fracture of capitate [os magnum] bone, right wrist, initial encounter for closed fracture	T3271	Corrosions involving 70-79% of body surface with 10-19% third degree corrosion
S62134B	Nondisplaced fracture of capitate [os magnum] bone, right wrist, initial encounter for open fracture	T3272	Corrosions involving 70-79% of body surface with 20-29% third degree corrosion
S62135A	Nondisplaced fracture of capitate [os magnum] bone, left wrist, initial encounter for closed fracture	T3273	Corrosions involving 70-79% of body surface with 30-39% third degree corrosion
S62135B	Nondisplaced fracture of capitate [os magnum] bone, left wrist, initial encounter for open fracture	T3274	Corrosions involving 70-79% of body surface with 40-49% third degree corrosion
S62136A	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for closed fracture	T3275	Corrosions involving 70-79% of body surface with 50-59% third degree corrosion
S62136B	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for open fracture	T3276	Corrosions involving 70-79% of body surface with 60-69% third degree corrosion

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov				
S62141A	Displaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for closed fracture	Т3277	Corrosions involving 70-79% of body surface with 70-79% third degree corrosion	
S62141B	Displaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for open fracture	T3280	Corrosions involving 80-89% of body surface with 0% to 9% third degree corrosion	
S62142A	Displaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for closed fracture	T3281	Corrosions involving 80-89% of body surface with 10-19% third degree corrosion	
S62142B	Displaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for open fracture	T3282	Corrosions involving 80-89% of body surface with 20-29% third degree corrosion	
S62143A	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	T3283	Corrosions involving 80-89% of body surface with 30-39% third degree corrosion	
S62143B	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	T3284	Corrosions involving 80-89% of body surface with 40-49% third degree corrosion	
S62144A	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for closed fracture	T3285	Corrosions involving 80-89% of body surface with 50-59% third degree corrosion	
S62144B	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for open fracture	T3286	Corrosions involving 80-89% of body surface with 60-69% third degree corrosion	

AHRQ QI™ ICD-10-CM/PCS Specification Version 6.0 Patient Safety Indicators Appendices www.qualityindicators.ahrq.gov		l Appendix G	
S62145A	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for closed fracture	T3287	Corrosions involving 80-89% of body surface with 70-79% third degree corrosion
S62145B	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for open fracture	T3288	Corrosions involving 80-89% of body surface with 80-89% third degree corrosion
S62146A	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	T3290	Corrosions involving 90% or more of body surface with 0% to 9% third degree corrosion
S62146B	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture.	T3291	Corrosions involving 90% or more of body surface with 10-19% third degree corrosion
S62151A	Displaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for closed fracture	T3292	Corrosions involving 90% or more of body surface with 20-29% third degree corrosion
S62151B	Displaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for open fracture	T3293	Corrosions involving 90% or more of body surface with 30-39% third degree corrosion
S62152A	Displaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for closed fracture	T3294	Corrosions involving 90% or more of body surface with 40-49% third degree corrosion
S62152B	Displaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for open fracture	T3295	Corrosions involving 90% or more of body surface with 50-59% third degree corrosion

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S62153A	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	T3296	Corrosions involving 90% or more of body surface with 60-69% third degree corrosion		
S62153B	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	T3297	Corrosions involving 90% or more of body surface with 70-79% third degree corrosion		
S62154A	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for closed fracture	T3298	Corrosions involving 90% or more of body surface with 80-89% third degree corrosion		
S62154B	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for open fracture	T3299	Corrosions involving 90% or more of body surface with 90% or more third degree corrosion		
S62155A	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for closed fracture	T790XXA	Air embolism (traumatic), initial encounter		
S62155B	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for open fracture	T791XXA	Fat embolism (traumatic), initial encounter		
S62156A	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	T792XXA	Traumatic secondary and recurrent hemorrhage and seroma, initial encounter		
S62156B	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	T794XXA	Traumatic shock, initial encounter		

July 2016 433 of 434

AHRQ QI™ ICD-10-CM/PCS Specification PSI Appendix G  Version 6.0  Patient Safety Indicators Appendices  www.qualityindicators.ahrq.gov					
S62161A	Displaced fracture of pisiform, right wrist, initial encounter for closed fracture	T795XXA	Traumatic anuria, initial encounter		
S62161B	Displaced fracture of pisiform, right wrist, initial encounter for open fracture	T796XXA	Traumatic ischemia of muscle, initial encounter		
S62162A	Displaced fracture of pisiform, left wrist, initial encounter for closed fracture	T797XXA	Traumatic subcutaneous emphysema, initial encounter		
S62162B	Displaced fracture of pisiform, left wrist, initial encounter for open fracture	T798XXA	Other early complications of trauma, initial encounter		
S62163A	Displaced fracture of pisiform, unspecified wrist, initial encounter for closed fracture	T799XXA	Unspecified early complication of trauma, initial encounter		
S62163B	Displaced fracture of pisiform, unspecified wrist, initial encounter for open fracture				

July 2016 434 of 434